

Additional file 6 5871 neonates including 5 neonatal deaths with 5-minute Apgar scores of 7 or more but without changes in FHR monitoring in labour.

Additional file 6A 1492 mothers at Martha Tubman Memorial Hospital FHR showing no changes but Apgar scores at 5 minutes of 7 or higher.

MTMH	No. contractions monitored	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	Mode of delivery	Baby resus	Duration resus (min)	NICU admit Yes/No	Seizures	Birth asphyxia level	Record number
	22	prolonged labour , breech presentation	9	10	CS	No		No			1.
	44	prolonged active phase of labour	8	10	CS,	No		No			2.
	44		9	10	VD	No		No			3.
	44		8	10	VD	No		No			4.
	44		8	10	VD	No		No			5.
	44		8	10	VD	No		No			6.
	43		9	10	VD	No		No			7.
	44		9	10	VD	No		yes, low birth weight 2.2Kg			8.
	44		9	10	CS	No		no			9.
	44		9	10	VD	No		No			10.
	44		8	10	VD	No		No			11.
	44		8	10	VD	No		No			12.
	44		8	10	VD	No		No			13.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status	Record number
14	44		8	10	VD	No		No			14.
15	44		8	10	VD	No		No			15.
16	44		7	10	VD	No		No			16.
17	44		9	10	VD	No		No			17.
18	44		9	10	VD	No		No			18.
19	44		7	10	VD	No		No			19.
20	44		9	10	VD	No		No			20.
21	44				CS, macrosomia, malposition, obstructed labour	yes	5	yes	no		21.
22	44		9	10	VD	no		no			22.
23	44		8	10	VD	No		No			23.
24	44		9	10	VD	No		Yes, preterm			24.
25	33		8	10	VD	No		No			25.
26	44		8	10	VD	No		No			26.
27	33		9	10	VD	No		No			27.
28	44		8	10	VD	No		No			28.
29	44		9	10	VD	No		No			29.
30	44		8	10	VD	No		No			30.
31	44		9	10	VD	No		No			31.
32	44		9	10	VD	No		No			32.
33	33		9	10	VD	No		Yes, 2.3Kg			33.
34	44		8	10	VD	No		No			34.
35	22 –		9	10	CS, meconium present throughout	No		No			35.

Patient No.	No. contractions monitored	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	Mode of delivery	Baby resus	Duration resus (min)	NICU admit Yes/No	Seizures	Birth asphyxia level	Record number
36	33		9	10	VD	No		No			36.
37	38		9	10	VD	No		No			37.
38	44		7	10	VD	No		Yes, preterm 2.0Kg			38.
39	44		9	10	VD	No		No			39.
40	44		8	10	VD	No		No			40.
41	33		8	10	VD	No		No			41.
42	44		8	10	CS	No		No			42.
43	22		8	10	VD	No		No			43.
44	13		9	10	VD	No		No			44.
45	11		9	10	VD	No		No			45.
46	14		9	10	VD	No		No			46.
47	8		9	10	VD	No		No			47.
48	22		7	10	VD	No		No			48.
49	23		8	10	VD	No		No			49.
50	11		9	10	VD	No		No			50.
51	15		8	10	VD	No		No			51.
52	11		8	10	VD	No		No			52.
53	9		9	10	VD	No		No			53.
54	33		9	10	VD	No		No			54.
55	22		9	10	VD	No		No			55.
56	22		9	10	VD	No		No			56.
57	11		9	10	VD	No		No			57.
58	22		8	10	VD	No		No			58.
59	17		9	10	VD	No		No			59.
60	22		8	10	VD	No		No			60.

Patient No.	No. contractions monitored	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	Mode of delivery	Baby resus	Duration resus (min)	NICU admit Yes/No	Seizures	Birth asphyxia level	Record number
61	25		9	10	CS, counselled on surgery, CPD/ obstructed labour	No		No			61.
62	22		9	10	VD	No		No			62.
63	14		8	10	CS, CPD, obstructed labour	No		No			63.
64	22		8	10	VD	No		No			64.
65	22		9	10	VD	No		No			65.
67	23		9	10	VD	No		No			66.
68	23		7	10	CS	No		No			67.
69	24		7	10	VD	No		No			68.
70	22		9	10	VD	No		No			69.
71	22		9	10	VD	No		No			70.
72	22		8	10	VD	No		No			71.
73	33		9	10	CS, CPD, Bandl's ring	No		No			72.
74	22		8	10	VD	No		No			73.
75	26		9	10	VD	No		No			74.
76	22		9	10	CS, CPD, Bandl,s ring	No		No			75.
77	11		9	10	VD	No		No			76.
79	2		8	10	VD	No		No			77.
80	16		9	10	VD	No		No			78.
81	22		8	10	VD	No		No			79.
82	10		9	10	VD	No		No			80.
83	13		9	10	VD	No		No			81.
84	9		9	10	VD	No		No			82.
85	11		9	10	VD	No		No			83.
86	5		9	10	VD	No		No			84.

Patient No.	No. contractions monitored	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	Mode of delivery	Baby resus	Duration resus (min)	NICU admit Yes/No	Seizures	Birth asphyxia level	Record number
87	11		8	10	VD	No		No			85.
88	9		9	10	VD	No		No			86.
89	11		9	10	unknown	No		No			87.
90	8		8	10	CS, prolonged active phase of labour , fetal macrosomia	No		No			88.
91	12		9	10	VD	No		No			89.
92	5		9	10	VD	No		No			90.
93	16		9	10	VD	No		No			91.
94	10		9	10	VD	No		No			92.
95	7		9	10	CS, post dates	No		No			93.
96	22		9	10	VD	No		No			94.
97	10		9	10	VD	No		No			95.
98	11		8	10	VD	No		No			96.
99	11		8	10	VD	No		No			97.
100	5		9	10	VD	No		No			98.
101	13		7	10	VD	No		No			99.
102	6		9	10	VD	No		No			100.
103	7		9	10	VD	No		No			101.
104	3		8	10	VD	No		No			102.
105	6		9	10	VD	No		No			103.
106	12		7	10	VD	No		No			104.
107	6		9	10	VD	No		No			105.
108	9		8	10	CS, prolonged obstructed labour	No		No			106.
109	8		8	10	VD	No		No			107.
110	22		8	10	VD	No		No			108.

Patient No.	No. contractions monitored	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	Mode of delivery	Baby resus	Duration resus (min)	NICU admit Yes/No	Seizures	Birth asphyxia level	Record number
111	11		9	10	CS, obstructed labour	No		No			109.
112	4		8	10	VD	No		No			110.
113	3		9	10	VD	No		No			111.
114	13		9	10	VD	No		No			112.
115	5		8	10	VD	No		No			113.
116	8		8	9	VD	No		No			114.
117	11		9	10	VD	No		No			115.
118	12		8	10	VD	No		No			116.
119	5		9	10	VD	No		No			117.
120	17		7	10	VD	No		No			118.
121	9		9	10	VD	No		Yes, to wait for mother to recover from pain	No		119.
128	10		4	8	VD	Yes	6	Yes	No		120.
129	10		5	8	VD	Yes	8	Yes	No		121.
130	6		5	9	VD	Yes	4	Yes	No		122.
131	5		9	10	VD	No		No			123.
132	17		9	10	VD	No		No			124.
133	8		9	10	VD	No		No			125.
134	7		9	10	VD	No		No			126.
135	21		8	10	VD	No		No			127.
136	9		8	10	VD	No		No			128.
137	7		8	10	VD	No		No			129.
138	8		9	10	VD	No		No			130.
139	8		8	10	VD	No		No			131.
140	13		8	10	VD	No		No			132.

Pat no.	N contractions monitored	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia level	Record number
141	9		9	9	CS, post-date oligohydramnios, cord entanglement	No		No			133.
142	9		9	10	VD	No		No			134.
143	7		8	9	VD	No		No			135.
144	5		8	10	VD	No		No			136.
145	9		9	10	VD	No		No			137.
146	10		9	10	VD	No		No			138.
147	7		9	10	VD	No		No			139.
148	9		9	10	VD	No		No			140.
149	6		9	10	VD	No		No			141.
150	20		9	10	VD	No		No			142.
151	6		9	10	VD	No		No			143.
152	4		9	10	VD	No		No			144.
153	4		9	10	VD	No		No			145.
154	8		9	10	VD	No		No			146.
155	9		9	10	VD	No		No			147.
156	7		9,9	10,10	CS, multiple pregnancy, breech	No		No			148.
157	12		9	10	VD	No		No			149.
158	5		9	10	CS, previous CS x1, CPD post term	No		No			150.
159	6		9	10	VD	No		No			151.
160	5		9	10	VD	No		No			152.
161	5		9	10	VD	No		No			153.
162	18		9	10	VD	No		No			154.
163	12		7	10	VD	No		No			155.
164	8		9	10	VD	No		No			156.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No	Seizures	Birth asphyxia status	Record number
165	4		9	10	VD	No		No			157.
166	3		9	10	VD	No		No			158.
167	11		7	10	VD	No		No			159.
168	6		9	10	VD	No		No			160.
169	4		9	10	VD	No		No			161.
170	3		9	10	VD	No		No			162.
171	6		9	10	VD	No		No			163.
172	6		9	10	VD	No		No			164.
173	8		9	10	VD	No		No			165.
174	4		9	10	VD	No		No			166.
175	9		9	10	VD	No		No			167.
176	31		7	10	CS	No,		Yes, prolonged rupture of membranes			168.
177	7		7	8	VD	No		Yes, fetal macrosomia			169.
178	5		7	10	CS, CPD	Yes	2	Yes	No		170.
179	5		9	10	VD	No		Yes	No		171.
183	5		4	7	VD	Yes	5	Yes	No	BA	172.
184	3		9	10	VD	No		No			173.
185	9		9	10	CS, obstructed labour, due to malposition	No		No			174.
186	4		9	10	VD	No		No			175.
187	13		8	10	VD	No		No			176.
188	8		9	10	VD	No		No			177.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apga r 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No	Seizures	Birth asphyxia status	Record number
189	3		8	10	VD	No		No			178.
190	11		9	10	VD	No		No			179.
191	10		9	10	VD	No		No			180.
192	6		8	10	VD	No		No			181.
193	7		9	10	VD	No		No			182.
194	22		9	10	CS, prolonged active phase of labour , failure to progress, large fetus	No		No			183.
195	7		8	10	VD	No		No			184.
196	9		9	10	VD	No		No			185.
197	10		9	10	VD	No		No			186.
198	4		8	10	VD	No		No			187.
199	16		9	10	VD	No		No			188.
200	6		9	10	VD	No		No			189.
201	7		7	10	Vacuum, OBC advised caesarean but patient declined	No		No			190.
202	7		8	10	VD	No		No			191.
203	3		9	10	VD	No		No			192.
204	4		9	10	VD	No		No			193.
205	6		9	10	CS, breech	No		Yes, Neonatal sepsis	No		194.
206	3		9	10	VD	No		Yes, Preterm 34/40	No		195.
207	3		8	10	VD	No		Yes, risk for NS	No		196.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No	Seizures	Birth asphyxia status	Record number
208	8		9	10	CS, for retained twin	No		Yes,			197.
209	7		7	10	CS, prev CS x2, fetal macrosomia	Yes	2	Yes			198.
210	2		9	10	VD	No		Yes, grade 3 meconium	No		199.
211	12		5	8	VD	Yes	5	Yes, mild birth asphyxia	No		200.
212	11		6	9	VD	No		Yes, birth asphyxia	No		201.
214	5		9	10	VD	No		No			202.
215	2		9	10	VD	No		No			203.
216	5		9	10	VD	No		No			204.
217	5		9	10	VD	No		No			205.
218	7		9	10	VD	No		No			206.
219	4		8	10	VD	No		No			207.
220	3		8	10	VD	No		No			208.
221	15		8	10	CS, failed descent	No		No			209.
222	4		9	10	VD	No		No			210.
223	8		8	10	VD	No		No			211.
224	5		9	10	VD	No		No			212.
225	8		8	10	VD	No		No			213.
226	8		8	10	VD	No		No			214.
227	3		9	10	VD	No		No			215.
228	7		7	10	VD	No		No			216.
229	6		8	10	VD	No		No			217.
230	8		9	10	VD	No		No			218.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status	Record number
231	3		9	10	VD	No		No			219.
232	7		7	10	VD	No		No			220.
233	5		7	10	VD	No		No			221.
234	22		8	10	VD	No		No			222.
235	4		9	10	VD	No		No			223.
236	11		8	10	VD	No		No			224.
237	4		9	10	VD	No		Yes, risk of sepsis			225.
238	11		8	10	VD	No		Yes			226.
239	2		9	10	VD	No		Yes, low birth weight			227.
240	5		8	10	CS, post due date	No		Yes, meconium			228.
241	5		6	8	VD	Yes	2	Yes, birth asphyxia	No		229.
244	7		4	8	CS, obstructed labour	Yes	10	Yes, birth asphyxia	No		230.
245	8		9	10	VD	No		No			231.
246	4		8	10	VD	No		No			232.
247	4		9	10	VD	No		No			233.
248	5		9	10	VD	No		No			234.
249	3		9	10	VD	No		No			235.
250	11		9	10	VD	No		No			236.
251	8		9	10	VD	No		No			237.
252	4		8	10	VD	No		No			238.
253	13		9	10	VD	No		No			239.
254	3		9	10	VD	No		No			240.
255	1		9	10	unknown	No		No			241.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apga r 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status	Record number
256	4		9	10	VD	No		No			242.
257	3		8	9	unknown	No		No			243.
258	5		9	10	VD	No		No			244.
259	5		7	10	VD	No		No			245.
260	5		10	10	VD	No		No			246.
261	5		8	10	VD	No		No			247.
262	3		9	10	VD	No		No			248.
263	5		9	10	VD	No		No			249.
264	4		8	9	VD	No		No			250.
265	6		8	10	VD	No		No			251.
266	2		9	10	VD	No		No			252.
267	7		8	10	VD	No		No			253.
268	3		9	10	VD	No		No			254.
269	8		8	10	VD	No		No			255.
270	3		9	10	VD	No		No			256.
271	4		8	10	VD	No		No			257.
272	5		8	10	CS, obstructed labour	No		No			258.
273	6		9	10	VD	No		No			259.
274	3		9	10	VD	No		No			260.
275	6		9	10	VD	No		Yes, low birth weight			261.
276	5		9	10	VD	No		No			262.
277	5		8	10	VD	No		Yes, risk of sepsis			263.
278	2		8	10	VD	No		Yes, low birth weight 2.0Kg			264.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apga r 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status as defined in our report	Record number
279	9		8	10	VD	No		Yes, mother was malaria positive			265.
280	4		8	10	CS, obstructed labour	No		Yes, risk of sepsis			266.
281	2		8	10	VD	No		Yes, low birth weight 2.3Kg			267.
291	5		9	10	VD	No		No			268.
292	12		7	10	VD	No		No			269.
293	6		9	10	VD	No		No			270.
294	7		7	10	VD	No		No			271.
295	4		7	10	VD	No		No			272.
296	10		7	10	VD	No		No			273.
297	7		8	10	VD	No		No			274.
298	7		9	10	VD	No		No			275.
299	6		9	10	VD	No		No			276.
300	2		9	10	VD	No		No			277.
301	20		9	10	VD	No		No			278.
302	33		9	10	VD	No		No			279.
303	17		8	10	VD	No		No			280.
304	35		9	10	VD	No		No			281.
305	18		9	10	VD	No		No			282.
306	20		9	10	VD	No		No			283.
307	18		8	10	VD	No		No			284.
308	28		9	10	VD	No		No			285.
309	21		9	10	VD	No		No			286.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apga r 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No	Seizures	Birth asphyxia status	Record number
310	20		9	10	VD	No		No			287.
311	34		9	10	VD	No		No			288.
312	20		9	10	VD	No		No			289.
313	17		9	10	VD	No		No			290.
314	19		8	10	VD	No		No			291.
315	32		9	10	VD	No		No			292.
316	19		9	10	VD	No		No			293.
317			9	10	VD	No		No			294.
318	37		8	9	VD	No		Yes, risk of sepsis			295.
324	36		5	8	VD	Yes	8	Yes	No		296.
328	33		8	10	VD	No		No			297.
329	32		8	10	VD	No		No			298.
330	20		9	10	VD	No		No			299.
331	23		8	10	VD	No		No			300.
332	19		8	10	VD	No		No			301.
333	27		9	10	VD	No		No			302.
334	27			10	VD	No		No			303.
335	33		8	10	CS, malposition	No		No			304.
336	25		9	10	VD	No		No			305.
337	20		8	10	VD	No		No			306.
338	29		9	10	VD	No		No			307.
339	20		9	10	VD	No		No			308.
340	20		7	10	VD	No		No			309.
341	21		9	10	VD	No		No			310.
342	40		9	10	VD	No		No			311.
343	23		8	10	VD	No		No			312.
344	25		8	10	VD	No		No			313.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No	Seizures	Birth asphyxia status	Record number
345	18		7	10	VD	No		Yes, Neonatal Sepsis	No		314.
349	30		7	10	VD	No		Yes, neonatal sepsis			315.
353	19		7	8	VD	No		Yes, risk of sepsis			316.
360	23		7	10	VD	No		No			317.
361	16		9	10	VD	No		No			318.
362	34		8	10	VD	No		No			319.
363	24		9	10	VD	No		No			320.
364	18		9	10	VD	No		No			321.
365	35		9	10	VD	No		No			322.
366	17		9	10	VD	No		No			323.
367	30		8	10	VD	No		No			324.
368	22		8	10	VD	No		No			325.
369	20		9	10	VD	No		No			326.
370	21		9	10	VD	No		No			327.
371	34		9	10	VD	No		No			328.
372	19		8	10	VD	No		No			329.
373	25		9	10	VD	No		No			330.
374	30		9	10	VD	No		No			331.
375	19		8	10	VD	No		No			332.
376	39		9	10	VD	No		No			333.
377	23		8	10	VD	No		No			334.
378	24		9	10	VD	No		No			335.
379	22		8	10	CS, post term, obstructed labour	No		No			336.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apga r 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status	Record number
380	33		8	10	VD	No		No			337.
381	28		9	10	VD	No		No			338.
382	20		9	10	VD	No		No			339.
383	18		9	10	VD	No		No			340.
384	22		9	10	VD	No		No			341.
385	43		9	10	VD	No		No			342.
386	27		8	9	VD	No		No			343.
387	24		9	10	VD	No		No			344.
388	38		9	10	VD	No		No			345.
389	20		9	10	VD	No		No			346.
390	32		9	10	VD	No		No			347.
391	36		9	10	VD	No		No			348.
392	35		9	10	VD	unknown		No			349.
393	26		9	10	VD	No		No			350.
398	16		7	10	VD	Yes		No			351.
400	35		7	9	VD	No		Yes, risk of Neonatal Sepsis	No		352.
401	3		7	8	VD	Yes		No			353.
405	4		5	7	CS	Yes	5	Yes	No	BA	354.
406	3		5	8	VD	Yes	5	Yes	No		355.
407	3		7	10	VD	No		No			356.
408	6		9	10	VD	No		No			357.
409	2		9	10	VD	No		No			358.
410	5		9	10	VD	No		No			359.
411	4		9	10	VD	No		No			360.
412	6		9	10	VD	No		No			361.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status	Record number
413	4		9	10	VD	No		No			362.
414	3		9	10	VD	No		No			363.
415	3		9	10	VD	No		No			364.
416	5		9	10	VD	No		No			365.
417	4		9	10	VD	No		No			366.
418	5		9	10	VD	No		No			367.
419	2		7	10	VD	No		No			368.
420	3		8	10	VD	No		No			369.
421	7		9	10	VD	No		No			370.
422	4		8	10	VD	No		No			371.
423	3		8	10	VD	No		No			372.
424	4		9	10	VD	No		No			373.
425	4		9	10	CS	No		No			374.
426	4		7	10	CS, transverse lie	No		No			375.
427	11		9	10	VD	No		No			376.
428	5		9	10	VD	No		No			377.
429	1		9	10	VD	No		No			378.
430	3		8	10	VD	No		Yes, low birth weight			379.
431	2		7	9	VD	Yes	1	No	No		380.
433	4		7	8	VD 2.2Kg	Yes B+M	How long? NR	Yes, Risk of sepsis	No		381.
435	4		6	10	VD	Yes	3	Yes	No		382.
437	5		7	10	VD	No		Yes			383.
440	3		7	9	CS, footling breech	Yes	2	Yes, Risk of sepsis	No		384.
441	3		9	10	VD	No		No			385.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apga r 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status	Record number
442	4		9	9	VD	No		No			386.
443	3		9	10	VD	No		No			387.
444	3		8	10	VD	No		No			388.
445	4		9	10	VD	No		No			389.
446	8		9	10	VD	No		No			390.
447	5		9	10	VD	No		No			391.
448	3		9	10	VD	No		No			392.
449	2		9	10	VD	No		No			393.
450	5		9	10	VD	No		No			394.
451	4		9	8	VD	No		No			395.
452	2		9	10	VD	No		No			396.
453	2		9	10	VD	No		No			397.
454	5		9	10	CS, prolonged active phase	No		No			398.
455	3		9	10	VD	No		No			399.
456	5		8	10	VD	No		No			400.
457	2		9	10	VD	No		No			401.
458	4		8	9	VD	No		No			402.
459	3		9	10	CS	No		No			403.
460	5		9	10	VD	No		No			404.
461	5		8	10	VD	No		No			405.
462	3		8	10	VD	No		No			406.
463	4		9	10	CS, malpresentation, BTL	No		No			407.
464	4		9	10	VD	No		No			408.
465	1		9	10	VD	No		No			409.
466	3		9	10	CS	No		No			410.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status as defined in our report	Record number
467	5		8	10	VD	No		No			411.
468	4		9	10	CS, malpresentation, multiple gestation	No		No			412.
469	2		9	10	VD	No		No			413.
470	1		9	10	VD	No		No			414.
471	3		9	10	CS large fetus	No		No			415.
472	4		9	10	CS	No		No			416.
473	5		9	10	CS CPD, prolonged active phase	No		No			417.
474	2		9	10	VD	No		No			418.
475	4		9	10	VD	No		No			419.
476	3		9	10	CS, high risk G13P13	No		Yes, prolonged rupture of membranes			420.
477	3		8	10	VD	No		Yes			421.
478	5		7	10	VD	No		No			422.
479	5		7	10	VD	No		No			423.
482	4		7	10	VD	No		No			424.
484	6		7	10	VD	No		Yes, risk of sepsis			425.
485	5		5	8	VD	Yes	7	Yes	No		426.
492	3		9	10	VD	No		No			427.
493	3		8	10	VD	No		No			428.
494	3		9	10	VD	No		No			429.
495	4		8	10	VD	No		No			430.
496	4		8	10	VD	No		No			431.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apga r 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status	Record number
497	5		9	10	VD	No		No			432.
498	4		8	10	VD	No		No			433.
499	4		8	10	VD	No		No			434.
500	8		8	10	VD	No		No			435.
501	9		8	10	VD	No		No			436.
502	3		8	10	VD	No		No			437.
503	4		9	10	VD	No		no			438.
504	3		8	10	VD	No		No			439.
505	3		9	10	VD	No		No			440.
506	5		8	10	VD	No		No			441.
507	3		9	10	VD	No		No			442.
508	4		9	10	VD	No		No			443.
509	3		8	10	VD	No		No			444.
510	8		9	10	VD	No		No			445.
511	3		8	10	VD	No		No			446.
512	3		8	10	CS	No		No			447.
513	5		8	10	VD	No		No			448.
514	4		8	10	VD	No		No			449.
515	3		9	10	VD	No		No			450.
516	2		9	10	CS	No		No			451.
517	3		8	10	CS	No		No			452.
518	3		9	10	CS	No		No			453.
519	3		8	10	CS	No		No			454.
520	6		9	10	VD	No		No			455.
521	6		9	10	VD	No		No			456.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status	Record number
522	2		9	10	VD	No		No			457.
523	4		8	10	VD	No		No			458.
524	5		9	10	VD	No		No			459.
525	3		8	10	VD	No		yes, risk of sepsis			460.
526	2		8	10	VD	No		yes, preterm			461.
527	2		7	10	VD	Yes	2	Yes, baby born depressed	No		462.
534	3		6	8	VD	No		Yes, risk of sepsis			463.
536	4		6	8	CS	Yes	5	Yes	No		464.
537	4		3	7	VD	yes	6	Yes, severe birth asphyxia	No	BA	465.
542	4		9	10	VD	No		no			466.
543	4		9	10	VD	No		no			467.
544	3		9	10	VD	No		No			468.
545	4		9	10	VD	No		No			469.
546	3		8	10	VD	No		No			470.
547	6		9	10	VD	No		No			471.
548	3		9	10	VD	No		No			472.
549	2	CS after failed vacuum	9	10	CS	No	1	Yes, risk of sepsis			473.
550	3		9	10	VD	No		No			474.
551	4		9	10	VD	No		No			475.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status	Record number
552	5		9	10	VD	No		No			476.
553	3		9	10	VD	No		No			477.
554	2		9	10	VD	No		No			478.
555	4		9	10	VD	No		No			479.
556	4		9	10	VD	No		No			480.
557	3		8	10	VD	No		No			481.
558	5		8	10	VD	No		No			482.
559	4		9	10	VD	No		No			483.
560	3		8	10	VD	No		No			484.
561	6		9	10	VD	No		No			485.
562	3		9	10	VD	No		No			486.
563	4		9	10	VD	No		No			487.
564	3		7	10	VD	No		No			488.
565	2		9	10	VD	No		No			489.
566	4		9	10	VD	No		No			490.
567			9	10	VD	No		No			491.
568	2		8	10	VD	No		No			492.
569	5		9	10	CS, obstructed labour	No		No			493.
570	3		8	10	VD	No		No			494.
571	4		9	10	VD	No		No			495.
572	3		9	10	VD	No		No			496.
573	4		9	10	CS, malpresentation	No		No			497.
574	6		9	10	VD	No		No			498.
575	3		9	10	VD	No		No			499.
576	4		8	10	VD	No		No			500.
578	4		8	10	VD	No		No			501.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apga r 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status	Record number
579	3	CS after failed vacuum	9	10	CS	no		no	No		502.
580	4		9	10	VD	No		No			503.
581	4		8	10	VD	No		No			504.
582	4		7	10	VD	No		yes, risk of sepsis			505.
583	2		8	10	VD	No		yes	No		506.
591	3		7	8	VD	No		Yes, sepsis	No		507.
593	5		9	10	VD	No		no			508.
595	3		9	10	VD	No		No			509.
596	6		4	8	VD	No		no			510.
597	4		9	10	VD	No		No			511.
598	5		9	10	VD	No		No			512.
599	5		8	10	VD	No		No			513.
600	3		7	9	VD	No		No			514.
601	3		9	10	CS	No		No			515.
602	4		9	10	VD	No		No			516.
604	5		8	10	VD	No		No			517.
606	3		7	10	VD	no		Yes, sepsis	No		518.
614	4		7	10	CS	No		Yes, sepsis	No		519.
617	4		9	10	VD	No		No			520.
618	2		8	10	VD	No		No			521.
619	4		9	10	VD	No		No			522.
620	6		9	10	VD	No		No			523.
621	4		8	10	VD	No		No			524.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apga r 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status	Record number
622	4		9	10	VD	No		No			525.
623	2		9	10	VD	No		No			526.
624	5		9	10 - twins	CS, twins, cephalic and transverse lie	No		No			527.
625	3		9	10	VD	No		No			528.
626	7		7	10	VD	No		No			529.
627	2		8	10	VD	No		No			530.
628	3		9	10	VD	No		No			531.
629	2		8	10	VD	No		No			532.
632	5		9	10	vacuum	No		No			533.
633	2		8	10	VD	Yes	3 in NICU	Yes, baby born depressed -sepsis	No		534.
634	5		9	10	unknown	No		Yes, low brth weight preterm			535.
635	4		9	10	CS, twins twin1 - ceph, twin 2 - breech	No		Yes, low birth weight			536.
636	1		8	10	VD	No		Yes, baby not breathing well			537.
637	5		8	10	vacuum	Yes	5	Yes	No		538.
638	4		6	10	VD, cord entanglement	Yes	3	Yes	No		539.
640	3		7	9	VD, double cord entanglement	No		Yes	No		540.
642	12		6	7	VD	Yes	4	Yes	No	BA	541.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status	Record number
645	2		6	8	CS, prev CS and breech	Yes	3	Yes, birth asphyxia	No		542.
648	3		9	10	VD	No		No			543.
649	3		9	10	VD	No		Yes, diabetic mother			544.
650	4		9	10	VD	No		No			545.
651	3		9	10	VD	No		No			546.
652	4	pre-eclampsia	9	10	CS, face presentation	No		Yes, risk of sepsis			547.
653	3		9	10	VD	No		No			548.
654	3		7	10	VD	No		No			549.
655	4		9	10	VD	No		No			550.
656	4		9	10	VD	No		No			551.
657	4		8	10	VD	No		No			552.
658	5		9	10	VD	No		No			553.
659	3		8	10	VD	No		No			554.
660	5		9	10	VD	No		No			555.
661	4		9	10	VD	No		No			556.
662	5		9	10	VD	No		No			557.
663	2		9	10	VD	No		Yes, diabetic mother			558.
664	4		8	10	VD	No		No			559.
665	4		9	10	VD	No		No			560.
666	3		8	10	VD	No		No			561.
667	8		9	10	VD	No		No			562.
669	10		9	10	VD	No		No			563.
670	4		9	10	VD	No		No			564.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apga r 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status	Record number
671	5		9	10	VD	No		No			565.
672	4		9	10	VD	No		No			566.
673	4		8	10	VD	No		No			567.
674	3		8	10	VD	No		Yes, low birth weight			568.
675	9		9	10	VD	No		No			569.
676	3		8	10	VD	No		No			570.
677	3		8	10	VD	No		No			571.
678	3		9	10	VD	No		No			572.
679	6		6	8	CS	Yes	1	Yes	No		573.
681	6		4	7	vacuum tbc	Yes	6	Yes, for BA & sepsis	No	BA	574.
682	4		7	9	VD	Yes		Yes, baby born depressed, sepsis	No		575.
683	14		8	10	VD	Yes	3	Yes	No		576.
684	3		8	10	VD	No		No			577.
685	3		9	10	VD	No		No			578.
686	3		8	10	VD	No		No			579.
687	3		9	10 twins	CS, breech, twins	No		Yes, underweight			580.
688	6		8	10	VD	No		Yes			581.
689	3		9	10	CS	No		Yes, birth injuries			582.
690	4		8	10	VD	No		Yes, risk of sepsis			583.
692	4		6	8	VD	No		No			584.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apga r 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status	Record number
695	2		6	10	VD	Yes	3	Yes, neonate depressed	No		585.
696	5		6	8	VD	No		No			586.
697	3		9	10	VD	No		No			587.
698	4		9	10	VD	No		No			588.
699	4		9	10	VD	No		No			589.
700	3		9	10	CS, prolonged pregnancy, calcified placenta	No		Yes, for mother to recover	No		590.
701	4		9	10	VD	No		No	No		591.
702	4		9	10	VD	No		No			592.
703	4		9	10	VD	No		No			593.
704	4		9	10	CS, fetal macrosomia, prolonged pregnancy	No		Yes, for rbs			594.
705	3		8	10	VD	No		No			595.
706	3		7	10	VD	No		No			596.
707	3		8	10	VD	No		No			597.
708	3		8	9	VD	No		No			598.
709	3		9	10	VD	No		No			599.
710	4		9	10	VD	No		No			600.
711	3		9	10	CS, obstructed labour	No		No			601.
712	3		9	10	VD	No		No			602.
713	6		9	10	VD	No		No			603.
714	4		8	9	VD	No		No			604.
715	5		9	10	VD	No		No			605.

Pat no.	N con s moni to red	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status	Record number
716	2		8	10	CS	No		No			606.
717	4		8	10	VD	No		No			607.
718	4		8	10	VD	No		No			608.
719	-		7	9	VD	No		No	No		609.
720	4		8	10	CS, prev CS x1	No		No			610.
721	7		9	10	VD	No		No			611.
722	4		9	9	VD	No		No			612.
724	5		8	10	CS, CPD	No		No			613.
725	3		9	10	VD	No		No			614.
726	3		8	10	VD	No		No			615.
727	2		8	10	VD	No		No			616.
728	1		9	10	VD	No		No			617.
729	1		8	10	VD	No		No			618.
730	3		6	9	VD	Yes	2-3	No	No		619.
731	3		8	10	CS, CPD	No		No			620.
732	5		9	10	VD	No		No			621.
733	5		8	10	VD	No		No			622.
734	5		9	10	VD	No		No			623.
735	3		8	10	VD	No		No			624.
736	4		8	10	CS, prolonged, obstructed labour	No		Yes, risk of sepsis			625.
737	4		6	9	VD	Yes in NICU	1	Yes	No		626.
738	6		6	10	VD	Yes	3	Yes, baby depressed double cord entanglement	No		627.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apga r 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status	Record number
739	5		7	10	VD	No		Yes, due to birth weight			628.
740	3		7	10	VD	No		Yes, neonatal sepsis, jaundice			629.
741	4		9	10	VD	No		Yes, for rbs to be done			630.
742	7		9	10	VD	No		No			631.
743	4		9	10	VD	No		Yes, chest indrawing after 30mins, ?UTI x2			632.
744	8		9	10	VD	No		No			633.
748	5		9	10	VD	No		No			634.
749	1		9	10	VD	No		No			635.
750	5		7	10	VD	No		No			636.
751	6		9	10	VD	No		No			637.
752	9		8	10	VD	No		No			638.
753	18		8	10	CS	No		No			639.
754	4		9	10	VD	No		No			640.
755	5		9	10	VD	No		No			641.
756	4		8	10	VD	No		No			642.
757	5		9	10	VD	No		No			643.
758	7		9	10	VD	No		Yes, KMC?			644.
759	5		9	10	CS	No		Yes, rbs			645.

Pat no.	N con s monitored	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status	Record number
761	4		6	8	CS, CPD, suspected macrosomia	No	No	Yes, sepsis	No		646.
764	11	twins	6,4	7,7	VD	Yes	3-6	Yes	No	BA	647.
766	6		6	7	VD	Yes	2	Yes	Yes	HIE	648.
767	5		6	10	VD	Yes	3	Yes	No		649.
768	3	twins – ceph and transverse	8,9	10,10	VD	No		No			650.
769	5		8	10	VD	No		No			651.
770	5		8	10	VD	No		No			652.
771	5		9	10	CS, face presentation	No		No			653.
772	3		9	10	VD	No		No			654.
773	7		9	10	VD	No		No			655.
774	11		9	10	VD	No		No			656.
775	3		9	10	CS	No		No			657.
776	5		9	10	VD	No		No			658.
777	6		9	10	VD	No		No			659.
778	10	ref from health centre	8	10	CS, CPD, prolonged latent phase	No		No			660.
779	4	arrived 9cm dilated	9	10	VD	No		No			661.
780	11		9	10	VD	No		No			662.
781	5		9	10	VD	No		No			663.
782	4	eclampsia, first fit at home, then 1 in hospital	9	10	CS	No		No	No		664.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apga r 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status	Record number
783	4		8	10	VD	No		Yes, low birth weight, 1.9Kg KMC			665.
784	2		9	10	VD	No		No			666.
785	3		9	10	VD	No		No			667.
786	16		9	10	CS, cervical dystocia , suspected large fetus	No		No			668.
787	8		9	10	VD	No		No			669.
788	4		9	10	VD	No		No			670.
789	7		8	10	VD	No		No			671.
790	6		8	10	CS, suspected large fetus	No		No			672.
791	9		9	10	VD	No		No			673.
792	5		8	10	VD	No		No			674.
793	5		9	10	VD	No		No			675.
794	4		9	10	CS, CPD	No		No			676.
795	8		9	10	VD	No		No			677.
796	4		9	10	VD	No		No			678.
797	4		9	10	VD	No		No			679.
798	2		8	10	VD	No		No			680.
799	4		8	10	VD	No		No			681.
800	3		9	10	VD	No		No			682.
801	5		9	10	VD	No		No			683.
802	5		9	10	VD	No		No			684.
803	5		8	10	VD	No		No			685.
804	4		9	10	VD	No		No			686.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apga r 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status	Record number
805	5		9	10	VD	No		No			687.
806	4		9	10	VD	No		No			688.
807	5		9	10	VD	No		No			689.
808	8		9	10	VD	No		No			690.
809	5		9	10	VD	No		No			691.
810	10		9	10	VD	No		No			692.
811	4		9	10	CS, preterm, multiple gestation	No		Yes	No		693.
812	4		8	9	VD	No		Yes, KMC			694.
813	4		9	10	CS, CPD	No		Yes, FBS			695.
814	4		8	10	CS, prolonged rupture of membranes	No		Yes, antibiotics			696.
815	11		9	10	VD	No		No	No		697.
816	11		9	10	CS	No		No			698.
817	16		8	10	VD	No		No			699.
818	-		9	10	VD	No		Yes, low birth weight			700.
819	11		9	10	VD	No		No			701.
820	9		8	10	VD	No		No			702.
821	4		9	10	VD	No		Yes, low birth weight (kmc)			703.
822	17		9	10	VD	No		No			704.
823	20		9	10	VD	No		No			705.
824	20		8	10	VD	No		No			706.
825	6		9	10	VD	No		Yes, low birth weight			707.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apga r 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status	Record number
826	17		6,7	10,10	VD	Yes	3-4, resuscitation	Yes	No		708.
827	20		7	10	VD	No		No			709.
828	5		7	10	VD	No		No			710.
829	19		4	7	CS	Yes	2-6	Yes, depression	No	BA	711.
830	4		8	10	VD	No		No			712.
831	5		9	10	VD	No		No			713.
832	8		8	10	VD	No		No			714.
833	10		9	10	CS, vacuum, post date , large fetus, prev CSx1	No		No	No		715.
834	3		8	10	CS, fetal macrosomia, transverse lie	No		Yes, for FBS			716.
835	4		7	10	VD	Yes	3	Yes, baby depressed	No		717.
836	4		9	10	VD	No		No			718.
837	11 // 10		9	10	VD	No		No			719.
838	18		9	10	VD	No		Yes			720.
839	6		8	10	CS	No		No			721.
840	4		8	10	CS	No		No			722.
841	4		8	10	CS, post dates, large fetus	No		No			723.
842	15		9,9	10,10	CS, twins, transverse lie/breech	No		Yes, both twins underweight 1.5Kg			724.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apga r 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status	Record number
								and 1.2 Kg			
843	11		8	10	CS, prolonged, obstructed labour	No		No			725.
844	5		9	10	VD	No		No			726.
845	7		9	10	CS, malposition (ROTL)	No		Yes, for FBS			727.
846	8		8	10	VD	No		No			728.
847	8		8	10	VD	No		No			729.
848	5		9	10	VD	No		No			730.
849	5		9	10	CS, post dates, large fetus prolonged active phase of labour	No		No			731.
850	5		7	10	VD	No		No			732.
851	15		9	10	CS	No		No			733.
852	6		9	10	VD	No		No			734.
853	18		9	10	VD	No		No			735.
854	16		8	10	VD	No		No			736.
855	6		9	10	VD	No		No			737.
856	16		6	8	VD	Yes	2	Yes, neonate depressed	No		738.
857	4		9	10	CS	No		Yes, for FBS to be none			739.
858	3		9	10	VD	No		No			740.
859	14		7		VD	No		No			741.
860	4		8	10	VD	No		No			742.
861	4		9	10	VD	No		No			743.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status	Record number
862	3		8	10	CS, post datism , maternal request	No		No			744.
863	10		8	10	CS, prolonged second stage of labour	No		No			745.
864	6		8	10	VD	No		No			746.
865	6		8	10	VD	No		No			747.
866	5		8	10	VD	No		No			748.
867	5		9	10	VD	No		No			749.
868	4		7	10	VD	No		No			750.
869	7		9	10	CS, post date, prolonged active phase	No		No			751.
870	3		9	10	VD	No		No			752.
871	20		9	10	VD	No		No			753.
872	4		9	10	VD	No		No			754.
873	4		9	10	VD	No		No			755.
874	7		9	10	CS, obstructed labour	No		No			756.
875	11		8	10	VD	No		No			757.
876	4		8	10	VD	No		No			758.
877	5		8	10	VD	No		No			759.
878	11		8	10	VD	No		No			760.
879	11		8	10	VD	No		No			761.
880	11		9	10	VD	No		No			762.
881	4		8	10	CS, prolonged obstructed labour	No		No			763.
883	11		4	7	VD	Yes	4	Yes	No	BA	764.
884	19		3	7	VD	Yes	5-6	Yes, neonate very	No	BA	765.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long? depressed	Seizures	Birth asphyxia status	Record number
889	5		6	8	VD	Yes	5-6	Yes	No		766.
891	10		6	10	CS, suspected CPD	Yes	2-5	Yes	No		767.
895	11	eclampsia	4	8	CS	Yes	6	Yes, neonatal sepsis	No		768.
896	11		6,9	8,8	VD	Yes	2-4	Yes, preterm twins, low birth weight 1.0Kg and 1.0Kg	No		769.
897	9		8	10	VD	No		No			770.
898	5		8	10	VD	No		No			771.
900	4		9	10	VD	No		No			772.
901	6		9	10	VD	No		No			773.
902	6		9	10	VD	No		No			774.
903	22		8	10	CS, previous CS x 3	No		No			775.
904	4		9	10	VD	No		No			776.
905	15		9	10	VD	No		No			777.
906	7		8	10	CS, CPD, prolonged labour	No		No			778.
907	8		9	10	VD	No		No			779.
908	2		7	9	VD	No		No			780.
909	4		9	10	VD	No		No			781.
910	8		9	10	VD	No		No			782.
911	5		9	10	VD	No		No			783.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apga r 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status	Record number
912	18		9	10	CS, (elective post datism	No		No			784.
913	6		9	10	VD	No		No			785.
914	11		7	10	VD	No		No			786.
915	18		9	10	VD	No		No			787.
916	9		8	10	VD	No		No			788.
917	8		9	10	VD	No		No			789.
918	14		9	10	VD	No		No			790.
919	4		9	10	VD	No		No			791.
920	3		8	10	CS, elective	No		No			792.
921	9		9	10	VD	No		No			793.
922	4		9	10	VD	No		No			794.
923	10		9	10	CS, prolonged 2 nd stage of labour	No		No			795.
924	10		8	10	VD	No		No			796.
925	4		8	10	CS, obstructed labour	No		No			797.
926	4		8	10	CS, previous CS x2	No		No			798.
927	4		8	10	VD	No		No			799.
928	15		8	10	CS, prolonged labour, CPD	No		No			800.
929	5		9	10	CS, CPD	No		No			801.
930	6		9	10	VD	No		No			802.
931	2		8	10	VD	No		No			803.
932	3		9	10	VD	No		No			804.
933	6		8	10	VD	No		No			805.
934	4		9	10	VD	No		No			806.
935	5		7	10	VD	No		No			807.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apga r 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status	Record number
936	3		9	10	VD	No		No			808.
937	9		9	10	VD	No		No			809.
938	17	pre-eclampsia	9	10	CS	No		No			810.
939	11		8	10	VD	No		No			811.
940	8		8	10	VD	No		No			812.
941	9		8	10	VD	No		No			813.
942	4		8	10	VD	No		No			814.
943	22		8	10	VD	No		No			815.
944	9		9	10	VD	No		No			816.
945	3		9	10	VD	No		No			817.
946	7		9	10	VD	No		No			818.
947	10		7	10	VD	No		No			819.
948	7		9	10	VD	No		No			820.
949	22		9	10	VD	No		No			821.
950	11		9	10	VD	No		No			822.
951	3		8	10	VD	No		No			823.
952	10		9	10	VD	No		No			824.
953	5		9	10	VD	No		No			825.
954	11		9	10	CS, post-date , large fetus, leakage membranes	No		No			826.
955	21		7	9	VD	No		No			827.
956	5		9	10	VD	No		No			828.
957	5		8	10	VD	No		No			829.
958	5		8	10	VD	No		Yes, low birth weight			830.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apga r 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status	Record number
959	4		9	10	CS, prolonged rupture of membranes	No		Yes, antibiotics			831.
960	6	severe pre-eclampsia	8	10	CS	No		No			832.
961	18		8	10	VD	No		Yes, for RBS			833.
962	8		7	8	CS, prolonged ROM	Yes	3-5	Yes, sepsis risk	No		834.
963	14		8	10	CS, previous CS x3	No		No			835.
964	3		9	10	VD	No		No			836.
966	2		6	7	VD	Yes	6-7	Yes, neonatal depression	No	BA	837.
968	10		6	10	VD	Yes	5	Yes, birth asphyxia	No		838.
971	17		6	9	VD	Yes	2-6	Yes, birth asphyxia	No		839.
978	11		7	10	VD	No		No			840.
979	4	placenta previa, APH	8	10	CS	No		No			841.
980	4		9	10	VD	No		No			842.
981	22		9	10	VD	No		No			843.
982	11		9	10	VD	No		No			844.
983	2		9	10	VD	No		No			845.
984	11		9	10	VD	No		No			846.
985	4		9	10	VD	No		No			847.
986	22		8	10	VD	No		No			848.
987	4		7	10	CS	No		No			849.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apga r 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status	Record number
988	4		9	10	VD	No		No			850.
989	22		9	10	VD	No		No			851.
990	8		9	10	VD	No		No			852.
991	5		9	10	VD	No		No			853.
992	11		8	10	VD	No		No			854.
993	4		9	10	VD	No		No			855.
994	2		9	10	VD	No		No			856.
995	3		9	10	VD	No		No			857.
996	8		9	10	VD	No		No			858.
997	10		8	9	VD	No		No			859.
998	10		9	10	VD	No		No			860.
999	4		9	10	VD	No		No			861.
1000	11		9	10	VD	No		No			862.
1001	2		9	10	VD	No		No			863.
1002	11		8	10	VD	No		No			864.
1003	6		8	10	CS	No		No			865.
1004	3		9	10	VD	No		No			866.
1005	20		7	10	VD	No		No			867.
1006	19		9	10	VD	No		No			868.
1007	16		9	10	VD	No		No			869.
1008	7		8	10	VD	No		No			870.
1009	5		8	10	VD	No		No			871.
1010	20		7	10	VD	No		No			872.
1011	11		9	10	CS, oligohydramnios	No		No			873.
1012	11		9	10	CS	No		No			874.
1014	3		9	10	VD	No		No			875.
1015	11		9	10	VD	No		No			876.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Appa r 1 min	Appar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status as defined in our report	Record numbe r
1016	11		9	10	VD	No		No			877.
1017	11		7	10	VD	No		No			878.
1018	7		9	10	CS, failed induction for macrosomia	No		No			879.
1019	5		9	10	CS, CPD	No		No			880.
1020	3		9	10	VD	No		No			881.
1021	7		9	10	VD	No		No			882.
1022	4		9	10	VD	No		No			883.
1023	9		9	10	VD	No		No			884.
1024	4		7	10	VD	No		No			885.
1025	3		9	10	VD	No		No			886.
1026	17		9	10	CS, NRFS	No		No			887.
1027	9		8	10	VD	No		No			888.
1029	2		9	10	VD	No		No			889.
1030	11		7	10	CS, face presentation	No		Yes			890.
1031	22		8	10	CS	No		No			891.
1032	5		7	10	VD	No		Yes			892.
1050	5		7	8	VD	No		No			893.
1051	11		9	10	VD	No		No			894.
1052	11		7	10	VD	No		No			895.
1053	16		9	10	VD	No		No			896.
1054	3		9	10	CS, large fetus	No		No			897.
1055	11		9	10	VD	No		No			898.
1056	5		9	10	VD	No		No			899.
1057	4		8	10	VD	No		No			900.
1058	11		7	10	VD	No		No			901.
1059	5		9	10	VD	No		No			902.

Pat no.	N con s monitored	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status	Record number
1060	7		7	10	VD	No		No			903.
1061	11		9	10	CS, prolonged labour	No		No			904.
1062	5		8	10	VD	No		No			905.
1063	22		9	10	CS, prolonged 2 nd stage of labour	No		No			906.
1064	5		9	10	VD	No		No			907.
1065	5		8	10	VD	No		No			908.
1066	11		9	10	VD	No		No			909.
1067	4		9	10	VD	No		No			910.
1068	4		8	10	VD	No		No			911.
1069	3		9	10	VD	No		No			912.
1070	6		8	10	VD	No		No			913.
1071	6		8	10	VD	No		No			914.
1072	11		9	10	CS, post datism, prev CS x1	No		No			915.
1073	5		8	10	VD	No		No			916.
1074	4		8	10	VD	No		No			917.
1075	5		9	10	VD	No		No			918.
1076	11		9	10	VD	No		No			919.
1077	7		9	10	VD	No		No			920.
1078	18		8	10	VD	No		No			921.
1079	11		9	10	VD	No		No			922.
1080	4		8	10	VD	No		No			923.
1081	11		9	10	VD	No		No			924.
1082	4		8	10	VD	No		No			925.
1083	14		9	10	VD	No		No			926.
1084	9		9	10	VD	No		No			927.
1085	18		9	10	VD	No		No			928.

Pat no.	N con s monitored	Obstetric disorder Yes/no If Yes Describe	Appa r 1 min	Appar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status as defined in our report	Record number
1086	5		9	10	VD	No		No			929.
1087	9		9	10	VD	No		No			930.
1088	14		9	10	VD	No		No			931.
1089	5		9	10	VD	No		No			932.
1090	4		9	10	VD	No		No			933.
1091	5		9	10	CS, retained 2nd twin	No		No			934.
1092	3		9	10	VD	No		No			935.
1093	5		8	10	VD	No		No			936.
1094	5		8	10	VD	No		No			937.
1095	5		9	10	VD	No		No			938.
1097	11		9	10	VD	No		No			939.
1098	5		9	10	VD	No		No			940.
1099	11		8	10	CS, failed induction, oligohydramnios	No		No			941.
1100	17		9	10	VD	No		No			942.
1101	16		9	10	VD	No		No			943.
1102	19		9	10	VD	No		No			944.
1103	11		9	10	VD	No		No			945.
1104	11		9	10	VD	No		No			946.
1105	4		8	10	VD	No		No			947.
1106	11		9	10	VD	No		No			948.
1107	11		9	10	VD	No		No			949.
1108	4		8	10	VD	No		No			950.
1109	5		9	10	VD	No		No			951.
1110	11		9	10	CS, prev CS x1, short interval	No		No			952.
1112	6		9	10	VD	No		No			953.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No	Seizures	Birth asphyxia status	Record number
1113	10		7	10	VD	No		No			954.
1114	4		9	10	VD	No		No			955.
1115	5		9	10	VD	No		No			956.
1116	14		9	10	VD	No		No			957.
1117	7		9	10	CS, prolonged latent phase of labour	No		Yes			958.
1118	6	pre-eclampsia, multiple gestation	9	10	CS, malposition	No		Yes			959.
1119	3		9	10	VD	No		Yes, preterm, low birth weight (1.8kg)			960.
1120	10		7	10	VD	No		Yes			961.
1121	4	eclampsia	7	10	CS	No		Yes, until mother awake			962.
1122	8		7	10	CS, failed induction in grand multip	No		Yes			963.
1123	11		9	10	VD	No		No			964.
1124	5		9	10	VD	No		No			965.
1135	11		8	10	VD	No		No			966.
1136	3		9	10	VD	No		No			967.
1137	4		9	10	VD	No		No			968.
1138	9		9	10	VD	No		No			969.
1139	22		9	10	VD	No		No			970.
1140	11		8	10	VD	No		No			971.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apga r 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status as defined in our report	Record number
1141	5		9	10	VD	No		No			972.
1142	11		9	10	VD	No		No			973.
1143	5		9	10	CS, obstructed labour, CPD	No		No			974.
1144	8		9	10	VD	No		No			975.
1145	4		9	10	VD	No		No			976.
1146	5		9	10	VD	No		No			977.
1147	11		9	10	VD	No		No			978.
1148	5		9	10	VD	No		No			979.
1149	6		9	10	VD	No		No			980.
1150	11		8	10	VD	No		No			981.
1151	2		9	10	VD	No		No			982.
1152	5		9	10	VD	No		No			983.
1153	8		9	10	VD	No		No			984.
1154	5		9	10	VD	No		No			985.
1155	6		9	10	CS	No		No			986.
1156	8		9	10	VD	No		No			987.
1157	3		7	10	VD	No		No			988.
1158	11		9	10	VD	No		No			989.
1159	11		8	10	VD	No		No			990.
1160	11		9	10	VD	No		No			991.
1161	11		9	10	VD	No		No			992.
1162	5		9	10	VD	No		No			993.
1163	5		9	10	VD	No		No			994.
1164	17		9	10	VD	No		No			995.
1165	11		9	10	VD	No		No			996.
1166	5		9	10	VD	No		No			997.
1167	3		9	10	VD	No		No			998.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apga r 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status	Record number
1168	11		8	10	VD	No		No			999.
1169	8		9	10	VD	No		No			1000.
1170	4		8	10	VD	No		No			1001.
1171	9		9	10	VD	No		No			1002.
1172	9		9	10	VD	No		No			1003.
1173	11		8	10	VD	No		No			1004.
1174	5		8	10	VD	No		No			1005.
1175	5		8	10	VD	No		No			1006.
1176	5		9	10	VD	No		No			1007.
1177	4		9	10	VD	No		No			1008.
1178	4		8	10	VD	No		No			1009.
1179	5		9	10	VD	No		No			1010.
1180	7		7	10	VD	No		No			1011.
1181	5		8	10	CS, footling breech	No		Yes, until mother awake			1012.
1182	11		8	10	CS, abruptio placentae	No		Yes, preterm 2.2Kg			1013.
1183	4		9	10	CS, prolonged latent phase of labour	No		No			1014.
1184	11		5	7	VD	Yes	4	Yes, baby born depressed	No	BA	1015.
1185	5		8	10	VD	No		Yes, for antibiotics			1016.
1186	9		8	10	CS	No		No			1017.
1187	14		8	10	VD	No		No			1018.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status	Record number
1188	7		7	10	VD	No		Yes, for antibiotics			1019.
1197	9		9	10	CS, arrest of descent	No		No			1020.
1198	22		8	10	VD	No		No			1021.
1199	11		9	10	VD	No		No			1022.
1200	11		8	10	CS, prev CS x2	No		No			1023.
1201	18		8	10	CS, large fetus	No		No			1024.
1202	22		9	10	VD	No		unknown			1025.
1203	7		8	10	VD	No		No			1026.
1204	3		9	10	VD	No		No			1027.
1205	22		9	10	VD	No		No			1028.
1206	6		9	10	VD	No		No			1029.
1207	11		8	10	VD	No		No			1030.
1208	4		9	10	VD	No		No			1031.
1209	17		9	10	VD	No		No			1032.
1210	11		8	10	VD	No		No			1033.
1211	5		9	10	VD	No		No			1034.
1212	5		9	10	VD	No		No			1035.
1213	4		9	10	CS, post dates, big baby	No		No			1036.
1214	14		8	10	VD	No		No			1037.
1215	22		8	10	VD	No		No			1038.
1216	22		8	9	VD	No		No			1039.
1217	11		9	10	VD	No		No			1040.
1218	22		8	10	VD	No		No			1041.
1219	11		8	10	VD	No		No			1042.
1220	11		9	10	VD	No		No			1043.
1221	5		9	10	VD	No		No			1044.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status as defined in our report	Record number
1222	19		8	10	VD	No		No			1045.
1223	9		9	10	VD	No		No			1046.
1224	3		9	10	VD	No		No			1047.
1225	22		9	10	VD	No		No			1048.
1226	6		9	10	VD	No		No			1049.
1227	5		9	10	VD	No		No			1050.
1228	7		8	10	VD	No		No			1051.
1229	11		8	10	VD	No		No			1052.
1230	11		8	10	VD	No		No			1053.
1231	5		8	10	CS, prolonged active phase, arrest of descent	No		Yes for RBS			1054.
1232	4		9	10	VD	No		Yes,due to malaria in pregnancy			1055.
1233	11		9	10	CS, failure to progress Twins	No		Yes, underweight 2.4Kg 2.3 Kg			1056.
1234	7		7	10	VD	No		Yes for antibiotics			1057.
1239	9		6	9	VD	Yes	2	Yes, mild birth asphyxia	No		1058.
1243	7		8	10	VD	No		No			1059.
1244	6		9	10	VD	No		No			1060.
1245	5		9	10	VD	No		No			1061.
1246	7		9	10	VD	No		No			1062.

Pat no.	N con s monitored	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status as defined in our report	Record number
1247	5		9	10	VD	No		No			1063.
1248	22		8	10	CS, prolonged pregnancy , failed induction	No		No			1064.
1249	5		9	10	VD	No		No			1065.
1251	10		9	10	VD	No		No			1066.
1252	9		9	10	VD	No		No			1067.
1253	11		9	10	CS, malposition, prolonged active labour	No		No			1068.
1254	3		8	10	VD	No		No			1069.
1255	4		9	10	VD	No		No			1070.
1256	3		8	10	VD	No		No			1071.
1257	5		8	10	VD	No		No			1072.
1258	11		8	10	VD	No		No			1073.
1259	20		9	10	CS	No		No			1074.
1260	11		9	10	VD	No		No			1075.
1261	11		9	10	VD	No		No			1076.
1262	11		9	10	VD	No		No			1077.
1264	22		8	10	VD	No		No			1078.
1265	5		9	10	VD	No		No			1079.
1266	11		8	10	VD	No		No			1080.
1267	11		9	10	VD	No		No			1081.
1268	8		9	10	VD	No		No			1082.
1269	11		9	10	VD	No		No			1083.
1270	5		9	10	VD	No		No			1084.
1271	6		9	10	VD	No		No			1085.
1272	4		8	10	VD	No		No			1086.
1273	11		9	10	VD	No		No			1087.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apga r 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status as defined in our report	Record number
1275	11		9	10	VD	No		No			1088.
1276	11		6	8	VD	No		No			1089.
1277	20		9	10	VD	No		No			1090.
1278	22		7	10	VD	No		No			1091.
1279	5		9	10	VD	No		No			1092.
1280	5		9	10	VD	No		No			1093.
1281	11		9	10	VD	No		No			1094.
1282	6		8	10	CS, CPD	No		No			1095.
1283	6		9	10	VD	No		No			1096.
1284	22		8	10	VD	No		No			1097.
1285	5		9	10	VD	No		No			1098.
1286	4		8	10	VD	No		No			1099.
1287	5		9	10	VD	No		No			1100.
1288	15		9	10	VD	No		No			1101.
1289	11		9	10	VD	No		No			1102.
1290	4		8	10	VD	No		No			1103.
1291	6		9	10	VD	No		Yes			1104.
1315	11		9	10	VD	No		No			1105.
1316	6		7	9	VD	No		Yes			1106.
1317	7		9	10	VD	No		No			1107.
1318	6		8	10	VD	No		No			1108.
1320	11	pre-eclamptic	9	10	CS, prolonged active phase	No		unknown			1109.
1321	9		9	10	VD	No		No			1110.
1322	5		8	10	VD	No		No			1111.
1323	8		9	10	VD	No		No			1112.
1324	4		9	10	VD	No		No			1113.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apga r 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status	Record number
1325	5		7	10	VD	No		No			1114.
1326	11		8	10	VD	No		No			1115.
1328	11		9	10	CS, malpresentation	No		Yes			1116.
1329	11		7	8	VD	No		Yes, neonatal risk factor	No		1117.
1330	11		4	10	VD	No		No			1118.
1332	5		9	10	VD	No		No			1119.
1333	4		9	10	VD	No		No			1120.
1335	11		8	10	VD	No		No			1121.
1336	11		8	10	CS	No		No			1122.
1337	7		9	10	VD	No		No			1123.
1339	6		9	10	VD	No		Yes, low birth weight 2.3kg			1124.
1340	6		9	10	VD	No		No			1125.
1341	5		9	10	VD	No		No			1126.
1342	16		9	10	VD	No		No			1127.
1343	11		9	10	VD	No		No			1128.
1344	2		9	10	VD	No		No			1129.
1345	6		9	10	VD	No		No			1130.
1346	11		8	10	VD	No		No			1131.
1349	6		9	10	VD	No		No			1132.
1350	5		9	10	VD	No		No			1133.
1351	9		9	10	VD	No		No			1134.
1352	11		7	10	VD	No		No			1135.
1353	11		9	10	VD	No		No			1136.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status	Record number
1355	4		9	10	VD	No		No			1137.
1357	8		9	10	VD	No		No			1138.
1358	19		9	10	CS	No		No			1139.
1360	7		6	10	VD	No		No			1140.
1361	14		9	10	VD	No		No			1141.
1362	10		9	10	VD	No		No			1142.
1363	9		9	10	VD	No		No			1143.
1366	10		9	10	VD	No		No			1144.
1367	7		9	10	VD	No		No			1145.
1368	5		9	10	VD	No		No			1146.
1369	4		9	10	VD	No		No			1147.
1370	5		9	10	VD	No		No			1148.
1371	5		8	10	VD	No		Yes, hyperextension of legs			1149.
1372	11		7	9	CS	No		No			1150.
1373	3		8	10	VD	No		Yes, low birth weight 2.3kg			1151.
1374	3		9	10	VD	No		No			1152.
1375	11		9	10	VD	No		No			1153.
1376	8		9	10	VD	No		No			1154.
1377	5		9	10	VD	No		No			1155.
1379	3		9	10	VD	No		No			1156.
1381	11		9	10	CS	No		No			1157.
1382	11		9	10	VD	No		No			1158.
1395	4		6	8	VD	Yes	3	Yes, birth asphyxia	No		1159.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apga r 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status	Record number
1397	6		9	10	VD	No		No			1160.
1398	8		9	10	VD	No		No			1161.
1399	7		9	10	VD	No		No			1162.
1400	6		8	10	VD	No		No			1163.
1401	5		9	10	VD	No		No			1164.
1402	17		9	10	VD	No		No			1165.
1403	4		9	10	VD	No		No			1166.
1404	6		7	10	VD	No		No			1167.
1405	6		8	10	VD	No		No			1168.
1406	11		8	10	VD	No		No			1169.
1407	10		8	10	VD	No		No			1170.
1408	7		8	10	VD	No		No			1171.
1409	8		9	10	VD	No		No			1172.
1410	15		9	10	VD	No		No			1173.
1411	6		9	10	VD	No		No			1174.
1412	4		8	10	VD	No		No			1175.
1413	5		7	10	VD	No		No			1176.
1414	5		9	10	VD	No		No			1177.
1415	11		9	10	VD	No		No			1178.
1416	11		8	10	VD	No		No			1179.
1417	8		9	10	VD	No		No			1180.
1418	7		8	10	VD	No		No			1181.
1419	22		7	10	VD	No		Yes, risk of sepsis			1182.
1424	7		8	10	CS, Obstructed labour post datism	No		Yes, risk of neonatal sepsis			1183.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apga r 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status	Record number
1425	19		7	10	CS, Prolong 2nd Phase of labor & CPD	No		Yes, observations			1184.
1426	7		9	10	CS, Previous C/s X 1 in short interval	No		Yes, awaiting mother to regain consciousness			1185.
1427	6		9,9	10, 10	CS, Due to leading twin presenting with transverse lie	No		Yes, low birth weight 1.9 and 2.1kg			1186.
1430	17		7	10	VD	No		Yes			1187.
1432	5		9, 9	10, 10	VD	No		Yes for obs			1188.
1433	22		9	10	CS, malpresentation	No		Yes, risk of sepsis			1189.
1434	11		8	10	CS, prolonged active phase of labour	No		Yes, waiting for mother to recover			1190.
1437	7		9	10	VD	No		No			1191.
1438	5		9	10	VD	No		No			1192.
1439	5		9	10	VD	No		No			1193.
1440	5		9	10	VD	No		No			1194.
1441	5		8	10	VD	No		No			1195.
1442	8		9	10	VD	No		No			1196.
1444	6		9	10	VD	No		No			1197.
1445	11		8	10	CS, prev CS x2	No		Yes, waiting for			1198.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status	Record number
								mother to recover			
1446	11		9	10	CS, prolonged labour	No		Yes, waiting for mother to recover			1199.
1448	18		8	10	VD	No		No			1200.
1450	11		9	10	VD	No		No			1201.
1451	11		9	10	VD	No		Yes, risk of sepsis			1202.
1452	17		9	10	VD	No		No			1203.
1455	8		8	10	VD	No		No			1204.
1456	19		9	10	VD	No		No			1205.
1457	10		9	10	CS, prev CS x1, prolonged active phase of labour, CPD	No		Yes, waiting for mother to recover			1206.
1458	5		9	10	VD	No		No			1207.
1459	11		9	10	VD	No		No			1208.
1460	11		9	10	VD	No		No			1209.
1461	16		9	10	VD	No		No			1210.
1462	10		9	10	CS, prev CS with short interval	No		No			1211.
1463	11		8	10	VD	No		No			1212.
1464	11		9	10	CS, prev CSx2	No		Yes, waiting for mother's recovery			1213.
1466	6		9	10	VD	No		No			1214.
1467	6		8	10	CS, CPD	No		No			1215.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apga r 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status	Record number
1468	5		9	10	CS, protracted labour, prolonged active phase	No		Yes, waiting for mother to recover			1216.
1469	16		9	10	CS, malposition	No		Yes, waiting for mother to recover			1217.
1470	8		9	10	C, prolonged latent phase of labour and malposition	No		Yes, waiting for mother to recover			1218.
1473	11		8	10	VD	No		No			1219.
1475	6		8	10	VD	No		No			1220.
1477	11		9	10	CS, maternal request	No		Yes			1221.
1478	11		8	10	VD	No		No			1222.
1479	11		8	10	VD	No		No			1223.
1480	11		7	10	VD	No		Yes, risk of sepsis			1224.
1481	10		9	10	VD	No		No			1225.
1482	5		8	10	VD	No		No			1226.
1483	11		9	10	VD	No		No			1227.
1486	6		9	10	CS, CPD	No		Yes, waiting for mother to recover			1228.
1487	11		8	10	VD	No		No			1229.
1488	6		9	10	VD	No		No			1230.
1489	10		8	10	VD	No		Yes, low birth weight – 2.2kg			1231.

Pat no.	N con s monitored	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status	Record number
1490	11		9	10	CS, prev CS x1, prolonged active phase of labour, malposition	No		No			1232.
1492	3		9	10	CS, prev CS x2	No		No			1233.
1493	5		9	10	VD	No		No			1234.
1494	4		9, 9	10, 10	VD	No		Yes, twins preterm			1235.
1495	8		7	10	VD	No		Yes, reason not given			1236.
1496	2		9	10	CS, prolonged latent phase of labour	No		No			1237.
1497	11		9	10	VD	No		No			1238.
1498	3		8	10	VD	No		No			1239.
1499	3		8	10	VD	No		No			1240.
1500	11		9	10	VD	No		No			1241.
1501	11		8	10	VD	No		No			1242.
1502	11		8	10	VD	No		No			1243.
1503	11		9	10	VD	No		No			1244.
1504	7		9	10	VD	No		No			1245.
1505	5		9	10	VD	No		No			1246.
1507	7		9	10	VD	No		No			1247.
1508	6		7	10	CS, malpresentation - breech	No		No			1248.
1509	2		8	10	VD	No		No			1249.
1510	15		8	10	VD	No		No			1250.
1512	7		9	10	VD	No		No			1251.
1514	3		9	10	VD	No		No			1252.

Pat no.	N con s moni to red	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status	Record number
1515	2		3	7	VD	Yes, B+M	10	Yes	No	BA	1253.
1516	2		8	10	VD	No		No			1254.
1517	3		7	10	VD	No		No			1255.
1518	3		6	10	VD	Yes BVM, other	1	Yes	No		1256.
1519	11		9	10	VD	No		No			1257.
1520	8		9	10	VD	No		No			1258.
1521	11		9	10	VD	No		No			1259.
1522	1		9	10	VD	No		No			1260.
1523	22		5	9	VD	Yes, B+M, other	3	Yes, birth asphyxia	No		1261.
1524	5		9	10	VD	No		No			1262.
1525	4		2	7	CS, prev CS x3, short interval	Yes, B+M, other	5	Yes	No	BA	1263.
1526	4		9	10	VD	No		No			1264.
1527	11		9	10	VD	No		No			1265.
1530	3		9	10	CS, prev CS x1 with transverse lie	No		No			1266.
1531	6		8	10	VD	No		No			1267.
1534	5		9	10	VD	No		No			1268.
1535	6		8	10	VD	No		No			1269.
1536	10		9	10	VD	No		No			1270.
1537	13		9	10	VD	No		No			1271.
1538	11		9	10	VD	No		No			1272.
1539	6		9	10	VD	No		No			1273.
1540	1		9	10	CS, footling breech	No		No			1274.
1541	19		7	10	CS, breech presentation	No		Yes, risk of sepsis			1275.
1543	4		8	10	CS, prev CS x3	No		No			1276.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apga r 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status	Record number
1545	11		9	10	VD	No		No			1277.
1546	5		9	10	VD	No		No			1278.
1547	15		9	10	VD	No		No			1279.
1550	8		9	10	VD	No		No			1280.
1551	4		8, 9	10, 10	VD	No		No			1281.
1552	4		9	10	VD	No		No			1282.
1553	5		8	10	VD	No		No			1283.
1554	6		9	10	VD	No		No			1284.
1555	8		9	10	VD	No		No			1285.
1556	11		7	10	VD	No		No			1286.
1557	3		9	10	VD	No		No			1287.
1558	1		8	10	VD	No		No			1288.
1559	5		9	10	VD	No		No			1289.
1560	5		9	10	VD	No		No			1290.
1561	2		9	10	VD	No		No			1291.
1562	11		9	10	CS, prolonged latent phase	No		No			1292.
1564	14		7	10	VD	No		No			1293.
1565	3		9	10	CS, prev CS x1, short interval	No		No			1294.
1567	19		6	10	VD	No		No			1295.
1568	8		9	10	VD	No		No			1296.
1570	5		6	8	VD	Yes, B+M, other	4	Yes	No		1297.
1571	22		9	10	CS, prev CS x2	No		No			1298.
1572	11		9	10	CS, prolonged pregnancy, prev CSx1	No		Yes, waiting for mother to recover			1299.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status	Record number
1573	2		9	10	VD	No		No			1300.
1574	3		6	8	VD	Yes	2	Yes, large fetus, birth asphyxia	No		1301.
1575	2		9	10	VD	No		No			1302.
1576	9		9	10	CS, fetal macrosomia	No		No			1303.
1577	11		9	10	VD	No		No			1304.
1578	11		9	10	VD	No		No			1305.
1580	3		7	10	VD	No		No			1306.
1581	8		9	10	VD	No		No			1307.
1582	2		9	10	VD	No		No			1308.
1583	6		9	10	VD	No		No			1309.
1584	11		5	8	VD	No		Yes, risk of neonatal sepsis			1310.
1585	7		8	10	VD	No		No			1311.
1586	17		8	10	VD	No		No			1312.
1587	6		9	10	CS, prolonged active phase , malpresentation, large fetus	No		No			1313.
1588	11		9	10	VD	No		No			1314.
1589	3		8	10	VD	No		No			1315.
1591	22		9	10	VD	No		No			1316.
1592	5		9	10	VD	No		Yes, for prenatal care			1317.
1594	11		7	10	CS, OP position	No		Yes			1318.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status	Record number
1595	9		7	10	VD	No		No			1319.
1596	5		8	10	VD	No		No			1320.
1597	5		9	10	VD	No		No			1321.
1598	6		9	10	VD	No		No			1322.
1599	4		8	10	VD	Yes		No			1323.
1600	11		6	10	VD	No		No			1324.
1601	4		6	8	CS, CPD	Yes,B+M,other	5	yes, birth asphyxia	No		1325.
1602	4		5	7	VD	Yes, B+M, other	5	yes, birth asphyxia	No	BA	1326.
1603	8		8	10	VD	No		No			1327.
1604	11		8	10	CS, post dates	No		No			1328.
1605	8		9	10	CS, malpresentation	No		No			1329.
1606	4		9	10	CS, previous CS	No		No			1330.
1607	11		9	10	VD	No		No			1331.
1608	8		9	10	VD	No		Yes, waiting for mother to recover	No		1332.
1609	14		9	10	VD	No		Yes waiting for mother to recover	No		1333.
1610	10		9	10	VD	No		No			1334.
1612	11		7	10	VD	No		No			1335.
1613	11		5	8	VD	Yes	5	Yes, sepsis. Delay in giving birth	No		1336.
1614	6		9	10	VD	No		No			1337.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apga r 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status	Record number
1615	20		7	10	CS	NO		Yes, until mother recovers			1338.
1616	8		9	10	VD	No		No			1339.
1617	6		9	10	VD	No		No			1340.
1618	3		6	8	VD	Yes, B+M, other	5	yes, birth asphyxia	No		1341.
1619	12		9	10	VD	No		No			1342.
1620	5		9	10	VD	No		No			1343.
1621	10		5	9	Vacuum	Yes, B+M, other	5	Yes	No		1344.
1622	5		9	10	VD	No		No			1345.
1623	5		9	10	VD	No		Yes			1346.
1624	7		9	10	CS, failed induction	No		No			1347.
1625	2		8	10	VD	No		No			1348.
1626	2		9	10	VD	No		No			1349.
1627	5		6	8	VD	Yes, B+M, other	9	yes, birth asphyxia	No		1350.
1628	1		6	8	Vacuum	Yes, B+M, other	5	No	No		1351.
1629	1		9	10	VD	no		no			1352.
1631	19		8	10	VD	No		yes, meconiu m			1353.
1632	1		8	10	VD	No		no			1354.
1633	6		9	10	VD	No		no			1355.
1634	3		3	7	VD	Yes, B+M, other	3	yes, birth asphyxia	No	BA	1356.
1636	11		9	10	VD	No		no			1357.
1637	4		9	10	VD	No		no			1358.

Pat no.	N con s monitored	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status as defined in our report	Record number
1638	2		9	10	VD	No		No			1359.
1639	3		9	10	VD	No		No			1360.
1640	4		9	10	VD	No		No			1361.
1641	5		9	10	VD	No		yes, low birth weight 2.3kg			1362.
1642	11		7	10	VD	No		No			1363.
1643	11		8	10	VD	No		no			1364.
1644	11		8	10	VD	No		No			1365.
1645	4		7	10	VD	No		No			1366.
1646	4		7	10	VD	No		No			1367.
1647	1		9	10	VD	No		No			1368.
1648	2		7	10	VD	No		No			1369.
1649	13		7	10	VD	No		No			1370.
1650	11		8	10	VD	No		yes, PROM			1371.
1651	6		9	10	VD	No		No			1372.
1652	11		9	10	VD	No		no			1373.
1653	9		9	10	VD	No		No			1374.
1654	9		8	10	Vacuum	No		yes			1375.
1655	18		8	10	VD	No		No			1376.
1656	2		9	10	VD	No		no			1377.
1657	11		8	10	CS, failed induction	No		No			1378.
1658	11		8	10	VD	No		yes, meconium			1379.
1659	10		6	10	Vacuum	No		yes, due to			1380.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apga r 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status	Record number
								vacuum del			
1661	11		7	10	VD	No		no			1381.
1662	4		9	10	VD	No		no			1382.
1663	2		9	10	VD	No		No			1383.
1664	10		7	10	CS, prolonged active phase of labour, chorioamnionitis	No		yes, neonatal sepsis			1384.
1665	4		8	10	VD	No		No			1385.
1666	10		5	8	Vacuum unable to push	Yes, B+M, other	5	Yes	No		1386.
1667	4		8	10	CS, face presentation	No		yes, face presentation			1387.
1668	1		9	10	VD	No		no			1388.
1669	6		9	10	VD	No		no			1389.
1670	7		8	10	VD	No		yes, RBS			1390.
1671	18		8	10	VD	No		yes, FBS			1391.
1672	4		6	10	CS, CPD	Yes	3	Yes, birth asphyxia			1392.
1673	11		9	10	VD	No		no			1393.
1675	1		9	10	VD	No		No			1394.
1676	4		7	10	VD	No		no			1395.
1677	14		6	10	VD	Yes	2	yes, for sepsis			1396.
1678	13		9	10	VD	No		No			1397.
1679	14		9	10	VD	No		No			1398.
1680	11		4	7	VD	Yes, B+M	6	yes, baby depressed		BA	1399.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apga r 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status	Record number
1681	2		8	10	VD	No		No			1400.
1682	8		8	10	VD	No		No			1401.
1683	8		6	10	VD	No		yes, preterm 1.9kg			1402.
1684	22		7	10	VD	No		yes, chorioam nionitis			1403.
1685	3		9	10	VD	No		No			1404.
1686	5		8	10	VD	No		No			1405.
1687	3		9	10	VD	No		No			1406.
1689	3		9	10	VD	No		No			1407.
1690	1		9	10	VD	No		No			1408.
1691	3		9	10	VD	No		No			1409.
1692	8		8	10	VD	No		No			1410.
1693	1		9	10	VD	No		No			1411.
1694	1		9	10	VD	No		No			1412.
1695	5		9	10	VD	No		yes, meconiu m			1413.
1696	6		8	10	VD	No		yes, low birth weight			1414.
1697	3		9	10	VD	No		Yes, mother to recover			1415.
1698	5		8	10	VD	No		Yes, mother to recover			1416.
1699	4		9	10	VD	No		No			1417.
1700	3		8	10	VD	No		No			1418.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status	Record number
1701	5		8	10	VD	No		No			1419.
1702	5		9	10	VD	No		Yes, preterm 1.9Kg			1420.
1703	10		8	10	VD	No		No			1421.
1704	5		9	10	VD	No		No			1422.
1705	4		8	10	VD	No		No			1423.
1706	4		9	10	VD	No		No			1424.
1707	2		8	10	VD	No		No			1425.
1708	3		8	10	VD	No		No			1426.
1709	4		8	10	VD	No		No			1427.
1710	9		6	10	VD	No		Yes			1428.
1711	4		9	10	VD	No		No			1429.
1712	3		9	10	VD	No		No			1430.
1713	4		5	10	CS, prolonged labour	Yes, B+M, other	4	yes, prolonged labour, birth asphyxia			1431.
1714	1		9	10	VD	No		No			1432.
1715	22		5	10	VD	Yes	5	Yes, long 2 nd stage			1433.
1716	1		9	10	VD	No		No			1434.
1717	3		9	10	VD	No		Yes, PROM for antibiotics			1435.
1718	3		9	10	VD	No		No			1436.
1719	1		9	10	VD	No		No			1437.
1720	2		8	10	VD	No		No			1438.
1721	5		9	10	VD	No		No			1439.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apga r 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status	Record number
1722	1		9	10	VD	No		No			1440.
1723	4		9	10	VD	No		No			1441.
1724	2		9	10	VD	No		No			1442.
1726	1		9	10	VD	No		No			1443.
1727	3		9	10	VD	No		Yes			1444.
1728	18		8	10	VD	No		No			1445.
1729	3		9	10	VD	No		No			1446.
1730	3		9	10	VD	No		No			1447.
1731	4		9	10	VD	No		No			1448.
1732	2		8	10	VD	No		No			1449.
1733	2		9	10	CS, breech presentation	No		yes, breech			1450.
1734	6		8	10	VD	No		No			1451.
1735	9		8	10	VD	No		Yes			1452.
1736	3		9	10	VD	No		No			1453.
1737	11		9	10	VD	No		No			1454.
1738	1		7	10	VD	No		No			1455.
1739	3		7	10	VD	No		No			1456.
1740	6		9	10	VD	No		No			1457.
1741	5		9	10	VD	No		Yes			1458.
1742	1		9	10	VD	No		No			1459.
1743	9		9	10	CS, APH, abruptio placentae, preeclampsia IUGR	No		No			1460.
1744	2		7	10	VD	No		No			1461.
1745	2		7	10	VD	No		No			1462.
1746	1		9	10	VD	No		No			1463.
1748	3		7	10	VD	No		No			1464.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status	Record number
1749	6		8	10	VD	No		No			1465.
1750	9		9	10	VD	No		No			1466.
1751	2		6	8	VD	Yes, B+M, other	5	yes, low birth wt, asphyxia	No		1467.
1753	18		9	10	VD	No		No			1468.
1757	3		7	10	VD	No		No			1469.
1758	1		9	10	VD	No		No			1470.
1759	1		9	10	VD	No		No			1471.
1760	3		9	10	VD	No		No			1472.
1761	1		9	10	VD	No		No			1473.
1763	5		8	10	VD	No		No			1474.
1764	5		8	10	VD	No		No			1475.
1765	6		9	10	VD	No		No			1476.
1766	4		8	10	VD	No		No			1477.
1767	3		9	10	VD	No		No			1478.
1768	7		8	10	VD	No		No			1479.
1769	2		9	10	VD	No		No			1480.
1770	1		9	10	VD	No		No			1481.
1771	3		9	10	VD	No		No			1482.
1772	6		9	10	VD	No		No			1483.
1773	2		7	10	VD	No		No			1484.
1774	2		8	10	VD	No		No			1485.
1775	2		8	10	VD	No		No			1486.
1776	3		9	10	VD	No		No			1487.
1777	8		9	10	VD	No		No			1488.
1778	11		9	10	VD	No		No			1489.
1779	8		9	10	VD	No		yes			1490.

Pat no.	N con s mo nito red	Obstetric disorder Yes/no If Yes Describe	Apga r 1 min	Apgar 5 min	Mode of delivery and reason for type	Baby resus Yes or No If Yes what	Duration resus (min)	NICU admit Yes/No If Yes how long?	Seizures	Birth asphyxia status	Record number
1780	6		8	10	VD	No		No			1491.
1781	11		7	10	VD	No		No			1492.

Summary findings at Martha Tubman Memorial Hospital with NO changes in FHR and Apgar scores 7 or higher at 5 minutes. n = 1492

Prehospital

Twin = 9 + 1 transverse lie for lead twin

High risk G13 P12

Post dates = 18 + 1 with placental calcification

PROM = 3

Elective = 3

Severe preeclampsia = 1

Oligohydramnios = 1

NFRS = 1

Abruption = 2

Chorioamnionitis = 1

IUGR = 1

Previous CS x1 = 14

Previous CS x2 = 5

Previous CS x3 = 4

Antenatal and intrapartum

Malpresentations = 8 + 2 Face

Failed vacuum = 2

Breech = 7 (2 footling)

Obstructed labour/CPD = 40 + 2 with Bandle rings

Transverse lie = 1

Meconium = 1

Prolonged labour = 22

Cord entangled = 1

Failed descent = 2

Malposition = 2

Failed induction of labour = 4

Preterm = 11

Deliveries

Vacuum = 10 (includes 1 CS declined and 1 failed leading to CS)

Caesarean section = 205

NR = 3

Retained second twin = 2

BTL = 1

Cervical dystocia = 1

Newborn including resuscitation

Resuscitation given = 80 NR = 1

HIE = 1

BA = 16 (1.1%)

No BA = 1475 (99%)

Apgar 10 at 5 minutes = 1400 (94%)

Additional file 8B CB Dunbar Hospital Apgar scores 7 or higher with no changes in FHR

CBD	Abnormal FHR identified	Delivery	Mode of delivery and age	Apgar scores at 1 and 5 minutes	Resuscitation (Yes/No/Unknown) Duration: mins	Admission to neonatal ward	How long spent in the neonatal ward	Seizures in the NICU Yes/No	Birth Asphyxia as defined in our paper
	No	VD	15 VD 1NR	8 and 10	No	unknown			
	No	UNKNOWN		9 and 10	No	unknown			
	unknown	VD		9 and 10	No	unknown			
	No	VD		9 and 10	No	unknown			
	No	VD		8 and 10	No	unknown			
	No	VD		8 and 10	No	unknown			
	No	VD		9 and 10	No	unknown			
	No	VD		9 and 10	No	unknown			
	No	VD		8 and 10	No	unknown			
	No	VD		8 and 10	No	unknown			
	No	VD		8 and 10	No	unknown			
	No	VD		8 and 10	No	unknown			
	No	VD	35yr	9 and 10	No	unknown			
	Yes then No	VD	10 th con but was only 142 when checked by MW Also meconium present Dr informed no further action needed	6 and 10	No	No			
	No	VD		7 and NR	unknown	unknown			unknown
	No	VD		8 and 10	No	unknown			
	No	VD	14VD 1VAC	7 and NR	unknown	unknown			

	No	VD		8 and 10	No	unknown			
	No	VD		7 and NR	unknown	unknown			
	No	VD		9 and 10	No	unknown			
	Yes then NO	vacuum	Yes On 11th contraction noted slow heart rate midwife was contacted but she found the heart rate was 153. There was no meconium the obstetric clinician was contacted. Mothers membranes were ruptured and vacuum delivery undertaken age 14	7 and 10	No	No			
				Vacuum Maternal notes needed					
	No	VD		8 and 10	No	unknown			
	No	VD		9 and 10	No	unknown			
	No	VD		9 and 10	No	unknown			
	No	VD		9 and 10	No	unknown			
	No	VD		7 and ? NR	unknown	unknown			
	No	VD	Age 14	7 and ?NR	unknown	unknown			
	No	VD	Age 16	9 and 10	No	unknown			
	No	VD	Age 17	9 and 10	No	unknown			
	No	VD		8 and 10	No	unknown			
	No	VD	Age 16	8 and 10	No	unknown			
	No	VD	18VD	8 and 10	No	unknown			
	No	VD		9 and 10	No	unknown			
	No	VD		8 and 10	No	unknown			

38	No	VD		8 and 10	No	unknown				35
40	No	VD		7 and 10	No	unknown				36
41	No	VD		9 and 10	No	unknown				37
42	No	VD		9 and 10	No	unknown				38
43	No	VD		9 and 10	No	unknown				39
44	No	VD		8 and 10	No	unknown				40
45	No	VD	Age 44 Twins	8 and 10	No	unknown				41
46	No	VD		9 and 10	No	unknown				42
47	No	VD		9 and 10	No	unknown				43
48	No	VD		8 and 10	No	unknown				44
49	No	VD		8 and 10	No	unknown				45
50	No	VD		8 and 10	No	unknown				46
51	No	VD		8 and 10	No	unknown				47
52	No	VD		8 and 10	No	unknown				48
53	No	VD		8 and 10	No	unknown				49
54	No	VD	17 VD, 1 CS, 1Vac	9 and 10	No	unknown				50
55	No	VD		8 and 10	No	unknown				51
56	No	VD		9 and 10	No	unknown				52
57	No	VD		9 and 10	No	unknown				53
58	No	VD		8 and 10	No	unknown				54
59	No	VD	Age 35	8 and 10	No	unknown				55
60	No	VD		8 and 10	No	unknown				56
61	No	VD		8 and 10	No	unknown				57
62	No	VD		8 and 10	No	unknown				58
63	No	VD		9 and 10	No	unknown				59
64	No	VD		9 and 10	No	unknown				60

65	No	Vacuum	Vacuum maternal exhaust	7 and 10	No	unknown				61
66	No	VD	Age 35	8 and 10	No	unknown				62
67	No	VD		8 and 10	No	unknown				63
68	No	VD		8 and 10	No	unknown				64
69	No	CS	CS	8 and 10	No	unknown				65
70	No	VD		8 and 10	No	unknown				66
71	No	VD		8 and 10	No	unknown				67
72	No	VD	Age 37	9 and 10	No	unknown				68
73	No	VD	15 VD 3CS	9 and 10	No	unknown				69
74	No	VD		9 and 10	No	unknown				70
75	No	VD		8 and 10	No	unknown				71
76	No	VD		9 and 10	No	unknown				72
77	No	VD		7 and 10	No	unknown				73
78	No	VD		7 and 10	No	unknown				74
79	No	VD	Age 17	9 and 10	No	unknown				75
80	No	VD	Age 17	9 and 10	No	unknown				76
81	No	VD		9 and 10	No	unknown				77
82	No	VD		8 and 10	No	unknown				78
83	No	VD		9 and 10	No	unknown				79
84	No	VD		8 and 10	No	unknown				80
85	No	VD		9 and 10	No	unknown				81
86	No	VD		9 and 10	No	unknown				82
87	No	VD		8 and 10	No	unknown				83
88	No	CS	Age 17 CS	7 and 10	No	unknown				84
89	No	CS	CS	9 and 10	No	unknown				85
90	No	CS	Age 37CSFail progress	9 and 10	No	unknown				86

91	No	VD	43yrs 17 VD 1 Vacuum	8 and 10	No	unknown				87
92	No	VD		9 and 10	No	unknown				88
93	No	VD	17 yrs	8 and 10	No	unknown				89
94	No	VD		8 and 10	No	unknown				90
95	No	VD		8 and 10	No	unknown				91
96	No	Vacuum	Vacuum	7 and 10	No	unknown				92
97	No	VD		9 and 10	No	unknown				93
98	No	VD		8 and 10	No	unknown				94
99	No	VD	41 yrs Triplets	9 - 10, 9-10, 8-10	No	unknown				95
100	No	VD		8 and 10	No	unknown				96
101	No	VD		9 and 10	No	unknown				97
102	No	VD	17yrs	9 and 10	No	unknown				98
103	No	VD		9 and 10	No	unknown				99
104	No	VD		9 and 10	No	unknown				100
105	No	VD		9 and 10	No	unknown				101
106	No	VD		9 and 10	No	unknown				102
107	No	VD		9 and 10	No	unknown				103
108	No	VD		7 and 10	No	unknown				104
109	No	VD	2NR, 1CS, 14VD	8 and 10	No	unknown				105
110	No	unknown	4 ages unknown	9 and 10	No	unknown				106
111	No	VD		9 and 10	No	unknown				107
112	No	unknown		9 and 10	No	unknown				108
113	No	VD		8 and 10	No	unknown				109
114	No	VD		7 and 10	No	unknown				110
115	No	VD		6 and 10	No	unknown				111

117	No	VD		7 and 10	No	unknown				112
118	No	VD		7 and 10	No	unknown				113
120	No	VD		7 and 10	No	unknown				114
121	No	CS	Prolonged obstructed labour	7 and 10	No	unknown				115
123	No	VD		8 and 10	No	unknown				116
124	No	VD		9 and 10	No	unknown				117
125	No	VD		8 and 10	No	unknown				118
126	No	VD		9 and 10	No	unknown				119
127	No	VD		9 and 10	No	unknown				120
128	No	VD	Twins breech	8-10 & 8-10	No	unknown				121
129	No	VD		9 and 10	No	unknown				122
130	No	VD		9 and 10	No	unknown				123
131	No	VD	Age 17	8 and 10	No	unknown				124
132	No	CS	SGA CS	7 and 10	No	unknown				125
133	No	VD		8 and 10	No	unknown				126
134	No	VD	14 VD 1CS	7 and 10	No	unknown				127
135	No	VD		8 and 10	No	unknown				128
136	No	VD		8 and 10	No	unknown				129
137	No	VD		8 and 10	No	unknown				130
139	No	VD		9 and 10	No	unknown				131
140	No	VD		8 and 10	No	unknown				132
141	No	VD		8 and 10	No	unknown				133
142	No	VD		9 and 10	No	unknown				134
143	No	VD		8 and 10	No	unknown				135
145	No	VD		9 and 10	No	unknown				136
146	No	VD	15VD 1NR Age 39	8 and 10	No	unknown				137

147	No	VD	6 ages NR	9 and 10	No	unknown				138
148	No	VD		8 and 9	No	unknown				139
150	No	VD		8 and 10	No	unknown				140
152	No	VD		8 and 10	No	unknown				141
153	No	VD	Age 17	8 and 10	No	unknown				142
154	No	unknown		7 and 10	No	unknown				143
155	No	VD		5 and 7	Yes 12	Yes BA			BA	144
156	No	VD		8 and 10	No	unknown				145
157	No	VD		9 and 10	No	unknown				146
158	No	VD		8 and 10	No	unknown				147
159	No	VD		9 and 10	No	unknown				148
161	No	VD	12	8 and 10	No	unknown				149
162	No	VD	2	9 and 10	No	unknown				150
164	No	VD		8 and 10	No	unknown				151
165	No	VD		9 and 10	No	unknown				152
166	No	unknown	3 deliveries unknown 15VD	7 and 10	No	unknown				153
167	No	VD		5 and 10	Yes 10-15	Yes				154
169	No	VD		8 and 10	No	unknown				155
170	No	VD	14	7 and 10	Yes 6	unknown				156
171	No	VD		8 and 10	No	unknown				157
172	No	VD		8 and 10	No	unknown				158
173	No	VD		8 and 10	No	unknown				159
174	No	VD		7 and 10	No	unknown				160
176	No	VD		8 and 10	No	unknown				161
177	No	VD		8 and 9	No	unknown				162
178	No	VD		9 and 10	No	unknown				163
180	No	VD		9 and 10	No	unknown				164

181	No	VD		8 and 10	No	Yes				165
182	No	unknown		7 and 9	No	Yes				166
184	No	VD		9 and 10	No	unknown				167
185	No	VD		9 and 10	No	unknown				168
186	No	VD		8 and 10	No	unknown				169
187	No	unknown		8 and 10	No	unknown				170
188	No	unknown	Age 17	8 and 10	No	unknown				171
189	No	unknown	3 NR 15 VDs 1CS	9 and 10	No	unknown				172
190	No	unknown		9 and 10	NO	unknown				173
191	No	VD		7 and 10	No	unknown				174
192	No	VD		8 and 10	No	unknown				175
193	No	VD	Age 17	8 and 9	No	unknown				176
194	No	VD	15	8 and 10	No	unknown				177
195	No	VD		8 and 10	No	unknown				178
196	No	VD		9 and 10	No	unknown				179
197	No	CS	12 CS obstructed labour	7 and 9	Yes	No				180
198	No	VD		8 and 9	No	unknown				181
199	No	VD		9 and 10	No	unknown				182
200	No	VD	Age 16	9 and 10	No	unknown				183
201	No	VD		9 and 10	No	unknown				184
202	No	VD	Arrive fully	9 and 10	No	unknown				185
203	No	VD	Arrive fully	8 and 10	No	unknown				186
204	No	VD		9 and 10	No	unknown				187
205	No	VD	Age 35	8 and 10	No	unknown				188
206	No	VD		8 and 10	No	unknown				189
207	unknown	VD	Abruptio APH	7 and 9	No	unknown				190

208	No	VD	17 VD 1 vac 1 CS 1NR?CS	7and 10	No	unknown				191
209	No	VD	Age 35	8 and 10	No	unknown				192
210	No	VD		8 and 10	No	Yes				193
211	No	VD	Age 14	7 and 10	No	unknown				194
212	No	VD		9 and 10	No	unknown				195
213	No	CS	CS Breech no progress	8 and 10	No	unknown				196
214	No	VD		8 and 10	No	unknown				197
215	No	Vacuum	Vacuum unable push	5 and 8.	Yes 10	Yes				198
216	No	VD	Age 35	8 and 10	No	unknown				199
217	No	VD		8 and 10	No	unknown				200
218	No	VD		8 and 10	No	unknown				201
219	No	VD	Age 15	9 and 10	No	unknown				202
220	No	VD		9 and 10	No	unknown				203
221	No	VD		9 and 10	No	unknown				204
222	No	VD		7 and10	No	unknown				205
223	No	VD		7 and 10	No	unknown				206
224	No	VD		8 and 10	No	unknown				207
225	No	VD		7 and 9	No	unknown				208
227	No	VD	12 VD, 1NR, 1 Vac, 4CS	9 and 10	No	unknown				209
228	No	CS	Age 40 CS deep transverse arrest	7 and10	No	unknown				210
230	No	VD		7 and 10	No	unknown				211
231	No	VD	Age 15 Episiotomy baby stuck perin	5 and 7	Yes 8	unknown			BA	212
232	No	VD		7 and 10	No	unknown				213
233	No	Vacuum	Vacuum poor maternal effort	6 and 8	Yes 7	Yes				214

234	No	VD		7 and 10	No	unknown				215
235	No	VD		9 and 10	No	unknown				216
236	No	VD		8 and 10	No	unknown				217
237	No	VD		8 and 10	No	unknown				218
238	No	VD	Age 15	8 and 10	No	unknown				219
239	No	CS	Age 43 CS NRFS?	8 and 10	No	unknown				220
240	No	VD		8 and 10	No	unknown				221
242	No	VD		8 and 10	No	unknown				222
243	No	VD		7 and 10	No	unknown				223
244	No	CS	Previous CS CS done arrest descent	7 and 8	No	unknown				224
245	No	Unknown		7 and 9	No	unknown				225
246	No	CS	CS for prolonged labour	9 and 10	No	unknown				226
247	No	VD	1CS, 1vacuum, 14 VD, 1NR	7 and 10	No	unknown				227
248	No	VD	30	7 and 10	No	unknown				228
249	No	Unknown	Twin	1= 8 and 10 2= 7 and 10	No	unknown				229
250	No	VD	31Age 13	8 and 10	No	unknown				230
251	No	VD		8 and 10	No	unknown				231
252	No	VD		9 and 10	No	unknown				232
253	No	VD		8 and 10	No	unknown				233
254	No Age 38	CS	Prolonged 2 nd stage previous CSx1	8 and 10	No	unknown				234
255	No	VD		8 and 10	No	unknown				235
256	No	VD		7 and 10	No	unknown				236
257	No	VD		8 and 10	No	unknown				237
258	No	VD		8 and 10	No	unknown				238

259	No	Vacuum	Age 16 Vacuum poor effort	8 and 10	No	unknown				239
260	No	VD		8 and 10	No	unknown				240
261	No	VD		8 and 10	No	unknown				241
264	No	VD		8 and 10	No	unknown				242
265	No	VD		9 and 10	No	unknown				243
266	No	VD	17VD 1 vacuum 1CS	7 and 10	No	unknown				244
267	No	VD		8 and 10	No	unknown				245
268	No	VD		8 and 10	No	unknown				246
269	No	VD	Age 17 Twin	8 and 10 8 and 10	No	unknown				247
270	No	VD	Age 17	8 and 10	No	unknown				248
271	No	VD		9 and 10	unknown	unknown				249
272	No	VD		8 and 9	No	unknown				250
273	No	VD		9 and 10	No	unknown				251
274	No	VD	Age 35	9 and 10	No	unknown				252
275	No	CS	CS prolonged 2 nd s Fail augment	9 and 10	No	unknown				253
276	No	Vacuum	Vacuum couldn't push	7 and 8	Yes	unknown				254
277	No	VD	Age 40	9 and 10	No	unknown				255
278	No	VD		8 and 10	No	unknown				256
279	No	VD		9 and 10	No	unknown				257
280	No	VD		8 and 10	No	unknown				258
281	No	VD		9 and 10	No	unknown				259
282	No	VD		8 and 10	No	unknown				260
283	No	VD		8 and 9	No	unknown				261
284	No	VD		8 and 10	No	unknown				262

285	No	VD	17VD, 1CS	7 and 8	No	unknown				263
286	No	VD		8 and 10	No	unknown				264
287	No	VD	Age 17	8 and 10	No	unknown				265
288	No	VD	Age 17	8 and 10	No	unknown				266
289	No	VD		9 and 10	No	unknown				267
290	No	VD		8 and 10	No	unknown				268
291	No	CS	CS prolonged labour LOT	9 and 10	No	unknown				269
292	No	VD		8 and 10	No	unknown				270
293	No	VD		9 and 10	No	unknown				271
294	No	VD		8 and 10	No	unknown				272
295	No	VD	Episiotomy for space	9 and 10	No	unknown				273
296	No	VD		7 and 10	No	unknown				274
297	No	VD	Age 16	7 and 10	No	unknown				275
298	No	VD		8 and 10	No	unknown				276
299	No	VD	Age 16	9 and 10	No	unknown				277
300	No	VD		9 and 10	No	unknown				278
301	No	VD	Age 34	9 and 10	No	unknown				279
302	No	VD	Age 37	8 and 10	No	unknown				280
303	No	unknown	Breech	8 and 10	No	unknown				281
304	No	VD	1NR, 17VD, 1CS	8 and 10	No	unknown				282
305	No	VD		9 and 10	No	unknown				283
306	No	VD		9 and 10	No	unknown				284
307	No	VD		8 and 10	No	unknown				285
308	No	VD		8 and 10	No	unknown				286
309	No	VD		9 and 10	No	unknown				287
311	No	VD		7 and 10	No	unknown				288

312	No	VD		7 and 8	No	unknown				289
313	No	VD		8 and 10	No	unknown				290
314	No	VD		8 and 10	No	unknown				291
315	No	VD		8 and 10	No	unknown				292
316	No	VD		9 and 10	No	unknown				293
317	No	VD		9 and 10	No	unknown				294
318	No	VD	Age 35	7 and 10	No	unknown				295
319	No	VD	Age 39	9 and 10	No	unknown				296
320	No	CS	Age 16 CS prolong 1 st stage LOP	7 and 10	No	unknown				297
321	No	VD		9 and 10	No	unknown				298
322	No	VD		9 and 10	No	unknown				299
323	No	VD	18VD	8 and 10	No	unknown				300
324	No	VD		8 and 10	No	unknown				301
325	No	VD	Age 41	8 and 10	No	unknown				302
326	No	VD		9 and 10	No	unknown				303
327	No	VD		8 and 10	No	unknown				304
328	No	VD		9 and 10	No	unknown				305
329	No	VD	Age 35	9 and 10	No	unknown				306
330	No	VD		8 and 10	No	unknown				307
331	No	VD		8 and 10	No	unknown				308
332	No	VD	Age 42	8 and 10	No	unknown				309
333	No	VD		8 and 10	No	unknown				310
334	No	VD		9 and 10	No	unknown				311
335	No	VD		8 and 10	No	unknown				312
336	No	VD	Age 17	8 and 10	No	unknown				313
337	No	VD		9 and 10	No	unknown				314
338	No	VD		9 and 10	No	unknown				315

339	No	VD		9 and 10	No	unknown				316
340	No	VD		8 and 10	No	unknown				317
341	No	VD		8 and 10	No	unknown				318
342	No	VD	15 VD 4CS	8 and NR	No	unknown				319
343	No	VD		8 and 10	No	unknown				320
345	No	VD		7 and 10	No	unknown				321
347	No	VD		8 and 10	No	unknown				322
348	No	VD	Age 17	8 and 10	No	unknown				323
349	No	VD		8 and 10	No	unknown				324
350	No	VD		8 and 10	No	unknown				325
351	No	CS	CS Obstructed labour	9 and 10	No	unknown				326
352	No	CS	10 CS	8 and 10	No	unknown				327
353	No	CS	44 CS	8 and 10	No	unknown				328
354	No	VD		9 and 10	No	unknown				329
355	No	VD		8 and 10	No	unknown				330
356	No	VD		8 and 10	No	unknown				331
358	No	VD		9 and 10	No	unknown				332
361	No	CS	32 Age 41 CS	9 and 10	No	unknown				333
362	No	VD		8 and 10	No	unknown				334
364	No	VD	Age 36	9 and 10	No	unknown				335
365	No	VD		9 and 10	No	unknown				336
366	No	VD		8 and 10 8 and 10	No	unknown				337
367	No	VD	16VD, 1 CS, 1 vacuum	8 and 10	No	unknown				338
368	No	VD		9 and 10	No	unknown				339

369	No	Vacuum	Age 15 Vacuum prolong 2ndS	7 and 10	No	unknown				340
370	No	VD		9 and 10	No	unknown				341
371	No	VD		10 and 10	No	unknown				342
372	No	VD		9 and 10	No	unknown				343
373	No	VD		8 and 10	No	unknown				344
374	No	VD	Age 36	8 and 10	No	unknown				345
375	No	VD		9 and 10	No	unknown				346
376	No	VD		8 and 10	No	unknown				347
377	No	VD		9 and 10	No	unknown				348
379	No	CS	Age 40 CS obstructed labour	6 and 8	Yes	unknown				349
380	No	VD		9 and 10	No	unknown				350
381	No	VD		8 and 10	No	unknown				351
382	No	VD		8 and 10	No	unknown				352
383	No	VD		9 and 10	No	unknown				353
384	No	VD		9 and 10	No	unknown				354
385	No	VD		8 and 10	No	unknown				355
386	No	VD		9 and 10	No	unknown				356
387	No	VD	17 VD, 1 CS	9 and 10	No	unknown				357
388	No	VD		9 and 10	No	unknown				358
389	No	VD		9 and 10	No	unknown				359
391	No	VD		8 and 10	No	unknown				360
392	No	VD	Age 35	9 and 10	No	unknown				361
393	No	VD		9 and 10	No	unknown				362
394	No	VD	25 Age 17	9 and 10	No	unknown				363
395	No	VD	Age 16	9 and 10	No	unknown				364
396	No	VD		8 and 10	No	unknown				365

397	No	VD		8 and 10	No	unknown				366
398	No	VD		8 and 10	No	unknown				367
400	No	VD		9 and 10	No	unknown				368
401	No	VD		9 and 10	No	unknown				369
402	No	VD		9 and 10	No	unknown				370
403	No	VD		8 and 10	No	unknown				371
404	No	CS	CS for obstructed labour 2 nd stage	8 and 10	No	unknown				372
405	No	VD		9 and 10	No	unknown				373
407	No	VD	Age 44	9 and 10	No	unknown				374
408	No	VD	15VD 1 NR	9 and 10	No	unknown				375
409	No	VD		9 and 10	No	unknown				376
410	No	VD		9 and 10	No	unknown				377
411	No	VD	Age 38	8 and 10	No	unknown				378
412	No	VD		8 and 10	No	unknown				379
413	No	VD		9 and 10	No	unknown				380
414	No	VD		9 and 10	No	unknown				381
416	No	VD		8 and 10	No	unknown				382
417	No	Unknown	Age 37 Breech	8 and 10	No	unknown				383
418	No	VD		9 and 10	No	unknown				384
419	No	VD		9 and 10	No	unknown				385
421	No	VD		8 and 10 9 and 10	No	unknown				386
423	No	VD		7 and 10	No	unknown				387
424	No	VD		8 and 10	No	unknown				388
425	No Age 38	CS	CS previous CS Fail progress	8 and 10	No	unknown				389

428	No	VD	12VD 2 CS 16	Age	6 and 9	Yes	yes				390
429	No	VD			8 and 10	No	unknown				391
430	No	VD			9 and 10	No	unknown				392
432	No	CS	CS		7 and 10 7 and 10	No	unknown				393
433	No	VD	Age 35		8 and 10	No	unknown				394
434	No	VD			9 and 10	No	unknown				395
435	No	VD			9 and 10	No	unknown				396
436	No	VD			8 and 10	No	unknown				397
438	No	VD			8 and 10	No	unknown				398
440	No	VD		47	8 and 9	No	unknown				399
441	No	VD			6 and 8	No	unknown				400
443	No	VD			8 and 10	No	unknown				401
444	No	VD			9 and 10	No	unknown				402
445	No	VD	Age 36		8 and 10	No	unknown				403
446	No	VD	19 VD		8 and 10	No	unknown				404
447	No	VD			8 and 10	No	unknown				405
448	No	VD	Age 39		8 and 10	No	unknown				406
449	No	VD	Age 16		8 and 10	No	unknown				407
450	No	VD	Age 40		9 and 10	No	unknown				408
451	No	VD			9 and 10	No	unknown				409
452	No	VD			9 and 10	No	unknown				410
453	No	VD			8 and 10	No	unknown				411
454	No	VD			8 and 10	No	unknown				412
456	No	VD			8 and 10	No	unknown				413
457	No	VD			7 and 10	No	unknown				414
458	No	VD			9 and 10	No	unknown				415

459	No	VD		8 and 10	No	unknown				416
460	No	VD		7 and 10	No	unknown				417
461	No	VD		8 and 10	No	unknown				418
462	No	VD		8 and 10	No	unknown				419
464	No	VD		8 and 10	No	unknown				420
465	No	VD		8 and 10	No	unknown				421
466	No	VD	15VD 2CS 1NR	7 and 10	No	unknown				422
467	No	VD	Age 16	8 and 10	No	unknown				423
468	No	VD	Age 16	8 and 10	No	unknown				424
470	No	VD		8 and 10	No	unknown				425
471	No	VD		9 and 10	No	unknown				426
472	No	VD	Age 16	8 and 10	No	unknown				427
473	No	VD		9 and 10	No	unknown				428
474	No	VD		8 and 10	No	unknown				429
475	No	Unknown	Age 37	8 and 10	No	unknown				430
476	No	CS	CS prolonged labour	9 and 10	No	unknown				431
477	No	VD		8 and 10	No	unknown				432
478	No	VD		8 and 10	No	unknown				433
479	No	VD	Age 16	8 and 10	No	unknown				434
480	No	VD		7 and 8	Yes 5	NO				435
481	No	CS	Prolonged 2 nd stage CS	5 and 7	Yes 10	Yes BA	8 days	No	BA	436
482	No	VD	Age 17	8 and 10	No	unknown				437
483	No	VD		8 and 10	No	unknown				438
484	No	VD		8 and 10	No	unknown				439
485	No	VD	19 VD	8 and 10	No	unknown				440
486	No	VD		8 and 10	No	unknown				441

487	No	VD		8 and 10	No	unknown				442
488	No	VD		7 and 10	No	unknown				443
490	No	VD		8 and 10	No	unknown				444
491	No	VD		8 and 10	No	unknown				445
492	No	VD		8 and 10	No	unknown				446
493	No	VD		9 and 10	No	unknown				447
494	No	VD		8 and 10	No	unknown				448
495	No	VD	Age 14	8 and 10	No	unknown				449
496	No	VD		9 and 10	No	unknown				450
497	No	VD		9 and 10	No	unknown				451
498	No	VD		7 and 10	No	unknown				452
499	No	VD		8 and 10	No	unknown				453
500	No	VD	Age 14	8 and 10	No	unknown				454
501	No	VD		8 and 10	No	unknown				455
502	No	VD		7 and 10	No	unknown				456
503	No	VD		7 and 10	No	unknown				457
504	No	VD		7 and 10	No	unknown				458
505	No	VD	18VD	Unknown NR	unknown	unknown				459
506	No	VD	17y	7 and 10	No	unknown				460
507	No	VD		8 and 10	No	unknown				461
508	No	VD		7 and 8	No	unknown				462
509	No	VD		8 and 10	No	unknown				463
510	No	VD	43	8 and 10	No	unknown				464
511	No	VD	37y	8 and 10	No	unknown				465
512	No	VD		8 and 10	No	unknown				466
513	No	VD	16y	8 and 10	No	unknown				467
514	No	VD		8 and 10	No	unknown				468
515	No	VD		9 and 10	No	unknown				469

516	No	VD		7 and 10	No	unknown				470
517	No	VD		8 and 10	No	unknown				471
518	No	VD		8 and 10	No	unknown				472
519	No	VD		8 and 10	No	unknown				473
520	No	VD		7 and 10	No	unknown				474
521	No	VD		8 and 10	No	unknown				475
522	No	VD		7 and 10	No	unknown				476
523	No	VD	17VD 1 vacuum	8 and 10	No	unknown				477
524	No	Vacuum	Vacuum prolonged 2 nd sage	8 and 10	No	unknown				478
525	No	VD		7 and 10	No	unknown				479
526	No	VD		9 and 10	No	unknown				480
527	No	VD	43	10 and 10	No	unknown				481
528	No	VD	17y	8 and 10	No	unknown				482
529	No	VD		8 and 10	No	unknown				483
530	No	VD		9 and 10	No	unknown				484
531	No	VD		9 and 10	No	unknown				485
532	No	VD		9 and 10	No	unknown				486
533	no	VD	Mum thought 128 con 30 was abnormal MW	9 and 10	No	no				487
534	No	VD		9 and 10	No	unknown				488
535	No	VD		9 and 10	No	unknown				489
536	No	VD		8 and 10	No	unknown				490
537	No	VD		8 and 10	No	unknown				491
538	No	VD		8 and 10	No	unknown				492
539	No	VD		8 and 10	No	unknown				493
540	No	VD		9 and 10	No	unknown				494

541	No	VD	17VD 2NR	9 and 10	No	unknown				495
542	No	VD		8 and 10	No	unknown				496
543	No	VD		9 and 10	No	unknown				497
544	No	VD		7 and 10	No	unknown				498
545	No	Unknown		Unknown NR	unknown	unknown				499
546	No	VD	16y	8 and 10	No	unknown				500
547	No	VD		8 and 10	No	unknown				501
548	No	VD		9 and 10	No	unknown				502
549	No	VD	16y	8 and 10	No	unknown				503
550	No	VD	17y	8 and 10	No	unknown				504
551	No	VD		8 and 10	No	unknown				505
552	No	VD		7 and 10	No	unknown				506
553	No	VD		9 and 10	No	unknown				507
554	No	VD		8 and 10	No	unknown				508
555	No	VD		8 and 10	No	unknown				509
557	No	Unknown		Unknown NR	unknown	unknown				510
558	No	VD		8 and 10	No	unknown				511
559	No	VD		8 and 10	No	unknown				512
561	No	VD	38Y	9 and 10	No	unknown				513
562	No	VD	19VD	7 and 10	No	unknown				514
563	No	VD	17y	8 and 10	No	unknown				515
564	No	VD	16y	9 and 10	No	unknown				516
565	No	VD	17y	8 and 10	No	unknown				517
566	No	VD		9 and 10	No	unknown				518
567	No	VD		8 and 10	No	unknown				519
568	No	VD		8 and 10	No	unknown				520
569	No	VD		8 and 10	No	unknown				521

570	No	VD		8 and 10	No	unknown				522
571	No	VD		8 and 10	No	unknown				523
572	No	VD		9 and 10	No	unknown				524
573	No	VD		8 and 10	No	unknown				525
574	No	VD	17y	8 and 10	No	unknown				526
575	No	VD	13y	8 and 10	No	unknown				527
576	No	VD		8 and 10	No	unknown				528
577	No	VD		8 and 10	No	unknown				529
578	No	VD		8 and 10	No	unknown				530
579	No	VD		8 and 10	No	unknown				531
580	No	VD		8 and 10	No	unknown				532
581	No	VD	19VD	8 and 10	No	unknown				533
582	No	VD		9 and 10	No	unknown				534
583	No	VD		7 and 10	No	unknown				535
584	No	VD		9 and 10	No	unknown				536
585	No	VD		9 and 10	No	unknown				537
586	No	VD		9 and 10	No	unknown				538
587	No	VD		9 and 10	No	unknown				539
588	No	VD		7 and 10	No	unknown				540
589	No	VD		8 and 10	No	unknown				541
590	No	VD	40y	9 and 10	No	unknown				542
591	Unknown	VD		8 and 10	No	unknown				543
592	No	VD		8 and 10	No	unknown				544
593	No	VD		9 and 10	No	unknown				545
594	No	VD		9 and 10	No	unknown				546
595	Unknown	VD		9 and 10	No	unknown				547
596	No	VD		9 and 10	No	unknown				548
597	No	VD		8 and 10	No	unknown				549

598	No	VD		8 and 10	No	unknown				550
599	No	VD	36	Unknown NR	No	unknown				551
600	No	VD	19VD	8 and 10	No	unknown				552
602	No	VD		7 and 10	No	unknown				553
603	No	VD		8 and 10	No	unknown				554
604	No	VD		8 and 10	No	unknown				555
605	No	VD		9 and 10	No	unknown				556
606	No	VD		9 and 10	No	unknown				557
607	No	VD		8 and 10	No	unknown				558
608	No	VD	17y	8 and 10	unknown	unknown				559
609	No	VD		8 and 10	No	unknown				560
610	No	VD		7 and 10	No	unknown				561
611	unknown	VD		9 and 10	No	unknown				562
612	unknown	VD	17y	9 and 10	No	unknown				563
613	unknown	VD		9 and 10	No	unknown				564
614	No	VD		8 and 10	No	unknown				565
615	No	VD		9 and 10	No	unknown				566
616	No	VD		9 and 10	No	unknown				567
617	No	VD		7 and 10	No	unknown				568
618	No	VD	42y	7 and 10	No	unknown				569
619	No	VD		7 and 10	No	unknown				570
620	No	VD	17VD 2CS	9 and 10	No	unknown				571
621	No	VD		8 and 10	No	unknown				572
622	unknown	VD	17y	8 and 10	No	unknown				573
623	No	CS	Macrosomia CS	7 and 10	No	unknown				574
624	unknown	VD		7 and 10	No	unknown				575
625	No	VD	37y	8 and 10	No	unknown				576

626	No	CS	Malposition CS	9 and 10	No	unknown				577
627	No	VD		NR	No	unknown				578
628	No	VD	17y	8 and 10	No	unknown				579
629	unknown	VD		7 and 10	No	unknown				580
630	No	VD		8 and 10	No	unknown				581
631	No	VD		8 and 10	No	unknown				582
632	No	VD		9 and 10	No	unknown				583
633	No	VD		8 and 10	No	unknown				584
634	No	VD		8 and 10	No	unknown				585
635	No	VD	16y	9 and 10	No	unknown				586
636	unknown	VD		7 and 10	No	unknown				587
637	No	VD	16y	7 and 10	No	unknown				588
638	unknown	VD		8 and 10	No	unknown				589
639	unknown	VD	19VD	8 and 10	No	unknown				590
640	No	VD		7 and 10	No	unknown				591
641	No	VD		9 and 10	No	unknown				592
642	No	VD		9 and 10	No	unknown				593
643	No	VD		9 and 10	No	unknown				594
644	No	VD		9 and 10	No	unknown				595
645	No	VD		8 and 10	No	unknown				596
646	No	VD		9 and 10	No	unknown				597
647	No	VD		7 and 10	No	unknown				598
648	No	VD		8 and 10	No	unknown				599
649	No	VD	16y	8 and 10	No	unknown				600
650	No	VD		9 and 10	No	unknown				601
651	No	VD		8 and 10	No	unknown				602
652	No	VD		8 and 10	No	unknown				603
653	No	VD	43 17y	8 and 10	No	unknown				604

654	No	VD	37	8 and 10	No	unknown				605
655	No	VD	28	7 and 10	No	unknown				606
656	No	VD	36	8 and 10	No	unknown				607
657	No	VD	28	8 and 10	No	unknown				608
658	no	VD	43 19VD	8 and 10	No	unknown				609
659	no	VD	28	7 and 10	No	unknown				610
660	no	VD	28	9 and 10	No	unknown				611
661	no	VD	32 35y	9 and 10	No	unknown				612
662	no	VD	30	7 and 10	No	unknown				613
663	no	VD	43	8 and 10	No	unknown				614
664	no	VD	24	8 and 10	No	unknown				615
665	no	VD	23	9 and 10	No	unknown				616
666	no	VD	23	8 and 10	No	unknown				617
667	no	VD	28	9 and 10	No	unknown				618
668	no	VD	33	8 and 10	No	unknown				619
669	no	VD	27	7 and 10	No	unknown				620
670	no	VD	28	7 and 9	No	unknown				621
671	unknown	VD	35y	8 and 10	No	unknown				622
672	No	VD	27	8 and 10	No	unknown				623
673	No	VD	43	9 and 10	No	unknown				624
674	No	VD	33	8 and 10	No	unknown				625
675	No	VD	27 13y	8 and 10	No	unknown				626
676	No	VD	28	8 and 10	No	unknown				627
677	No	VD	18 17 VD, 2CS,	9 and 10	No	unknown				628
678	unknown	VD	17y	8 and 10	No	unknown				629
679	no	VD	13	9 and 10	No	unknown				630
680	no	VD	31	8 and 10	No	unknown				631

681	no	VD	20 39y	8 and 10	No	unknown				632
682	unknown	VD		7 and 10	No	unknown				633
683	unknown	CS	CS DTA	7 and 10	No	unknown				634
~~685~~	unknown	VD		7 and 10	No	unknown				635
687	no	CS	37 CS obstructed labour	8 and 10	No	unknown				636
688	unknown	VD	16y	9 and 10	No	unknown				637
689	no	VD	24 17y	7 and 10	No	unknown				638
690	no	VD		13 9 and 10	No	unknown				639
691	unknown	VD		8 and 10	No	unknown				640
692	no	VD		43 8 and 10	No	unknown				641
693	no	VD		43 7 and 10	No	unknown				642
694	no	VD	28 17y	8 and 10	No	unknown				643
695	no	VD		43 9 and 10	No	unknown				644
696	no	VD		24 8 and 10	No	unknown				645
697	unknown	VD		7 and 10	No	unknown				646
698	no	VD	28 19VD 17y	8 and 10	No	unknown				647
699	no	VD		43 8 and 10	No	unknown				648
700	no	VD		43 8 and 10	No	unknown				649
701	no	VD		28 9 and 10	No	unknown				650
702	no	VD	30 16y	7 and 10	No	unknown				651
703	no	VD	43 17y	9 and 10	No	unknown				652
704	no	VD	28 15y	8 and 10	No	unknown				653
705	no	VD		28 8 and 10	No	unknown				654
706	no	VD		28 8 and 10	No	unknown				655
707	no	VD		28 8 and 10	No	unknown				656
708	no	VD		31 8 and 10	No	unknown				657
709	no	VD		43 9 and 10	No	unknown				658

[illegible]

735	no	VD	28n 19VD	9 and 10	No	unknown				684
736	no	VD	26	9 and 10	No	unknown				685
737	no	VD	35	8 and 10	No	unknown				686
738	unknown	VD		8 and 10	No	unknown				687
739	no	VD	28	9 and 10	No	unknown				688
740	no	VD	22	8 and 10	No	unknown				689
741	no	VD	28	8 and 10	No	unknown				690
742	no	VD	28	9 and 10	No	unknown				691
743	no	VD	28	8 and 10	No	unknown				692
744	no	VD	26 35Y	8 and 10	No	unknown				693
745	no	VD	35	7 and 9	No	unknown				694
746	no	VD	22	9 and 10	No	unknown				695
747	no	VD	28	9 and 10	No	unknown				696
748	no	VD	28	8 and 10	No	unknown				697
749	no	VD	32 40y	9 and 10	No	unknown				698
750	no	VD	27	7 and 10	No	unknown				699
751	no	VD	34	9 and 10	No	unknown				700
752	no	VD	20	9 and 10	No	unknown				701
753	unknown	VD		8 and 10	No	unknown				702
754	no	VD	28 18VD ICS	9 and 10	No	unknown				703
755	no	VD	32	8 and 10	No	unknown				704
756	unknown	VD	17y	8 and 10	No	unknown				705
757	No	VD		8-10	No	No				706
758	No	VD		9-10	No	No				707
759	No	VD		9-10	No	No				708
760	No	VD	17y	8-10	No	No				709
761	No	CS	Obstructed labour CS	8-10	No	No				710

762	No	VD		8-10	No	No				711
763	No	VD	38y	8-10	No	No				712
764	No	VD	44y	9-10	No	No				713
765	No	VD		9-10	No	No				714
766	No	VD		9-10	No	No				715
767	No	VD		9-10	No	No				716
768	No	VD		8-10	No	No				717
769	No	VD		8-10	No	No				718
770	No	VD		8-10	No	No				719
771	No	VD		9-10	No	No				720
772	No	VD		8-10	No	No				721
773	No	VD	19VD 17y	8-10	No	No				722
774	No	VD		8-10	No	No				723
775	No	VD	17y	9-10	No	No				724
776	No	VD	17y	8-10	No	No				725
777	No	VD		8-10	No	No				726
778	No	VD		8-10	No	No				727
779	No	VD		8-10	No	No				728
780	No	VD		9-10	No	No				729
781	No	VD		8-10	No	No				730
782	No	VD		8-10	No	No				731
783	No	VD		9-10	No	No				732
784	No	VD		8-10	No	No				733
785	No	VD	35y	8-10	No	No				734
786	No	VD		8-10	No	No				735
787	No	VD	35y	8-10	No	No				736
788	No	VD		7-9	No	No				737
789	No	VD		9-10	No	No				738

790	No	VD		8-10	No	No				739
791	No	VD		9-10	No	No				740
792	No	VD	18VD 1CS	8-10	No	No				741
793	No	VD	40y	9-10	No	No				742
794	No	VD		7-10	No	No				743
795	No	CS	Arrest descent CS	9-10	No	No				744
796	No	VD		9-10	No	No				745
797	No	VD		9-10	No	No				746
798	No	VD		7-10	No	No				747
799	No	VD		8-10	No	No				748
800	No	VD		8-10	No	No				749
801	No	VD		9-10	No	No				750
802	No	VD		8-10	No	No				751
803	No	VD		Unknown NR	unknown	unknown				752
804	No	VD		8-10	No	No				753
805	No	VD	17y	7-10	No	No				754
806	No	VD		9-10	No	No				755
807	No	VD	37y	8-10	No	No				756
808	No	VD		7-10	No	No				757
809	No	VD		7-10	No	No				758
810	No	VD		8-10	No	No				759
811	No	VD	18VD	8-10	No	No				760
812	No	VD		8-10	No	No				761
813	No	VD	17y	9-10	No	No				762
814	No	VD		8-10	No	No				763
815	No	VD	17y	9-10	No	No				764
816	No	VD		8-10	No	No				765

817	No	VD		9-10	No	No				766
818	No	VD		7-10	No	No				767
819	No	VD	37y	8-10	No	No				768
820	No	VD		9-10	No	No				769
821	No	VD		8-10	No	No				770
822	No	VD		8-10	No	No				771
823	No	VD		8-10	No	No				772
824	No	VD	16y	8-10	No	No				773
825	No	VD		8-10	No	No				774
826	No	VD		9-10	No	No				775
827	No	VD		8-10	No	No				776
828	No	VD		8-10	No	No				777
829	No	VD	19VD	8-10	No	No				778
830	No	VD	14y	7-10	No	No				779
831	No	VD		7-10	No	No				780
832	No	VD		8-10	No	No				781
833	No	VD		7-10	No	No				782
834	No	VD		8-10	No	No				783
835	No	VD	16y	9-10	No	No				784
836	No	VD	38y	8-10	No	No				785
837	No	VD		7-10	No	No				786
838	No	VD	39y	7-10	No	No				787
839	No	VD		9-10	No	No				788
840	No	VD		7-10	No	No				789
841	No	VD		8-10	No	No				790
842	No	VD		9-10	No	No				791
843	No	VD	17y	8-10	No	No				792
844	No	VD		8-10	No	No				793

845	No	VD	17y	8-10	No	No				794
846	No	VD		7-10	No	No				795
847	No	VD		9-10	No	No				796
848	No	VD	17VD 1CS	8-10	No	No				797
849	No	VD		9-10	No	No				798
850	No	VD		8-10	No	No				799
851	No	VD		8-10	No	No				800
852	No	VD		9-10	No	No				801
853	No	CS	CS Obstructed labour	7-10	No	No				802
856	No	VD		8-10	No	No				803
857	No	VD		8-10	No	No				804
858	No	VD		9-10	No	No				805
859	No	VD		8-10	No	No				806
860	No	VD		8-10	No	No				807
861	No	VD		9-10	No	No				808
862	No	VD		7-10	No	No				809
863	No	VD		9-10	No	No				810
864	No	VD		8-10	No	No				811
865	No	VD		7-9	No	No				812
866	No	VD		9-10	No	No				813
867	No	VD		7-10	No	No				814
868	No	VD	19VD 37y	9-10	No	No				815
869	No	VD		8-10	No	No				816
870	No	VD		9-10	No	No				817
871	No	VD		7-9	No	No				818
872	No	VD		8-10	No	No				819

873	No	VD		9-10	No	No				820
874	No	VD	15y	7-10	No	No				821
875	No	VD		8-10	No	No				822
876	No	VD	15y	9-10	No	No				823
877	No	VD		8-10	No	No				824
878	No	VD		8-10	No	No				825
879	No	VD		9-10	No	No				826
880	No	VD		8-10	No	No				827
881	No	VD		9-10	No	No				828
882	No	VD	17y	9-10	No	No				829
883	No	VD		8-10	No	No				830
884	No	VD		8-10	No	No				831
885	No	VD		9-10	No	No				832
886	No	VD	17y	8-10	No	No				833
887	No	VD	1NR, 17VD, 1 vacuum	8-10	No	No				834
888	No	VD		8-10	No	No				835
889	No	VD	17y	8-10	No	No				836
890	No	VD		8-10	No	No				837
891	No	VD		9-10	No	No				838
892	No	VD		7-10	No	No				839
893	No	VD		7-10	No	No				840
894	No	VD		8-10	No	No				841
895	No	VD		7-10	No	No				842
896	No	VD		9-10	No	No				843
897	No	VD		9-10	No	No				844
898	No	VD		8-10	No	No				845
899	No	VD		7-10	No	No				846

900	No	VD		8-10	No	No				847
901	No 17y	Vacuum	Vacuum prolonged 2 nd stage	8-10	No	No				848
902	No	VD		8-10	No	No				849
903	No	VD		9-10	No	No				850
904	No	VD		8-10	No	No				851
905	No	Unknown	35y breech	6-10	Yes	Yes				852
907	No	VD	15VD 2CS	5-8	Yes	Yes BA				853
912	No	VD	17y	8-10	No	No				854
913	No	VD		7-10	No	No				855
914	No	VD		8-10	No	No				856
915	No	VD		8-10	No	No				857
916	No	CS	39y Obstructed labour malposition	7-10	No	No				858
917	No	VD		9-10	No	No				859
918	No	VD		8-10	No	No				860
919	No	VD		8-10	No	No				861
920	No	VD	35y	8-10	No	No				862
921	No	VD		8-10	No	No				863
922	No	VD		7-10	No	No				864
923	No	VD		8-10	No	No				865
924	No	VD		8-10	No	No				866
925	No	VD		9-10	No	No				867
926	No	CS	CS Prolonged labour	8-10	No	No				868
927	No	VD		8-10	No	No				869
928	No	VD	16VD 2CS	8-10	No	No				870

929	No	VD		7-10	No	No				871
930	No	CS	35y Prolonged labour CS	9-10	No	No				872
931	No	VD		9-10	No	No				873
932	No	VD		9-10	No	No				874
933	No	VD		9-10	No	No				875
934	No	VD		9-10	No	No				876
935	No	VD		8-10	No	No				877
936	No	VD		9-10	No	No				878
937	No	VD		8-10	No	No				879
938	No	VD		9-10	No	No				880
939	No	VD		9-10	No	No				881
940	No	CS	CS obstructed labour	8-10	No	No				882
941	No	VD		9-10	No	No				883
942	No	VD	36y	9-10	No	No				884
943	No	VD		9-10	No	No				885
944	No	VD		8-10	No	No				886
945	No	VD		9-10	No	No				887
947	No	CS	CS Previous CS Fail progress	9-10	No	No				888
948	No	VD	17VD 1 CS	9-10	No	No				889
949	No	VD		9-10	No	No				890
950	No	VD	17y	9-10	No	No				891
951	No	VD		8-10	No	No				892
952	No	VD		7-10	No	No				893
953	No	VD		9-10	No	No				894
954	No	VD		8-10	No	No				895
955	No	VD		7-10	No	No				896

956	No	VD		8-10	No	No				897
957	No	VD		7-10	No	No				898
958	No	VD		9-10	No	No				899
959	No	VD		8-10	No	No				900
960	No	VD		9-10	No	No				901
961	No	VD		8-10	No	No				902
962	No	VD		7-10	No	No				903
963	No	VD		9-10	No	No				904
964	No	VD		9-10	No	No				905
965	No	VD	18VD 1CS 16y	8-10	No	No				906
966	No	VD		8-10	No	No				907
967	No	VD		9-10	No	No				908
968	No	VD		9-10	No	No				909
969	No	VD		8-10	No	No				910
970	No	VD		9-10	No	No				911
971	No	VD		9-10	No	No				912
972	No	VD		9-10	No	No				913
973	No	CS	Previous CS Fail progress	9-10	No	No				914
974	No	VD		9-10	No	No				915
975	No	VD		8-10	No	No				916
976	No	VD		8-10	No	No				917
977	No	VD		9-10	No	No				918
978	No	VD		9-10	No	No				919
979	No	VD		8-10	No	No				920
980	No	VD		8-10	No	No				921
981	No	VD		9-10	No	No				922
982	No	VD	15y	7-10	No	No				923

983	No	VD		7-10	No	No				924
984	No	VD	17VD 1 CS 47y	9-10	No	No				925
985	No	VD		8-10	No	No				926
986	No	VD		8-10	No	No				927
987	No	VD		8-10	No	No				928
988	No	CS	CS preeclamp failed induct	7-10	No	No				929
989	No	VD		9-10	No	No				930
990	No	VD		8-10	No	No				931
991	No	VD		9-10	No	No				932
992	No	VD		8-10	No	No				933
993	No	VD		9-10	No	No				934
994	No	VD		7-10	No	No				935
995	No	VD		7-10	No	No				936
996	No	VD		9-10	No	No				937
997	No	VD		9-10	No	No				938
998	No	VD		8-10	No	No				939
999	No	VD		9-10	No	No				940
1000	No	VD		8-10	No	No				941
1001	No	VD		8-10	No	No				942
1002	No	CS	CS obstructed labour 46y	7-10	No	No				943
1003	No	VD	14VD 5CS	9-10	No	No				944
1004	No	VD		8-10	No	No				945
1005	No	VD		9-10	No	No				946
1006	No	VD	35y	8-10	No	No				947
1007	No	CS	CS prolong labour severe Preclampsia	8-10	No	No				948

1008	No	VD		9-10	No	No				949
1009	No	CS	42y prolong labour	8-10	No	No				950
1010	No	VD	35y	7-10	No	No				951
1011	No	CS	Breech CS	8-10	No	No				952
1012	No	VD	48y	8-10	No	No				953
1013	No	VD		8-10	No	No				954
1014	No	VD		8-10	No	No				955
1015	No	VD		9-10	No	No				956
1016	No	VD	35y	9-10	No	No				957
1017	No	CS	15y CS obstructed labour	9-10	No	No				958
1018	No	VD		8-10	No	No				959
1019	No	VD		8-10	No	No				960
1020	No	VD		8-10	No	No				961
1021	No	VD	17VD 2CS	8-10	No	No				962
1022	No	CS	CS prolonged labour	6-9	Yes	Yes				963
1023	No	VD	17y	6-8	Yes	Yes				964
1024	No	VD		8-10	No	No				965
1025	No	VD		8-10	No	No				966
1026	No	VD		9-10	No	No				967
1027	No	VD	35y	9-10	No	No				968
1028	No	VD		9-10	No	No				969
1029	No	VD	16y	9-10	No	No				970
1030	No	VD		7-10	No	No				971
1031	No	VD		9-10	No	No				972
1032	No	VD		8-10	No	No				973
1033	No	VD		7-10	No	No				974
1034	No	VD		7-10	No	No				975

[illegible]

1059	No	VD	17VD 1 vacuum 36y	9-10	No	No				1000
1060	No	VD		8-10	No	No				1001
1061	No	VD	17y	8-10	No	No				1002
1062	No	VD		9-10	No	No				1003
1063	No	VD		8-10	No	No				1004
1064	No	Vacuum	Vacuum prolong 2 nd stage	7-10	No	Yes				1005
1065	No	VD		7-10	No	Yes				1006
1067	No	VD		9-10	No	No				1007
1068	No	VD		9-10	No	No				1008
1069	No	VD		9-10	No	No				1009
1070	No	VD		9-10	No	No				1010
1071	No	VD		8-10	No	No				1011
1072	No	VD		9-10	No	No				1012
1073	No	VD		8-10	No	No				1013
1074	No	VD		9-10	No	No				1014
1075	No	VD	17y	8-10	No	No				1015
1076	No	VD		9-10	No	No				1016
1077	No	VD	35y	8-10	No	No				1017
1078	No	VD	19VD 17y	7-10	No	No				1018
1079	No	VD		8-10	No	No				1019
1080	No	VD		8-10	No	No				1020
1081	No	VD		9-10	No	No				1021
1082	No	VD	38y	9-10	No	No				1022
1083	No	VD	40y	9-10	No	No				1023
1084	No	VD		8-10	No	No				1024
1085	No	VD		9-10	No	No				1025

1086	No	VD		8-10	No	No				1026
1087	No	VD		9-10	No	No				1027
1088	No	VD		9-10	No	No				1028
1089	No	VD		8-10	No	No				1029
1090	No	VD		9-10	No	No				1030
1091	No	VD		8-10	No	No				1031
1092	No	VD		9-10	No	No				1032
1093	No	VD		8-10	No	No				1033
1094	No	VD		9-10	No	No				1034
1095	No	VD	17y	9-10	No	No				1035
1096	No	VD		9-10	No	No				1036
1097	No	vacuum	Vacuum 18VD 1 vacuum	7-10	No	No				1037
1098	No	VD		9-10	No	No				1038
1099	No	VD		8-10	No	No				1039
1100	No	VD		8-10	No	No				1040
1101	No	VD		8-10	No	No				1041
1102	No	VD	16y	7-10	No	No				1042
1103	No	VD		8-10	No	No				1043
1104	No	VD		9-10	No	No				1044
1105	No	VD		8-10	No	No				1045
1106	No	VD		7-10	No	No				1046
1107	No	VD		8-10	No	No				1047
1108	No	VD		8-10	No	No				1048
1109	No	VD		9-10	No	No				1049
1110	No	VD		8-10	No	No				1050
1111	No	VD		8-10	No	No				1051
1112	No	VD		8-10	No	No				1052

1113	No	VD		8-10	No	No				1053
1114	No	VD		8-10	No	No				1054
1115	No	VD	17y	8-10	No	No				1055
1116	No	VD	17VD 1NR	9-10	No	No				1056
1117	No	VD		8-10	No	No				1057
1118	No	VD		8-10	No	no				1058
1119	No	VD		8-10	No	No				1059
1120	No	VD		8-10	No	No				1060
1121	No	VD		9-10	No	No				1061
1122	No	VD		9-10	No	No				1062
1123	No	VD		8-10	No	No				1063
1124	No	VD		9-10	No	No				1064
1125	No	VD		8-10	No	No				1065
1126	No	VD		8-10	No	No				1066
1127	No	unknown		Unknown NR	unknown	unknown				1067
1128	No	VD		8-10	No	No				1068
1129	No	VD		8-10	No	No				1069
1130	No	VD	17y	9-10	No	No				1070
1131	No	VD		8-10	No	No				1071
1132	No	VD		9-10	No	No				1072
1133	No	VD		8-10	No	No				1073
1134	No	VD	18VD 1Vacuum	8-10	No	No				1074
1135	No	VD		8-10	No	No				1075
1136	No	VD		8-10	No	No				1076
1137	No	VD		9-10	No	No				1077
1138	No	VD		8-10	No	No				1078
1139	No	VD	17y	8-10	No	No				1079

1140	No	VD		9-10	No	No				1080
1141	No	VD		7-10	No	No				1081
1142	No	VD		8-10	No	No				1082
1143	No	VD		8-10	No	No				1083
1144	No	VD		8-10	No	No				1084
1145	No	vacuum	Vacuum prolong 2 nd poor effort	8-10	No	No				1085
1146	No	VD		9-10	No	No				1086
1148	No	VD		8-10	No	No				1087
1149	No	VD		9-10	No	No				1088
1150	No	VD		8-10	No	No				1089
1151	No	VD	15y	9-10	No	No				1090
1152	No	VD		8-10	No	No				1091
1153	No	VD		8-10	No	No				1092
1154	No	VD	18VD 1CS	8-10	No	No				1093
1155	No	VD		9-10	No	No				1094
1156	No	VD		8-10	No	No				1095
1157	No	VD		8-10	No	No				1096
1158	No	VD	15y	9-10	No	No				1097
1159	No	VD		8-10	No	No				1098
1160	No	VD		9-10	No	No				1099
1161	No	VD		8-10	No	No				1100
1162	No	VD		9-10	No	No				1101
1163	No	VD		9-10	No	No				1102
1164	No	VD	17y	8-10	No	No				1103
1165	No	VD		9-10	No	No				1104
1166	No	VD		9-10	No	No				1105
1167	No	VD		8-10	No	No				1106

1168	No	CS	CS failed induction	8-10	No	No				1107
1169	No	VD	45y	9-10	No	No				1108
1170	No	VD		9-10	No	No				1109
1171	No	VD		9-10	No	No				1110
1172	No	VD		9-10	No	No				1111
1173	unknown	VD	19VD	9-10	No	No				1112
1174	No	VD		8-10	No	No				1113
1175	No	VD		9-10	No	No				1114
1176	No	VD		9-10	No	No				1115
1177	No	VD	16y	9-10	No	No				1116
1178	No	VD		8-10	No	No				1117
1179	No	VD		9-10	No	No				1118
1180	No	VD	35y	8-10	No	No				1119
1181	No	VD		8-10	No	No				1120
1182	No	VD	17y	8-10	No	No				1121
1183	No	VD		8-10	No	No				1122
1184	No	VD		8-10	No	No				1123
1185	No	VD		7-10	No	Yes				1124
1186	No	VD		9-10	No	No				1125
1187	No	VD		9-10	No	No				1126
1188	No	VD		8-10	No	No				1127
1189	No	VD		8-10	No	No				1128
1190	No	VD	39y	8-10	No	No				1129
1191	No	VD		9-10	No	No				1130
1192	No	VD	19VD	8-10	No	No				1131
1193	No	VD		9-10	No	No				1132
1194	No	VD	35y	8-10	No	No				1133

1195	No	VD		9-10	No	No				1134
1196	No	VD		9-10	No	No				1135
1197	No	VD		9-10	No	No				1136
1201	No	VD		8-9	No	No				1137
1202	No	VD		8-10	No	No				1138
1203	No	VD		8-10	No	No				1139
1204	No	VD		8-10	No	No				1140
1205	No	VD		9-10	No	No				1141
1206	No	VD		8-10	No	No				1142
1207	No	VD		9-10	No	No				1143
1208	No	VD		8-10	No	No				1144
1209	No	VD		8-10	No	No				1145
1210	No	VD		9-10	No	No				1146
1211	No	VD		9-10	No	No				1147
1212	No	VD		9-10	No	No				1148
1213	No	VD	40y	8-10	No	No				1149
1214	No	VD	19VD	9-10	No	No				1150
1215	No	VD		9-10	No	No				1151
1216	No	VD		9-10	No	No				1152
1217	No	VD		9-10	No	No				1153
1218	No	VD		9-10	No	No				1154
1219	No	VD		9-10	No	No				1155
1220	No	VD		9-10	No	No				1156
1221	No	VD	37y	9-10	No	No				1157
1222	No	VD	40y	7-10	No	No				1158
1223	No	VD	37y	9-10	No	No				1159
1224	No	VD		8-10	No	No				1160
1225	No	VD		8-10	No	No				1161

1226	No	VD		9-10	No	No				1162
1227	No	VD	40y	9-10	No	No				1163
1228	No	VD		9-10	No	No				1164
1229	No	VD		8-10	No	No				1165
1230	No	VD		8-10	No	No				1166
1231	No	VD		8-10	No	No				1167
1232	No	VD	17y	8-10	No	No				1168
1233	No	CS	CS obstructed labour	8-10	No	No				1169
1234	No	VD	16VD 3CS	8-10	No	No				1170
1235	No	VD		9-10	No	No				1171
1236	No	VD		8-10	No	No				1172
1237	No	VD		9-10	No	No				1173
1238	No	VD		9-10	No	No				1174
1239	No	VD		9-10	No	No				1175
1240	No	VD		8-10	No	No				1176
1241	No	VD		8-10	No	No				1177
1242	No	VD		7-10	No	No				1178
1243	No	VD		9-10	No	No				1179
1244	No	VD		9-10	No	No				1180
1245	No	VD		9-10	No	No				1181
1247	No	CS	16yCS Failed induction	9-10	No	No				1182
1248	No	VD	35y	9-10	No	No				1183
1251	No	CS	15y CS Obstructed labour	6-8	Yes	Yes				1184
1252	No	VD		8-10	No	No				1185
1253	No	VD	17y	7-10	No	No				1186
1254	No	VD	40y	7-10	No	No				1187

1255	No	VD	18VD 1CS	9-10	No	No				1188
1256	No	VD		9-10	No	No				1189
1257	No	VD		9-10	No	No				1190
1258	No	VD	16y	8-10	No	No				1191
1259	No	VD		9-10	No	No				1192
1260	No	VD	15y	8-10	No	No				1193
1261	No	VD		8-10	No	No				1194
1262	No	VD		7-10	No	No				1195
1263	No	VD		9-10	No	No				1196
1264	No	VD		9-10	No	No				1197
1265	No	VD		9-10	No	No				1198
1266	No	VD		9-10	No	No				1199
1268	No	VD		7-9	No	No				1200
1270	No	VD		7-10	No	No				1201
1271	No	VD		8-10	No	No				1202
1272	No	VD		9-10	No	No				1203
1273	No	VD		9-10	No	No				1204
1274	No	VD	38y	9-10	No	No				1205
1275	No	CS	CS Failure progress	8-10	No	Yes				1206
1276	No	VD		9-10	No	No				1207
1277	No	VD	1NR 15VD 1 vac 1 CS	9-10	No	No				1208
1278	No	VD		9-10	No	No				1209
1279	No	VD		9-10	No	No				1210
1280	No	CS	CS Previous CS prolonged Labour	9-10	No	No				1211
1281	No	VD		8-10	No	No				1212

1282	No	VD	38y	9-10	No	No				1213
1283	No	VD		9-10	No	No				1214
1284	No	VD	35y	8-10	No	No				1215
1285	No	VD		8-10	No	No				1216
1286	No	vacuum	Vacuum poor effort	8-10	No	Yes				1217
1287	No	VD		8-10	No	No				1218
1288	No	VD		8-10	No	No				1219
1289	No	VD		8-10	No	No				1220
1290	No	VD	35y	9-10	No	No				1221
1291	No	VD		8-10	No	No				1222
1292	unknown	unknown		Unknown NR	unknown	unknown				1223
1293	No	VD		8-10	No	No				1224
1294	No	VD		8-10	No	No				1225
1295	No	VD	18VD 1Vac	9-10	No	No				1226
1296	No	VD	15y	9-10	No	No				1227
1297	No	VD	17y	7-10	No	No				1228
1298	No	VD		9-10	No	No				1229
1299	No	VD	17y	7-10	No	No				1230
1300	No	vacuum	37y Vac poor effort	7-9	No	Yes				1231
1302	No	VD		7-10	No	No				1232
1304	No	VD	16y	7-10	No	Yes				1233
1305	No	VD	35y	9-10	No	No				1234
1306	No	VD	38y	9-10	No	No				1235
1307	No	VD	16y	8-10	No	No				1236
1308	No	VD		8-10	No	No				1237
1309	No	VD		9-10	No	No				1238
1310	No	VD		8-10	No	No				1239
1311	No	VD		9-10	No	No				1240

1312	No	VD		9-10	No	No				1241
1313	No	VD		9-10	No	No				1242
1314	No	VD	17y	8-10	No	No				1243
1315	No	VD		9-10	No	No				1244
1316	No	VD	16VD 2CS	8-10	No	No				1245
1317	No	VD	16y	9-10	No	No				1246
1318	No	VD		9-10	No	No				1247
1319	No	CS	CS Obstructed labour	8-10	No	No				1248
1320	No	VD		9-10	No	No				1249
1321	No	VD		9-10	No	No				1250
1322	No	VD		9-10	No	No				1251
1323	No	VD		9-10	No	No				1252
1324	No	VD		9-10	No	No				1253
1325	No	VD		8-10	No	No				1254
1326	No	CS	38y CS Fail progress	8-10	No	No				1255
1329	No	VD	17y	7-9	No	Yes				1256
1330	No	VD		6-8	No	Yes				1257
1331	No	VD		8-10 & 5-8	Yes	Yes Mild BA				1258
1334	No	VD		9-10	No	No				1259
1335	No	VD		9-10	No	No				1260
1336	No	VD	15y	9-10	No	No				1261
1337	No	CS	CS Prolong labour	8-10	No	No				1262
1338	No	VD	17VD 2CS	9-10	No	No				1263
1339	No	VD		8-10	No	No				1264

1340	No	VD		7-10	No	No				1265
1341	No	VD		9-10	No	No				1266
1342	No	VD		8-10	No	No				1267
1343	No	VD		9-10	No	No				1268
1344	No	VD	17y	8-10	No	No				1269
1345	No	VD		9-10	No	No				1270
1346	No	VD		8-10	No	No				1271
1347	No	VD		9-10	No	No				1272
1348	No	VD		9-10	No	No				1273
1349	No	VD	17y	8-10	No	No				1274
1350	No	CS	40y CS CPD	7-9	No	Yes				1275
1351	No	VD		9-10	No	No				1276
1352	No	VD		9-10	No	No				1277
1353	No	VD		9-10	No	No				1278
1354	No	VD		8-10	No	No				1279
1355	No	VD		9-10	No	No				1280
1356	No	CS	CS MALPOSITION	7-10	No	Yes				1281
1357	No	VD	18VD 1CS	8-10	No	No				1282
1358	No	VD		8-10	No	No				1283
1359	No	VD	17y	9-10	No	No				1284
1360	No	VD		9-10	No	No				1285
1361	No	VD		9-10	No	No				1286
1362	No	VD		9-10	No	No				1287
1363	No	VD	16y	8-10	No	No				1288
1364	No	VD		8-10	No	No				1289
1365	No	VD		8-10	No	No				1290
1366	No	VD		9-10	No	No				1291
1367	No	VD		8-10	No	No				1292

[illegible]

1399	No	VD		8-10	No	No				1319
1400	No	VD	18VD	9-10	No	No				1320
1401	No	VD		9-10	No	No				1321
1402	No	VD	16y	8-10	No	No				1322
1403	No	VD		9-10	No	No				1323
1404	No	VD		9-10	No	No				1324
1405	No	VD	40y	9-10	No	No				1325
1406	No	VD		9-10	No	No				1326
1407	No	VD		8-10	No	No				1327
1408	No	VD		9-10	No	No				1328
1409	No	VD	37y	8-10	No	No				1329
1410	No	VD	36y	8-10	No	No				1330
1411	No	VD		9-10	No	No				1331
1412	No	VD		9-10	No	No				1332
1413	No	VD	16y	8-10	No	No				1333
1414	No	VD		9-10	No	No				1334
1415	No	VD	16y	8-10	No	No				1335
1416	No	VD	16y	9-10	No	No				1336
1417	No	VD	16y	9-10	No	No				1337
1418	No	VD		9-10	No	No				1338
1419	No	VD	17y	8-10	No	No				1339
1420	No	VD	18VD 1CS	8-10	No	No				1340
1421	No	VD		8-10	No	No				1341
1422	No	VD		9-10	No	No				1342
1423	No	VD		8-10	No	No				1343
1424	No	VD		8-10	No	No				1344
1425	No	VD		8-10	No	No				1345
1426	No	VD		8-10	No	No				1346

1427	No	VD		8-10	No	No				1347
1428	No	VD		8-10	No	No				1348
1429	No	VD		9-10	No	No				1349
1430	No	CS	CS Prolong labour	9-10	No	No				1350
1431	No	VD		9-10	No	No				1351
1432	No	VD		9-10	No	No				1352
1433	No	VD		9-10	No	No				1353
1434	No	VD		8-10	No	No				1354
1435	No	VD		7-10	No	No				1355
1436	No	VD		8-10	No	No				1356
1437	No	VD		9-10	No	No				1357
1438	No	CS	CS Obstructed labour	8-10	No	Yes				1358
1439	No	VD	17VD 2CS	8-10	No	No				1359
1440	No	VD	15y	8-10	No	No				1360
1442	No	VD		8-10	No	No				1361
1443	No	CS	36y CS Obstructed labour	8-10	No	No				1362
1444	No	VD		9-10	No	No				1363
1445	No	VD		9-10	No	No				1364
1446	No	VD	40y	9-10	No	No				1365
1447	No	VD	17y	8-10	No	No				1366
1448	No	VD		8-10	No	No				1367
1449	No	VD		9-10	No	No				1368
1450	No	VD		9-10	No	No				1369
1451	No	VD		9-10	No	No				1370
1452	No	VD	38y	8-10	No	No				1371
1453	No	VD		8-10	No	No				1372

1454	No	VD		8-10	No	No				1373
1455	No	VD		9-10	No	No				1374
1456	No	VD	17y	8-10	No	No				1375
1457	No	VD		8-10	No	No				1376
1458	No	VD	17VD 1 Vacuum	8-10	No	No				1377
1459	No	VD		7-10	No	No				1378
1461	No	VD		9-10	No	No				1379
1462	No	VD		8-10	No	No				1380
1463	No	VD	38y	9-10	No	No				1381
1464	No	VD		9-10	No	No				1382
1465	No	VD	17y	8-10	No	No				1383
1466	No	VD		8-10	No	No				1384
1467	No	VD		9-10	No	No				1385
1468	No	VD	36y	9-10	No	Yes				1386
1469	No	VD		9-10	No	Yes				1387
1470	No	VD		8-10	No	Yes				1388
1471	No	VD	36y	8-10	No	No				1389
1474	No	VD		8-10	No	No				1390
1475	No	vacuum	Vacuum Prol 2 nd s Push problem	7-10	No	No				1391
1476	No	VD		8-10	No	No				1392
1477	No	VD		9-10	No	No				1393
1478	No	VD	35y	8-10	No	No				1394
1479	No	VD	17y	9-10	No	No				1395
1480	No	CS	CS prolong labour	8-10	No	No				1396
1481	No	VD	18VD 1 CS	8-10	No	No				1397
1482	No	VD		9-10	No	No				1398

1483	No	VD		7-10	No	Yes				1399
1484	No	VD		9-10	No	No				1400
1485	No	VD		7-10	No	No				1401
1486	No	VD		8-10	No	No				1402
1488	No	VD		8-10	No	No				1403
1489	No	VD		9-10	No	No				1404
1490	No	VD		8-10	No	No				1405
1491	No	VD		8-10	No	No				1406
1492	No	VD		9-10	No	No				1407
1495	No	VD	15y	9-10	No	No				1408
1496	No	VD	15y	9-10	No	No				1409
1497	unknown	VD		7-9	No	Yes				1410
1498	No	VD		8-10	No	Yes				1411
1499	No	VD		7-8	No	Yes				1412
1500	No	VD		9-10	No	No				1413
1501	No	CS	CS previous CS Prolong 2nd	5-10	Yes 3	Yes				1414
1502	No	VD	36y	9-10	No	No				1415
1503	No	VD	16VD 2CS	9-10	No	No				1416
1504	No	CS	CS previous Fail progress	7-10	No	No				1417
1505	No	VD		9-10	No	No				1418
1506	No	VD		9-10	No	No				1419
1507	No	VD		7-10	No	No				1420
1508	No	VD		8-10	No	No				1421
1509	No	VD	17y	8-10	No	No				1422
1510	No	VD		9-10	No	No				1423
1511	No	VD	36y	9-10	No	No				1424

1512	No	VD		8-10	No	No				1425
1513	No	VD		9-10	No	No				1426
1514	No	VD		7-10	No	No				1427
1515	No	VD		8-10	No	No				1428
1516	No	VD		9-10	No	No				1429
1517	No	VD		8-10	No	No				1430
1518	No	VD		8-10	No	No				1431
1519	No	VD	16VD 1 vac 2CS	9-10	No	No				1432
1520	No	VD		8-10 & 9-10	No	No				1433
1521	No	Vacuum	Vacuum poor effort prolong 2nd	7-8	No	Yes				1434
1523		VD		6 and 7		No			BA	1435
1524	No	VD		5-8	No	Yes				1436
1525	No	VD		9-10	No	No				1437
1526	No	VD		9-10	No	No				1438
1527	No	CS	CS brow 16y	8-10	No	No				1439
1528	No	VD	47y	8-10	No	No				1440
1529	No	VD	37y	8-10	No	No				1441
1530	No	VD	17y	8-10	No	No				1442
1531	No	CS	CS Preeclmp obstructed L	9-10	No	No				1443
1532	No	VD	16y	8-10	No	No				1444
1533	No	VD		7-10	No	No				1445
1534	No	VD	35y	9-10	No	No				1446
1535	No	VD		8-10	No	No				1447
1536	No	VD		9-10	No	No				1448
1537	No	VD		9-10	no	no				1449

1538	No	VD	16VD, 1NR 1CS	8-10	No	No				1450
1539	No	VD		9-10	No	No				1451
1540	No	VD		8-10	No	No				1452
1541	No	VD		9-10	No	No				1453
1542	No	VD		9-10	No	No				1454
1543	No	VD		8-10	No	No				1455
1544	No	VD		7-10	No	Yes				1456
1548	No	VD	36y	9-10	No	No				1457
1549	No	VD	35y	9-10	No	No				1458
1550	No	VD		9-10	No	No				1459
1551	No	VD		8-10	No	No				1460
1552	No	VD		9-10	No	No				1461
1553	No	VD	35y	9-10	No	No				1462
1555	No	CS	17y CS Prolong labour	8-10	No	No				1463
1556	No	VD		8-10	No	No				1464
1557	No	Unknown		Unknown NR	unknown	unknown				1465
1558	No	VD		9-10	No	No				1466
1559	No	VD		8-10	No	No				1467
1560	No	VD		8-10	No	No				1468
1561	No	CS	CS previous CS and obstructed lab	8-10	No	No				1469
1562	No	VD	14VD 4CS	7-10	No	No				1470
1563	No	VD		8-10	No	No				1471
1564	No	VD		8-10	No	No				1472
1565	No	CS	CS compound present	7-10	No	No				1473
1566	No	VD	17y	8-10	No	No				1474
1567	No	VD		9-10	No	No				1475

1568	No	VD		8-10	No	No				1476
1569	No	VD		8-10	No	No				1477
1570	No	VD		7-10	No	No				1478
1571	No	VD	16y	7-10	No	No				1479
1572	No	VD		8-10	No	No				1480
1573	No	CS	CS Obstructed labour	9-10	No	No				1481
1574	No	VD	38y	9-10	No	No				1482
1575	No 37y	CS	CS Previous CS Prolong lab	9-10	No	No				1483
1577	No	VD	35y	6-8	No	Yes				1484
1578	No	VD		7-9	No	Yes				1485
1583	No	CS	CS Prolonged labour	5-10	unknown	Yes				1486
1586	No	VD	14VD 3CS 1 vacuum	8-10	No	No				1487
1587	No	VD		8-10	No	No				1488
1588	No	VD		8-10	No	No				1489
1589	No	VD	16y	7-10	No	No				1490
1590	No	VD		8-10	No	No				1491
1591	No	CS	CS obstructed labour	9-10	No	No				1492
1592	No	VD		8-10	No	No				1493
1593	No	VD	17y	8-10	No	No				1494
1594	No	VD		8-10	No	No				1495
1595	No	CS	CS Cervical dystocia	8-10	No	No				1496
1596	No	VD		8-10	No	No				1497
1597	No	vacuum	Vac poor effort 17y	7-10	No	No				1498
1598	No	VD		9-10	No	No				1499
1599	No	VD		8-10	No	No				1500
1600	No	VD		8-10	No	No				1501

1601	No	VD	17y	9-10	No	No				1502
1602	No	VD		8-10 & 8-10	No	No				1503
1603	No	VD	36y	8-10	No	No				1504
1604	No	VD	15VD, 1 Vacuum, 2 CS	9-10	No	No				1505
1605	No	VD		8-10	No	No				1506
1606	No	vacuum	16y Vac poor effort	7-10	No	No				1507
1607	No	VD	17y	8-10	No	No				1508
1608	No	VD		9-10	No	No				1509
1609	No	VD		8-10	No	No				1510
1610	No	VD		8-10	No	No				1511
1611	No	VD		8-10	No	No				1512
1612	No	VD		7-10	No	Yes				1513
1614	No	CS	CS Prolong labour	9-10	No	No				1514
1615	No	VD		5-8	Yes	Yes				1515
1619	No	VD		6-10	No	Yes				1516
1620	No	VD		6-8	No	Yes				1517
1621	No	VD		8-10	No	No				1518
1622	No	VD		8-10	No	No				1519
1623	No	CS	16y CS breech	8-10	No	No				1520
1624	No	VD		8-10	No	No				1521
1625	No	VD		8-10	No	No				1522
1626	No	VD		9-10	No	No				1523
1627	No	VD	17VD 1CS	9-10	No	No				1524
1628	No	VD		8-10	No	No				1525
1629	No	CS	CS	Unknown NR	unknown	unknown				1526
1631	No	VD		9-10	No	No				1527

1632	No	VD		9-10	No	No				1528
1633	No	VD		7-10	No	No				1529
1634	No	VD		8-10	No	No				1530
1637	No	VD		8-10	No	No				1531
1638	No	VD	41y	8-10	No	No				1532
1639	No	VD		8-10	No	No				1533
1640	No	VD	17y	9-10	No	No				1534
1641	No	VD		7-10	No	No				1535
1642	No	VD		8-10	No	No				1536
1643	No	VD		9-10	No	No				1537
1644	No	VD		9-10	No	No				1538
1645	No	VD		9-10	No	No				1539
1646	No	VD	17y	9-10	No	No				1540
1647	No	VD		9-10	No	No				1541
1648	No	VD	17VD 2 CS	8-10	No	No				1542
1650	No	VD		9-10	No	No				1543
1651	No	VD		7-10	No	No				1544
1652	No	VD		8-10	No	No				1545
1653	No	VD		8-10	No	No				1546
1654	No	VD		9-10	No	No				1547
1655	No	CS	CS prolonged labour	8-10	No	No				1548
1656	No	VD		8-10	No	No				1549
1657	No	VD		8-10	No	No				1550
1658	No	VD	35y	9-10	No	No				1551
1659	No	VD		7-10	No	No				1552
1660	No	CS	CS Obstructed labour	8-10	No	No				1553
1661	No	VD		8-10	No	No				1554

1662	No	VD	36y	7-10	No	No				1555
1663	No	VD		7-10	No	No				1556
1665	No	VD		9-10	No	No				1557
1666	No	CS	CS malposition	9-10	No	No				1558
1669	No	VD	14VD 4CS	8-10	No	No				1559
1670	No	CS	CS Prolonged labour	8-10	No	No				1560
1671	No	VD	39y	9-10	No	No				1561
1672	No	VD		7-10	No	No				1562
1674	No	VD		9-10	No	No				1563
1676	No	VD		5-7	Yes	Yes BA			BA	1564
1681	No	CS	CS Maternal request	5-8	Yes 2	Yes				1565
1683	No	CS	CS Eclampsia	5-8	Yes 2	Yes Mild BA				1566
1684	unknown	VD		7-9	No	Yes				1567
1685	No	VD		8-10	No	No				1568
1686	No	VD		8-10	No	No				1569
1687	No	VD		9-10	No	No				1570
1688	No	VD		8-10	No	No				1571
1689	No	VD		8-10	No	unknown				1572
1690	No	VD		7-10	No	No				1573
1691	No	VD	38y	9-10	No	No				1574
1692	No	VD		8-10 & 7-10	No	Yes				1575
1693	No	VD	16VD 2 CS	9-10 & 9-10	No	No				1576
1694	No	VD		8-10	No	No				1577
1695	No	VD		9-10	No	No				1578
1696	No	VD		7-10	No	No				1579
1697	No	VD		8-10	No	No				1580
1698	No	VD		8-10	No	No				1581

1699	No	VD		9-10	No	No				1582
1700	No	VD		8-10	No	No				1583
1701	No	CS	CS Emergency	8-10	No	unknown				1584
1702	No	VD		7-10	No	No				1585
1703	No	VD		9-10	No	No				1586
1705	No	VD		8-10	No	No				1587
1706	No	VD		9-10	No	Yes				1588
1707	No	VD		8-10	No	No				1589
1708	No	VD		8-10	No	No				1590
1709	No	VD		8-10	No	No				1591
1710	No Age 40	CS	CS PROM Maternal request	8-10	No	Yes				1592
1714	No	VD	Age 41y	8-10	No	No				1593
1715	No	VD	15VD 3CS	7-10	No	No				1594
1716	No	VD		8-10	No	No				1595
1717	No	VD		9-10	No	No				1596
1718	No	CS	CS Eclampsia	8-10	No	unknown				1597
1719	No	VD		9-10	No	No				1598
1720	No	CS	CS Previous CS maternal request	8-10	No	No				1599
1721	No	VD		9-10	No	No				1600
1722	No	VD		8-10	No	No				1601
1723	No	VD		9-10	No	No				1602
1724	No	VD	40y	8-10	No	No				1603
1725	No	VD	40y	8-10	No	No				1604
1726	No	VD		9-10	No	No				1605
1727	unknown	VD		9-10	No	No				1606
1728	No	CS	CS transverse lie	9-10	No	No				1607

1729	No	VD		8-10	No	No				1608
1730	No	VD	40y	9-10	No	No				1609
1731	No	VD		9-10	No	No				1610
1732	No	VD	17y	8-10	No	No				1611
1733	No	VD	11VD 7CS	8-10	No	No				1612
1734	No	VD		9-10	No	No				1613
1735	No	VD		8-10	No	No				1614
1736	No	VD		8-10	No	No				1615
1737	No	CS	CS Prolonged 2 nd stage	8-10	No	No				1616
1738	No	VD		9-10	No	No				1617
1739	No	VD		9-10	No	No				1618
1740	No	CS	CS Fail progress	8-10	No	No				1619
1741	No	CS	CS Previous CS x3	8-10	No	No				1620
1742	No	VD		9-10	No	No				1621
1743	No	CS	CS Prolonged labour	8-10	No	No				1622
1744	No	CS	17y CS Prolonged labour	8-10	No	No				1623
1745	No	VD		9-10	No	No				1624
1746	No	CS	15y CS Prolonged Labour	9-10	No	No				1625
1747	No	VD		9-10	No	No				1626
1748	No	VD		9-10	No	No				1627
1749	No	VD		8-10	No	No				1628
1750	No	CS	43y CS Obstructed labour	7-10	No	No				1629
1752	No 123	VD	Breech	2-7	Yes				BA	1630

1754	No	CS	CS Obstructed Lab Twins	9-10 & 9-10	No	No				1631
1755	No	CS	CS Previous CS 1Prol Lab	7-10	No	No				1632
1759	No	VD	12VD 5CS	9-10	No	No				1633
1761	No	VD		8-10	No	No				1634
1762	No	VD	35y	8-10	No	No				1635
1768	unknown	CS	CS Severe preeclampsia	8-10	No	No				1636
1769	unknown	CS	CS	4-8 / 9-10	Yes	Yes Twin 2 No Twin 1				1637
1770	unknown	CS	CS	9-10	No	No				1638
1773	No	VD		5-7	No	No			BA	1639
1777	No	VD	17y	5-8	Yes 2	Yes				1640
1779	No	VD		5-8	Yes 3	Yes				1641
1783	No	VD		5-8	Yes 2	Yes				1642
1784	No	VD	16y	5-8	Yes 2	Yes Mild BA				1643
1785	No	VD	16y	5-8	Yes 2	Yes				1644
1788	No	VD		7-8	No	Yes				1645
1790	No	VD		9-10	No	No				1646
1791	No	VD	41y	9-10	No	No				1647
1792	No	VD	13VD 4CS	8-10	No	No				1648
1793	No	VD	41y	8-10	No	No				1649
1794	No	VD	17y	9-10	No	No				1650
1795	No	VD		8-10	No	No				1651
1796	unknown	VD		9-10	No	No				1652
1797	No	VD		8-10	No	No				1653
1798	No	VD		9-10	No	No				1654
1799	No	VD		9-10	No	No				1655

1800	unknown	CS	CS Severe preeclampsia	8-10	No	No				1656
1801	No	CS	36y CS Twin Preeclampsia	8-10 // 8-10	No	No				1657
1802	No	CS	CS Severe preeclampsia	8-10	No	No				1658
1804	No	VD		9-10	No	No				1659
1805	unknown	VD		9-10	No	No				1660
1806	No	VD	17y	7-10	No	No				1661
1807	No	CS	CS Previous CS 2 Pro Lab	9-10	No	No				1662
1808	No	VD		8-10	No	No				1663
1809	unknown	CS	35y CS Previous CS 2	8-10	No	No				1664
1810	No	VD		9-10	No	No				1665
1811	No	VD		8-10	No	No				1666
1812	No	CS	17y CS preecl Fail induction	9-10	No	No				1667
1813	No	VD	36y	8-10	No	No				1668
1814	No	VD		9-10	No	No				1669
1815	No	VD	16VD 2CS	8-10	No	No				1670
1816	No	VD		9-10	No	No				1671
1817	No	VD		8-10	No	No				1672
1818	No	VD		9-10	No	No				1673
1819	No	VD		9-10	No	No				1674
1820	No	VD		9-10	No	No				1675
1821	No	VD		8-10	No	No				1676
1822	No	VD		8-10	No	No				1677
1823	No	VD		8-10	No	No				1678
1824	No	VD	43y	8-10	No	No				1679

1825	No	VD	37y	8-10	No	No				1680
1826	No	VD		9-10	No	No				1681
1827	No	VD	15VD 3CS	7-10	No	No				1682
1828	No	VD		8-10	No	No				1683
1840	No	VD	17y	8-10	No	No				1684
1841	No	VD		8-10	No	No				1685
1842	No	VD		9-10	No	No				1686
1843	No	VD	15y	8-10	No	No				1687
1844	No	VD	37y	8-10	No	No				1688
1845	No	VD		9-10	No	No				1689
1846	No	VD		9-10	No	No				1690
1847	No	CS	CS Prolonged latent	9-10	No	No				1691
1848	No	VD		9-10	No	No				1692
1849	No	VD		7-10	No	No				1693
1850	No	VD		7-10	No	No				1694
1851	unknown	CS	CS Prolonged retain twin	8-10 // 7-9	No	No				1695
1852	No	CS	CS Prolong labour	9-10	No	No				1696
1853	No	VD		9-10	No	No				1697
1854	No	VD		8-10	No	No				1698
1855	No	VD	45y	8-10	No	No				1699
1856	No	VD	11VD 8CS	8-10	No	No				1700
1857	No	VD		8-10	No	No				1701
1858	No	VD		7-10	No	No				1702
1859	No	CS	CS NRFS	8-10	No	No				1703
1860	No	CS	CS Oblique lie	9-10	No	No				1704
1861	No	CS	CS NRFS	7-10	No	No				1705

1862	No	VD		8-10	No	No				1706
1863	No	VD		9-10	No	No				1707
1864	No 17y	CS	CS Fail induction Eclamps	8-10	No	No				1708
1865	No	VD		9-10	No	No				1709
1866	No	VD		8-10	No	No				1710
1867	No	CS	CS Prolonged labour	8-10	No	No				1711
1868	No	CS	CS Prolonged 2 nd stage	8-10	No	No				1712
1869	No	VD		9-10	No	No				1713
1870	No	CS	CS Malposition Previou CS	9-10	No	No				1714
1871	No	VD	Twins	8-10 // 8-10	No	No				1715
1872	No	CS	CS APH	8-10	No	No				1716
1873	No	VD		8-10	No	No				1717
1874	No	VD		9-10	No	No				1718
1875	No	VD	12 NVD. 6 CS.	8-10	No	No				1719
1876	No	VD		8-10	No	No				1720
1877	No	CS	Prolonged labour	8-10	No	No				1721
1878	No	CS	Face to pubes	9-10	No	No				1722
1879	No	VD		9-10	No	No				1723
1880	No	VD		9-10	No	No				1724
1881	No	VD		9-10	No	No				1725
1882	No	VD		8-10	No	No				1726
1883	No	VD		8-10	No	No				1727
1884	No	VD		8-10	No	No				1728
1885	No	CS	39yrs. Obstructed labour	9-10	No	No				1729
1886	No	CS	Placenta praevia	8-10	No	No				1730

1887	No	CS	Eclampsia	7-10	No	unknown				1731
1888	No	VD		8-10	No	No				1732
1889	No	VD		8-10	No	No				1733
1890	No	VD	37y	9-10	No	No				1734
1891	No	CS	Prolonged latent	8-10	No	No				1735
1892	No	VD		8-10	No	No				1736
1893	No	VD	14 NVD. 4CS.	8-10	No	No				1737
1894	No	CS	Obstructed labour	7-10	No	No				1738
1895	No	CS	Previous CS	8-10	No	No				1739
1896	No	VD		9-10	No	No				1740
1897	No	VD		9-10	No	No				1741
1898	No	VD		9-10	No	No				1742
1899	No	VD		8-10	No	No				1743
1900	No	CS	Prolonged labour	8-10	No	No				1744
1901	No	VD		8-10	No	No				1745
1902	No	VD		8-10	No	No				1746
1903	No	VD		9-10	No	No				1747
1904	No	VD	15yrs	7-10	No	No				1748
1905	No	VD		7-10	No	No				1749
1906	No	CS	Prolonged 2 nd stage	9-10	No	No				1750
1907	No	VD		9-10	No	No				1751
1908	No	VD	Oblique lie	9-10	No	No				1752
1909	No	VD	17yrs	8-10	No	No				1753
1910	No	VD	16yrs	9-10	No	No				1754
1911	No	VD	13 NVD. 1 VAC. 5 CS	8-10 // 8-10	No	No				1755
1912	No	VD		8-10	No	No				1756

1913	No	CS	38yrs. Previous CS.	8-10	No	No				1757
1914	No	CS	Failure to progress	9-10	No	No				1758
1915	No	CS	Placenta praevia	7-9	No	Yes				1759
1917	No	VD		8-10	No	No				1760
1918	No	VD		9-10	No	No				1761
1919	No	VD		6-8	Yes	Yes				1762
1920	No	VD		9-10	No	No				1763
1921	No	VD		8-10	No	No				1764
1922	No	VD		8-10	No	No				1765
1923	No	VD	40yrs	8-10	No	No				1766
1925	No	CS	Cervical prolapse	8-10	No	No				1767
1926	No	VD	17yrs	7-10	No	No				1768
1927	No	VD		9-10	No	No				1769
1928	No	Vacuum		Unknown NR	unknown	unknown				1770
1929	No	VD	16yrs	8-10	No	No				1771
1930	No	CS	Prolonged labour	9-10	No	No				1772
1931	No	VD		9-10	No	No				1773
1932	No	VD	16 NVD. 2 CS.	9-10	No	No				1774
1933	No	CS	NRFS. huge abdomen	9-10	No	No				1775
1934	No	VD		8-10	No	No				1776
1935	No	CS	CS Obstructed labour	Unknown NR	unknown	unknown				1777
1936	No	VD		8-10	No	No				1778
1938	No	VD		9-10	No	No				1779
1939	No	VD		9-10	No	No				1780
1940	No	VD		9-10	No	No				1781
1941	No	VD		8-10	No	No				1782

1942	No	VD		9-10	No	No				1783
1943	No	VD		9-10	No	No				1784
1944	No	VD	38yrs	8-10	No	No				1785
1945	No	VD	17yrs	7-9	No	No				1786
1946	No	VD		Unknown NR	unknown	unknown				1787
1947	No	VD		8-10 // 7-10	No	No				1788
1948	No	VD		8-10	No	No				1789
1949	No	VD		8-10	No	No				1790
1951	No	VD		8-10	No	No				1791
1952	No	VD	9 NVD. 8 CS	7-10	No	No				1792
1953	No	VD		8-10	No	No				1793
1954	No	CS	Previous CS. Failure to progress	8-10	No	No				1794
1955	No	VD		9-10	No	No				1795
1956	No	VD		9-10	No	No				1796
1957	No	CS	38yrs. Previous CS x3	7-10	No	No				1797
1960	No	VD		9-10	No	No				1798
1961	No	CS	Elective CS, polyhydramnios	7-10	No	Yes				1799
1964	unknown	VD	Face presentation	6-9	No	Yes				1800
1966	No	CS	Arrest of descent	8-10	No	No				1801
1968	No	CS	Eclampsia	8-10	No	No				1802
1969	No	VD		8-10	No	No				1803
1970	No	VD		9-10	No	No				1804
1971	No	CS	Suspected macrosomia	9-10	No	No				1805
1972	No	VD	39yrs	8-10	No	No				1806

1973	No	CS	Elective , previous CS	8-10	No	No				1807
1975	No	CS	Previous CS x2	9-10	No	No				1808
1976	Nor monitored straight to OR	CS	13 NVD. 4 CS. CS obstructed labour . 35yrs	4-8	Yes 2	Yes depressed				1809
1977	No	VD		7-8	No	Yes				1810
1978	No	CS	twins	9-10 // 9-10	No	No				1811
1980	No	VD	16yrs	7-10	No	No				1812
1981	No	VD		8-10	No	No				1813
1982	No	CS	17yrs. Obstructed labour. PROM	5-9	Yes 2	Yes				1814
1984	No	VD		8-10	No	No				1815
1985	No	VD		9-10	No	No				1816
1986	No	VD	17yrs	9-10	No	No				1817
1987	No	CS	Failure to progress	8-10	No	No				1818
1988	No	VD	17yrs	7-10	No	No				1819
1989	No	VD	17yrs	9-10	No	No				1820
1990	No	VD	35yrs	9-10	No	No				1821
1991	No	VD	17yrs	8-10	No	No				1822
1992	No	VD		7-10	No	No				1823
1993	No	VD	17yrs	8-10	No	No				1824
1994	No	VD		8-10	No	No				1825
1995	No	VD	17 NVD. 1 CS	8-10	No	No				1826
1996	No	VD	17yrs	9-10	No	No				1827
1997	No	VD		7-10	No	No				1828

1999	No	VD		8-10	No	No				1829
2000	No	VD		9-10	No	No				1830
2001	No	VD		9-10	No	No				1831
2002	No	VD		9-10	No	No				1832
2003	No	VD		8-10	No	No				1833
2004	No	VD		9-10	No	No				1834
2005	No	VD		8-10	No	No				1835
2006	No	VD		8-10	No	No				1836
2007	No	VD		8-10	No	No				1837
2008	No	VD		9-10	No	No				1838
2009	No	VD		8-10	No	No				1839
2010	No	VD	17yrs	8-10	No	No				1840
2011	No	CS	44yrs. Elective CS	8-10	No	No				1841
2012	No	VD		8-10	No	No				1842
2014	No	VD		9-10	No	No				1843
2015	No	VD	17 NVD. 1CS. 36yrs	8-10	No	No				1844
2016	No	VD		8-10	No	No				1845
2017	No	VD	38yrs	9-10	No	No				1846
2018	No	VD		9-10	No	No				1847
2019	No	VD		9-10	No	No				1848
2020	No	VD	17yrs	8-10	No	No				1849
2021	No	VD		8-10	No	No				1850
2022	No	VD		8-10	No	No				1851
2023	No	VD		8-10	No	No				1852
2024	No	VD		9-10	No	No				1853
2025	No	VD		8-10	No	No				1854
2026	No	VD		9-10	No	No				1855

2027	No	VD	40yrs	8-10	No	No				1856
2028	No	VD		8-10	No	No				1857
2029	No	VD		8-10	No	No				1858
2030	No	VD	16yrs	7-10	No	No				1859
2031	No	VD		8-10	No	No				1860
2033	No	CS	39yrs. Failed augmentation	8-10	No	No				1861
2035	No	VD	15 NVD. 3 CS	9-10	No	No				1862
2036	No	VD	16yrs	7-10	No	No				1863
2037	No	VD		9-10	No	No				1864
2038	No	CS	Previous CS x2	9-10	No	No				1865
2039	No	VD		8-10	No	No				1866
2040	No	VD		8-10	No	No				1867
2042	No	CS	Prolonged labour	7-10	No	No				1868
2043	No	VD		9-10	No	No				1869
2044	No	VD	38yrs	8-10	No	No				1870
2045	No	VD		9-10	No	No				1871
2046	No	VD		8-10	No	No				1872
2047	No	VD		8-10	No	No				1873
2048	No	VD	35yrs	9-10	No	No				1874
2049	No	VD		6-10	No	Yes				1875
2051	No	VD		5-8	Yes 2	Yes				1876
2052	No	VD		5-8	Yes	Yes			BA	1877
2053	No	VD		6-7	Yes	Yes			BA	1878
2054	No	CS	Breech	5-8 // 8-10	Yes 3	Yes				1879
2055	No	CS	15 NVD. 4 CS. Obstructed labour	5-7	Yes 3	Yes BA			BA	1880

2056	No	VD	15yrs	8-10	No	No				1881
2057	No	VD	36yrs	9-10	No	No				1882
2058	No	VD		9-10	No	No				1883
2059	No	VD		9-10	No	No				1884
2060	No	VD		8-10	No	No				1885
2061	No	CS	Failure to progress	8-10	No	No				1886
2062	No	VD		9-10	No	No				1887
2063	No	VD		7-10	No	No				1888
2064	No	VD		8-10	No	No				1889
2065	No	CS	17yrs. CPD	9-10	No	No				1890
2066	No	VD		9-10	No	No				1891
2067	No	VD		9-10	No	No				1892
2068	No	VD		8-10	No	No				1893
2069	No	VD		8-10	No	No				1894
2070	No	VD		8-10	No	No				1895
2071	No	VD		9-10	No	No				1896
2072	No	CS	Prolonged labour	9-10	No	No				1897
2073	No	VD		9-10	No	No				1898
2074	No	VD	13 NVD. 5 CS	8-10	No	No				1899
2075	No	VD		9-10	No	No				1900
2076	No	VD		9-10	No	No				1901
2077	No	VD		8-10	No	No				1902
2078	No	VD		9-10	No	No				1903
2079	No	VD		9-10	No	No				1904
2080	No	VD		8-10	No	No				1905
2081	No	VD		9-10	No	No				1906
2082	No	CS	Prolonged labour	7-10	No	No				1907
2083	No	VD		8-10	No	No				1908

2084	No	CS	Previous CS Prolonged labour	8-10	No	No				1909
2085	No	VD	36yrs	9-10	No	No				1910
2086	No	VD		9-10	No	No				1911
2087	No	VD		9-10	No	No				1912
2088	No	VD		9-10	No	No				1913
2089	No	CS	35yrs. Pre eclampsia	8-10	No	No				1914
2090	No	CS	Obstructed labour, malposition	8-10	No	No				1915
2091	No	CS	Obstructed labour	8-10	No	No				1916
2092	No	VD	15 NVD. 3 CS	9-10	No	No				1917
2094	No	VD		9-10	No	No				1918
2095	No	VD		8-10	No	No				1919
2096	No	VD		8-10	No	No				1920
2097	No	CS	Prolonged labour	8-10	No	No				1921
2098	No	VD		8-10	No	No				1922
2099	No	VD		8-10	No	No				1923
2100	No	CS	41yrs. Mat request	8-10	No	No				1924
2101	No	VD		9-10	No	No				1925
2102	No	CS	Prolonged labour, previous CS	7-10	No	No				1926
2103	No	VD		9-10	No	No				1927
2104	No	VD		7-10	No	No				1928
2105	No	VD		8-10	No	No				1929
2106	No	VD		8-10	No	No				1930
2107	No	VD	41yrs	9-10	No	No				1931
2108	No	VD		8-10	No	No				1932
2109	No	VD		8-10	No	No				1933

2110	No	VD		9-10	No	No				1934
2111	No	VD	13 NVD. 5 CS.	9-10	No	No				1935
2112	No	VD	35yrs	9-10	No	No				1936
2113	No	VD		9-10	No	No				1937
2114	No	CS	Face presentation	8-10	No	No				1938
2115	No	VD		9-10	No	No				1939
2116	No	VD	40 yrs	7-10	No	No				1940
2117	No	VD		8-10	No	No				1941
2118	No	CS	Prolonged labour	8-10	No	No				1942
2119	No	VD		9-10	No	No				1943
2121	No	VD		9-10	No	No				1944
2122	No	CS	Prolonged 2 nd stage	9-10	No	No				1945
2123	No	VD		8-10	No	No				1946
2124	No	VD	37yrs	9-10	No	No				1947
2125	No	VD		9-10	No	No				1948
2126	No	VD		8-10	No	No				1949
2127	No	CS	Elective CS	7-10	No	No				1950
2128	No	VD		8-10	No	No				1951
2129	No	CS	Twins. Mat request	9-10 // 9-10	No	Yes				1952
2130	No	VD	15 NVD. 4 CS	8-10 // 7-10	No	Yes				1953
2131	No	VD		7-9	No	Yes				1954
2132	No	CS	Obstructed labour	8-10	No	Yes				1955
2133	No	VD		5-9	Yes 1	Yes ?BA				1956
2135	No	VD		6-9	No	Yes				1957
2137	No	VD		5-8	Yes 2	Yes ?BA				1958
2138	No	VD		5-9	No	Yes				1959
2139	No	VD		8-10	No	No				1960

2140	No	CS	Footling breech, pre term	8-10	No	No				1961
2142	No	VD		8-10	No	No				1962
2143	No	CS	Previous CS	9-10	No	No				1963
2144	No	CS	37yrs. Previous CS x3	8-10	No	No				1964
2145	No	VD		9-10	No	No				1965
2146	No	VD		9-10	No	No				1966
2147	No	VD		8-10	No	No				1967
2148	No	VD		10-10	No	No				1968
2149	No	VD		9-10	No	No				1969
2150	No	VD		9-10	No	No				1970
2152	No	VD		9-10	No	No				1971
2153	No	VD	15NVD. 3 CS	9-10	No	No				1972
2154	No	VD		8-10	No	No				1973
2156	No	VD		9-10	No	No				1974
2157	No	VD		8-10	No	No				1975
2158	No	VD		8-10	No	No				1976
2159	No	VD		9-10	No	No				1977
2160	No	CS	17yrs. Failure to progress	9-10	No	No				1978
2161	No	VD		8-10	No	No				1979
2162	No	VD		8-10	No	No				1980
2163	No	CS	Breech	7-10	No	No				1981
2165	No	VD		8-8	No	No				1982
2166	No	VD		9-10	No	No				1983
2167	No	VD		8-10	No	No				1984
2168	No	VD	40yrs	8-10	No	No				1985
2169	No	VD		8-10	No	No				1986

2170	No	VD		8-10	No	No				1987
2171	No	CS	16yrs	8-10 // 8-10	unknown	No				1988
2172	No	VD		9-10	No	No				1989
2173	No	VD	16 NVD. 3 CS	7-9	No	No				1990
2174	No	VD	36yrs	9-10	No	No				1991
2175	No	VD		7-10	No	No				1992
2176	No	VD	17yrs	8-10	No	No				1993
2177	No	VD		9-10	No	No				1994
2178	No	CS	Previous CS x2	9-10	No	No				1995
2179	No	CS	17yrs. Breech. Pre term	8-10	No	No				1996
2181	No	CS	Prolonged labour	9-10	No	No				1997
2182	No	VD		9-10	No	No				1998
2183	No	VD		8-10	No	No				1999
2184	No	VD		7-10	No	No				2000
2185	No	VD		8-10	No	No				2001
2186	No	VD		8-10	No	No				2002
2187	No	VD		9-10	No	No				2003
2188	No	VD	37yrs	8-10	No	No				2004
2189	No	VD		8-9	No	No				2005
2190	No	VD		8-10	No	No				2006
2191	No	VD		8-10	No	No				2007
2193	No	VD		9-10	No	No				2008
2194	No	VD	13 NVD. 5 CS. 1 unknown	9-10	No	No				2009
2195	No	VD		9-10	No	No				2010
2196	No	VD	16yrs	8-10	No	No				2011

2198	No	VD		9-10	No	No				2012
2199	No	VD	37yrs	9-10	No	No				2013
2200	No	VD		9-10	No	No				2014
2201	No	VD		9-10	No	No				2015
2202	unknown	Unknown		Unknown NR	unknown	unknown				2016
2203	No	CS	Twins. Mat request.	9-10//8-10	No	No				2017
2204	No	VD		8-10	No	No				2018
2205	No	CS	PROM/anhydramnios	8-10	No	No				2019
2206	unknown	CS	Breech	8-10	No	No				2020
2207	No	VD	38yrs	9-10	No	No				2021
2208	No	VD		9-10	No	No				2022
2209	No	CS	Hypertension in pregnancy	9-10	No	No				2023
2210	No	CS	Previous CS	8-10	No	No				2024
2211	No	VD		9-10	No	No				2025
2212	No	VD		8-10	No	No				2026
2213	No	VD		7-10	No	No				2027
2214	No	CS	17 NVD. 2 CS. Prolonged 2 nd stage	9-10	No	No				2028
2215	No	VD	15yrs	8-10	No	No				2029
2216	No	CS	Elective	9-10	No	No				2030
2217	No	VD		9-10	No	No				2031
2218	No	VD		8-10	No	No				2032
2219	No	VD		8-10	No	No				2033
2220	No	VD		9-10	No	No				2034
2221	No	VD		8-10	No	No				2035
2222	No	VD		8-10	No	No				2036

2223	No	VD	41yrs	8-10	No	No				2037
2224	No	VD	37yrs	8-10	No	No				2038
2225	No	VD		9-10	No	No				2039
2226	No	VD		9-10	No	No				2040
2227	No	VD		9-10//8-10	No	No				2041
2228	No	VD		9-10	No	No				2042
2229	No	VD	40yrs	9-10	No	No				2043
2230	No	VD		8-10	No	No				2044
2231	No	VD	16yrs	9-10	No	No				2045
2232	No	VD	38yrs	9-10	No	No				2046
2233	No	VD	16 NVD. 2CS.	8-10	No	No				2047
2234	No	VD		9-10	No	No				2048
2235	No	VD		9-10	No	No				2049
2236	No	VD		unknown	No	No				2050
2237	No	CS	Previous CS	8-10	No	No				2051
2238	No	VD		9-10	No	No				2052
2239	No	VD	42yrs	8-10	No	No				2053
2240	No	VD	36yrs	8-10	No	No				2054
2241	No	VD		9-10	No	No				2055
2242	No	VD		8-10	No	No				2056
2243	No	VD		8-10	No	No				2057
2244	No	VD		8-10	No	No				2058
2245	No	VD		9-10	No	No				2059
2246	No	CS	Bad obstetric history	9-10	No	No				2060
2247	No	VD		8-10	No	No				2061
2248	No	VD		8-10	No	No				2062
2249	No	VD		9-10	No	No				2063
2250	No	VD		8-10	No	No				2064

2251	No	VD	16 NVD. 3CS.	9-10	No	No				2065
2252	No	CS	Obstructed labour	8-10	No	No				2066
2253	No	VD		9-10	No	No				2067
2254	No	VD		7-10	No	No				2068
2255	No	VD		9-10	No	No				2069
2256	No	VD		9-10	No	No				2070
2257	No	VD		8-10	No	No				2071
2258	No	VD		9-10	No	No				2072
2259	No	VD	17yrs	9-10	No	No				2073
2260	No	VD		9-10	No	No				2074
2261	No	CS	Suspected macrosomia	8-10	No	No				2075
2262	No	VD	45yrs	7-10	No	No				2076
2263	No	VD		9-10	No	No				2077
2264	No	VD		7-10	No	No				2078
2265	No	VD		9-10	No	No				2079
2266	No	CS	Previous CS	8-10	No	No				2080
2267	No	VD	17yrs	9-10	No	No				2081
2268	No	VD		9-10	No	No				2082
2269	No	VD		9-10	No	No				2083
2270	No	VD	15 NVD. 3 CS.	7-10	No	No				2084
2271	No	CS	17yrs. Obstructed labour	7-10	No	No				2085
2272	No	VD	35yrs	8-10	No	No				2086
2273	No	CS	Prolonged labour	8-10	No	No				2087
2274	No	VD		9-10	No	No				2088
2275	No	CS	Prolonged labour	9-10	No	No				2089

2276	No	VD		8-10	No	No				2090
2277	No	VD		9-10	No	No				2091
2278	No	VD		9-10	No	No				2092
2279	No	VD		8-10	No	No				2093
2280	No	VD		7-10	No	Yes				2094
2281	No	VD		7-10	No	Yes				2095
2282	No	VD		7-10	No	Yes				2096
2283	No	VD		8-10	No	No				2097
2284	No	VD		9-10	No	No				2098
2285	No	VD		8-10	No	No				2099
2286	No	VD		9-10	unknown	unknown				2100
2287	No	VD		8-10	No	No				2101
2288	unknown	CS	Previous CS	9-10	No	No				2102
2289	unknown	CS	Previous CS	9-10	No	No				2103
2290	No	VD	9VD 9CS	8-10	No	No				2104
2291	No	VD		7-10	No	No				2105
2292	unknown	CS	Previous CS	8-10	No	No				2106
2293	No	CS	Prolonged labour	7-10	No	No				2107
2294	No	CS	Malpresentation	9-10	No	No				2108
2295	No	CS	Previous CS	8-10	No	No				2109
2296	No	VD		9-10	No	No				2110
2297	No	VD		7-10	No	No				2111
2298	No	VD		8-10	No	No				2112
2300	No	CS	Eclampsia	6-9	Yes 2	Yes Risk sepsis NO BA				2113
2302	No	VD	2,4Kg	5-8	Yes 1	Yes Risk sepsis NO BA				2114
2304	No	VD		6-8	Yes 1	Yes Risk sepsis NO BA				2115

2305	No	VD		5-8	Yes 2	Yes Risk sepsis NO BA				2116
2310	No	CS	Previous CS	6-8	Yes 1	Yes Risk sepsis NO BA				2117
2313	unknown	CS	Primip breech	8-10	No	No				2118
2314	No	VD		8-10	No	No				2119
2315	No	VD	17 NVD.1 CS	9-10	No	No				2120
2316	No	VD		9-10	No	No				2121
2317	No	VD		8-10	No	No				2122
2318	No	VD		9-10	No	No				2123
2319	No	VD		8-10	No	No				2124
2320	No	VD	16yrs	9-10	No	No				2125
2321	No	CS	Maternal request	8-10	No	No				2126
2322	No	VD		9-10	No	No				2127
2323	No	VD		8-10	No	No				2128
2324	No	VD		8-10	No	No				2129
2325	No	VD		9-10	No	No				2130
2326	No	VD		8-10	No	No				2131
2327	No	VD		8-10	No	No				2132
2328	No	VD	38yrs	9-10	No	No				2133
2329	No	VD		9-10	No	No				2134
2330	No	VD		8-10	No	No				2135
2331	No	VD		7-10	No	No				2136
2332	No	VD		9-10	No	No				2137
2333	unknown	VD	16 NVD. 2 CS	9-10	No	No				2138
2334	No	VD		9-10	No	No				2139
2335	No	VD		9-10	No	No				2140
2336	No	VD	17yrs	8-10	No	No				2141

2337	No	VD		9-10	No	No				2142
2338	No	VD		9-10	No	No				2143
2339	No	VD		8-10	No	No				2144
2340	No	CS	15yrs. Failure to progress	9-10	No	No				2145
2341	No	VD		8-10	No	No				2146
2342	No	CS	Maternal request	8-10	No	No				2147
2343	No	VD		9-10	No	No				2148
2344	No	VD		9-10	No	No				2149
2345	No	VD		9-10	No	No				2150
2346	No	VD		9-10	No	No				2151
2347	No	VD	36yrs	8-10	No	No				2152
2348	No	VD		8-10	No	No				2153
2349	No	VD		8-10	No	No				2154
2350	No	VD		8-10	No	No				2155
2351	No	VD	16 NVD. 2 CS.	8-10	No	No				2156
2352	No	VD		7-10	No	No				2157
2353	unknown	CS	40yrs. Previous CS x2	8-10	No	No				2158
2354	No	VD	17yrs	9-10	No	No				2159
2355	No	VD		8-10	No	No				2160
2356	No	VD		8-10	No	No				2161
2357	No	VD		7-10	No	No				2162
2358	No	VD		8-10	No	No				2163
2359	No	VD	40yrs	8-10	No	No				2164
2360	unknown	VD		7-10	No	No				2165
2361	No	VD		9-10	No	No				2166
2362	No	VD		7-10	No	No				2167

2363	No	VD		9-10	No	No				2168
2364	No	VD		9-10	No	No				2169
2365	No	VD		8-10	No	No				2170
2366	No	CS	Arrest of descent	8-10	No	No				2171
2367	No	VD		8-10	No	No				2172
2368	No	VD		9-10	No	No				2173
2369	No	VD	17 NVD. 1C	9-10	No	No				2174
2370	No	VD		9-10	No	No				2175
2371	No	VD	16yrs	9-10	No	No				2176
2372	No	VD		8-10	No	No				2177
2373	No	VD		8-10	No	No				2178
2374	No	VD		8-10	No	No				2179
2375	No	VD		8-10	No	No				2180
2376	No	VD		8-10	No	No				2181
2377	No	VD	35yrs	1st=9-10 2nd=8-10	No	No				2182
2378	No	VD		9-10	No	No				2183
2379	No	VD		7-10	No	No				2184
2380	No	VD	37yrs	9-10	No	No				2185
2382	No	CS	Previous CS x1, breech	8-10	No	No				2186
2383	No	VD		8-10	No	No				2187
2384	No	VD	37yrs	8-10	No	No				2188
2385	No	VD		7-9	No	No				2189
2386	No	VD		9-10	No	No				2190
2387	No	VD		8-10	No	No				2191
2388	No	VD	16 NVD. 2CS	9-10	No	No				2192

2389	No	VD	17yrs	9-10	No	No				2193
2390	No	VD	40yrs	8-10	No	No				2194
2392	No	VD	39yrs	9-10	No	No				2195
2393	No	VD		8-10	No	No				2196
2394	No	VD		8-10	No	No				2197
2395	No	CS	Prolonged 2 nd stage	8-10	No	No				2198
2396	No	VD		7-10	No	No				2199
2397	No	VD	38yrs	8-10	No	No				2200
2398	No	VD		9-10	No	No				2201
2399	No	VD		8-10//8-10	No	No				2202
2401	No	VD		9-10	No	No				2203
2402	No	VD		8-10	No	No				2204
2403	No	VD		8-10	No	No				2205
2404	No	VD		9-10	No	No				2206
2405	No	VD	15yrs	8-10	No	No				2207
2406	No	CS	Cervical dystocia	9-10	No	No				2208
2407	No	VD		9-10	No	No				2209
2408	No	VD	19NVD	9-10	No	No				2210
2409	No	VD		9-10	No	No				2211
2410	No	VD		9-10	No	No				2212
2411	No	VD		9-10	No	No				2213
2412	No	VD		7-10	No	No				2214
2413	No	VD		7-10	No	No				2215
2414	No	VD		8-10	No	No				2216
2415	No	VD		9-10	No	No				2217
2416	No	VD		9-10	No	No				2218
2417	No	VD		9-10	No	No				2219
2418	No	VD		8-10	No	No				2220

[illegible]

2446	No	VD	13 NVD. 5 CS.	9-10	No	No				2247
2447	unknown	CS	CPD, obstructed labour.	8-10	No	No				2248
2448	No	VD	16yrs	9-10	No	No				2249
2449	No	VD		9-10	No	No				2250
2450	No	CS	CPD	9-10	No	No				2251
2451	No	CS	17yrs. Obstructed labour, CPD	9-10	No	No				2252
2452	No	VD		8-10//9-10	No	No				2253
2453	No	VD		9-10	No	No				2254
2454	No	VD		9-10	No	No				2255
2455	No	VD		7-8	No	Yes				2256
2456	No	VD	16yrs	7-9	No	Yes				2257
2457	No	CS	Arrest of descent	6-9	No	Yes				2258
2458	No	VD	17yrs	8-10	No	Yes				2259
2459	No	VD		8-10	No	Yes				2260
2460	unknown	VD	46yrs	8-10	No	Yes				2261
2461	No	VD		9-10	No	Yes				2262
2462	No	CS	Prolonged labour	7-10	No	No				2263
2463	No	VD		7-10	No	No				2264
2464	unknown	VD	18 NVD. 1 CS. 35yrs	9-10	No	No				2265
2465	No	VD	17yrs	6-8	No	Yes				2266
2466	No	VD		9-10	No	No				2267
2467	unknown	VD		9-10	No	No				2268
2468	No	VD	37yrs	8-10	No	No				2269
2469	No	VD		9-10	No	No				2270
2470	No	VD		9-10	No	No				2271
2471	No	VD	40yrs	9-10	No	No				2272

2472	No	VD		9-10	No	No				2273
2473	No	VD		8-10	No	No				2274
2474	No	VD		9-10	No	No				2275
2475	No	VD		8-10	No	No				2276
2476	No	VD		8-10	No	No				2277
2477	No	VD		9-10	No	No				2278
2478	No	VD		9-10	No	No				2279
2479	No	VD		9-10	No	No				2280
2480	unknown	CS	Previous CS. Face presentation	8-10	No	No				2281
2481	No	VD		9-10	No	No				2282
2482	No	VD		9-10	No	Yes				2283
2484	No	CS	11 NVD. 1 VAC. 5 CS. Classical incision. Macrosomia	8-10	No	No				2284
2487	No	VD	Arrived fully dilated	9-10	No	No				2285
2489	No	CS	Prolonged labour	9-10	No	No				2286
2491	No	CS	Elective. Previous CS	5-8	Yes	Yes				2287
2500	No	CS	Hydrocephalus	5-8	Yes 5	Yes				2288
2502	No	VD		9-10	No	No				2289
2503	No	VD	17yrs	9-10	No	No				2290
2504	No	VD		9-10	No	No				2291
2505	No	VD		9-10	No	No				2292
2506	No	VD		9-10	No	No				2293
2507	No	CS	Failure to progress, face presentation	8-10	No	No				2294
2508	No	VD	35yrs	7-10	No	No				2295

2509	No	VD		8-10	unknown	No				2296
2510	No	VD		8-10	No	No				2297
2511	No	Vacuum	38yrs. Poor maternal effort	7-10	No	Yes				2298
2512	No	VD	38yrs	9-10	No	No				2299
2513	No	VD		8-10	No	No				2300
2514	No	VD	15 NVD. 4 CS	8-10	No	No				2301
2515	No	VD	45yrs	9-10	No	No				2302
2516	No	CS	Elective	9-10	No	No				2303
2517	No	VD	35yrs	9-10	No	No				2304
2519	No	VD	Arrived fully dilated	9-10	No	No				2305
2520	No	VD		8-10	No	No				2306
2521	No	VD		8-10	No	No				2307
2523	No	CS	Hydrocephalus	7-10	No	No				2308
2524	No	VD		7-10	unknown	unknown				2309
2525	No	VD		9-10	No	No				2310
2526	No	VD		9-10	No	No				2311
2527	No	CS	38yrs. Macrosomia	9-10	No	No				2312
2528	No	VD		8-10	unknown	No				2313
2529	No	CS	CPD	9-10	No	No				2314
2530	No	VD		8-10	No	No				2315
2531	No	VD		8-10	No	No				2316
2532	No	VD		8-10	No	No				2317
2533	No	VD		9-10	No	No				2318
2534	No	VD		7-10	No	Yes				2319
2535	No	VD	13 NVD. 6CS	9-10	No	No				2320
2537	No	VD		7-10	No	No				2321

2538	No	VD	39yrs	9-10	No	No				2322
2539	No	VD	17yrs	8-10	No	No				2323
2541	No	VD	39yrs	8-10	No	No				2324
2542	No	CS	APH	8-10	No	No				2325
2543	No	VD		8-10	No	No				2326
2544	No	CS	CPD	8-10	No	No				2327
2545	No	VD		9-10	No	No				2328
2546	No	CS	Pre eclampsia	8-10	No	Yes				2329
2548	No	VD	40yrs	8-10	No	No				2330
2549	No	CS	18yrs. Pre eclampsia. Hydrocephalus	6-10	Yes 1	Yes				2331
2550	No	VD	16yrs	8-10	No	No				2332
2551	No	VD		9-10	No	No				2333
2552	No	CS	Maternal request	9-10	No	No				2334
2553	No	CS	Macrosomia	7-10	No	No				2335
2554	No	VD		9-10	No	No				2336
2555	No	VD	Arrived fully dilated	9-10	No	No				2337
2556	No	VD		8-10	No	No				2338
2557	No	VD	19 NVD. 16yrs	8-10	No	No				2339
2559	No	VD	37yrs	9-10	No	No				2340
2560	No	VD		7-9	No	No				2341
2561	No	VD		9-10	No	No				2342
2562	No	VD	15yrs. Arrived fully dilated	9-10	No	No				2343
2563	No	VD		8-10	No	No				2344
2564	No	VD		9-10	No	No				2345
2565	No	VD		8-10	No	No				2346

2566	No	VD	17yrs	7-10	No	No				2347
2567	No	VD		8-10	No	No				2348
2569	No	VD		7-10	No	No				2349
2570	No	VD	Arrived fully dilated	8-10	No	No				2350
2571	No	VD	49yrs	9-10	No	No				2351
2572	No	VD		9-10	No	No				2352
2573	No	VD		8-10	No	No				2353
2574	No	VD		9-10	No	No				2354
2575	No	VD	Arrived fully dilated	8-10	No	No				2355
2576	No	VD	Arrived fully dilated	8-10	No	No				2356
2577	No	VD		9-10	No	No				2357
2578	No	VD	14 NVD. 4 CS.	9-10	No	No				2358
2579	No	VD	35yrs	9-10	No	No				2359
2580	No	VD		9-10	No	No				2360
2581	No	VD	35yrs	9-10	No	No				2361
2582	No	VD	46yrs	9-10	No	No				2362
2583	No	VD		9-10	No	No				2363
2584	No	VD	17yrs	9-10	No	No				2364
2586	No	VD		8-10	No	No				2365
2587	No	CS	Pre eclampsia. Failed induction	9-10	No	No				2366
2588	No	CS		9-10	No	No				2367
2589	No	CS	42yrs	8-10	No	No				2368
2590	No	VD	35yrs	9-10	No	No				2369
2591	No	VD		9-10	No	No				2370
2592	No	CS	Failure to progress	7-10	No	No				2371
2593	No	VD	Arrived fully dilated	8-10	No	No				2372
2594	No	VD	15yrs	8-10	No	No				2373

2595	No	VD		9-10	No	No				2374
2596	No	VD		9-10	No	No				2375
2597	No	CS	15 NVD 4CS Prolonged labour	9-10	No	No				2376
2598	No	VD		9-10	No	No				2377
2599	No	VD	Arrived fully dilated	9-10	No	No				2378
2600	No	VD		7-10	No	No				2379
2601	No	VD		9-10	No	No				2380
2602	No	VD	17yrs	8-10	No	No				2381
2603	No	VD		9-10	No	No				2382
2604	No	VD		9-10	No	No				2383
2605	No	VD		9-10	No	No				2384
2606	No	VD	39yrs. Arrived fully dilated	7-10	No	No				2385
2607	No	VD		8-10	No	No				2386
2609	No	VD		8-10	No	No				2387
2610	No	CS	35yrs Previous CS	7-10	No	No				2388
2611	No	VD		8-10	No	No				2389
2612	No	CS	Previous CS. Arrest of descent	8-10	No	No				2390
2613	No	VD		9-10	No	No				2391
2614	No	VD		8-10	No	No				2392
2615	No	VD		8-10	No	No				2393
2616	No	CS	16yrs. Obstructed labour	9-10	No	No				2394
2617	No	VD	13 NVD. 5 CS.	9-10	No	No				2395
2618	No	CS	NRFS	9-10	No	No				2396
2619	No	VD	16yrs	9-10	No	No				2397

2620	No	VD		8-10	No	No				2398
2621	No	CS	Macrosomia	8-10	No	No				2399
2622	No	CS	Previous CS x2	9-10	unknown	No				2400
2623	No	VD		9-10	No	No				2401
2624	No	VD	39yrs. Arrived fully dilated	9-10	No	No				2402
2625	No	VD	40yrs	9-10	No	No				2403
2626	No	CS	Breech previous CS	9-10	No	No				2404
2627	No	VD		7-10	No	No				2405
2628	No	VD		7-10	No	No				2406
2629	No	VD		9-10	No	No				2407
2630	No	CS	39yrs. Prolonged labour	8-10	No	No				2408
2631	No	VD		8-10	No	No				2409
2632	No	VD	Arrived fully dilated	9-10	No	No				2410
2633	No	VD		8-10	No	Yes				2411
2634	No	VD	Twins	9-10 & 6-7	No	Yes			No BA/ BA	2412
2635	No	VD	14 NVD.4 CS.	7-9	No	Yes				2413
2636	No	VD		7-8	No	Yes				2414
2637	No	VD	16yrs. Twins	8-10 & 7-10	No	No				2415
2638	No	VD		8-10	No	No				2416
2639	No	CS	Maternal request Twins	9-10 & 8-10	No	No				2417
2640	No	CS	Prolonged labour	8-10	No	Yes				2418
2641	No	VD		9-10	No	No				2419
2642	No	VD		7-10	No	No				2420
2643	No	CS	Compound Twins	7-9 & 8-10	No	Yes				2421
2644	No	VD		8-10	No	No				2422
2645	No	VD		9-10	No	No				2423

[illegible]

2672	No	VD	16 NVD. 1 CS	5-7	Yes 6	Yes			BA	2449
2674	No	CS	Previous CS. Arrest of descent	8-10	unknown	No				2450
2675	No	VD		9-10	No	No				2451
2676	No	VD		8-10	No	Yes				2452
2677	No	VD	42yrs	8-10	No	No				2453
2678	No	VD		7-10	No	No				2454
2680	No	VD		8-10	No	No				2455
2681	No	VD		8-10	No	No				2456
2682	No	VD		9-10	No	No				2457
2684	No	VD		9-10	No	No				2458
2686	No	VD		8-10	No	No				2459
2687	No	VD	41yrs	8-10	No	No				2460
2688	No	VD		8-10	No	No				2461
2689	No	VD	Arrived fully dilated	7-10	No	No				2462
2690	No	VD		9-10	No	No				2463
2691	No	VD		7-10	No	Yes				2464
2692	No	VD	17yrs	7-10	No	No				2465
2693	No	VD	15 NVD. 3 CS.	7-10	No	No				2466
2694	No	VD		9-10	No	No				2467
2695	No	VD		9-10	No	No				2468
2696	No	VD		7-10	No	No				2469
2697	No	VD	Arrived fully dilated	9-10	No	No				2470
2698	No	VD		8-10	No	No				2471
2699	No	VD	17yrs	8-10	No	No				2472
2700	No	VD		7-10	No	No				2473
2701	No	VD	Arrived fully dilated	9-10	No	No				2474

2702	No	CS	Previous CS Transverse	9-10	No	No				2475
2703	No	VD		8-10	No	No				2476
2704	No	VD		7-10	No	No				2477
2705	No	VD		9-10	No	No				2478
2706	No	CS	Previous CS. Oblique lie	9-9	No	No				2479
2707	No	VD		8-10	No	No				2480
2708	No	CS	Prolonged latent phase	8-10	No	No				2481
2709	No	VD		7-10	No	No				2482
2710	No	VD		9-10	No	No				2483
2711	No	VD	15 NVD. 4 CS.	9-10	No	No				2484
2713	No	VD		8-10	No	No				2485
2714	No	VD		7-10	No	No				2486
2715	No	VD	17yrs	9-10	No	No				2487
2716	No	VD	Arrived fully dilated	9-10	No	No				2488
2717	No	VD	Arrived fully dilated	9-10	No	No				2489
2718	No	CS	APH	8-10	No	No				2490
2719	No	CS	Transverse lie. Hand presentation	7-10	No	No				2491
2720	No	VD		8-10	No	No				2492
2721	No	CS	Maternal request	8-10	No	No				2493
2722	No	VD		8-10	No	No				2494
2723	No	VD		9-10	No	No				2495
2724	No	VD		9-10	No	No				2496
2725	No	VD	Arrived fully dilated	8-10	No	No				2497
2726	No	VD		8-10	No	No				2498

2727	No	CS	17yrs. Twins. Compound presentation	8-10 & 9-10	No	Yes				2499
2728	No	VD		9-10	No	No				2500
2729	No	VD		9-10	No	No				2501
2730	No	VD		8-10	No	No				2502
2732	No	CS	15 NVD. 3 CS. 35yrs. Arrest of descent	8-10	No	No				2503
2734	No	VD		8-10	No	No				2504
2735	No	VD		8-10	No	No				2505
2736	No	VD	17yrs	8-10	No	Yes				2506
2737	No	CS	Previous CS x2	5-7	Yes 5	Yes			BA	2507
2738	No	VD	38yrs	9-10	No	No				2508
2739	No	CS	Multiple gestation/breech	8-10 & 9-10	No	No				2509
2740	No	VD	39yrs	9-10	No	No				2510
2741	No	VD		9-10	No	No				2511
2742	No	VD		8-10	No	No				2512
2743	No	VD	16yrs	9-10	No	No				2513
2744	No	VD		8-10	No	No				2514
2745	No	VD	17yrs	8-10	No	No				2515
2746	No	VD		9-10	No	No				2516
2747	No	VD	14yrs	7-9	No	Yes				2517
2748	No	VD		9-10	No	No				2518
2749	No	VD		9-10 & 9-10	No	No				2519
2750	No	VD		8-10	No	No				2520
2751	No	VD	14 NVD. 4 CS	7-10	No	No				2521

2752	No	VD		8-10	No	No				2522
2753	No	VD		9-10	No	No				2523
2754	No	VD		9-10	No	No				2524
2755	No	VD		8-10	No	No				2525
2756	No	VD	35yrs	9-10	No	No				2526
2757	No	VD	16 yrs	6-8	Yes 4	Yes				2527
2758	No	VD		9-10	No	No				2528
2759	No	CS	elective	7-10	Yes	No				2529
2760	No	VD		7-10	No	No				2530
2761	No	VD		7-10	No	No				2531
2762	No	CS	Previous CS x2	9-10	No	No				2532
2763	No	VD		8-10	No	No				2533
2764	No	CS	Cervical dystocia	8-10	No	No				2534
2765	No	VD		9-10	No	No				2535
2766	No	VD		8-10	No	No				2536
2767	No	VD		8-10	No	No				2537
2768	No	CS	CPD	5-8	Yes 7	Yes				2538
2769	No	VD	10 NVD. 1 VAC. 8CS	8-10	No	No				2539
2770	No	VD	16yrs	9-10	No	Yes				2540
2771	No	VD		8-10	No	No				2541
2772	No	VD		8-10	No	No				2542
2773	No	CS	Arrest of descent	8-10	No	Yes				2543
2774	No	VD	39yrs	9-10	No	No				2544
2775	No	VD		9-10	No	No				2545
2776	No	CS	Previous CS x2	9-10	No	No				2546
2777	No	VD		9-10	No	No				2547
2778	No	VD		7-10	No	No				2548

2780	No	CS	Previous CS. Arrest of descent	8-10	No	No				2549
2781	No	Vacuum	Poor mat effort	7-10	No	Yes				2550
2782	No	CS	Prolonged labour	8-10	No	Yes				2551
2783	No	VD		8-10	No	No				2552
2784	No	VD		8-10	No	No				2553
2786	No	CS	Obstructed labour	9-10	No	No				2554
2787	No	CS	39 yrs. Prolonged labour. Previous CS	9-10	No	No				2555
2788	No	CS	Obstructed labourMalpresentation	8-10	No	No				2556
2790	No	CS	15yrs Obstructed labour	6-10	No	Yes				2557
2791	No	CS	Age 16 Preeclampsia	9-10 & 8-10	No	Yes				2558
2794	No	CS	Unknown	7-10	No	No				2559
2797	No	VD		4-8	Yes 4	Yes				2560
2798	No	VD	Fully dilated Shoulder dystocia Not monitored	4-8	Yes 4	Yes				2561
2799	No	VD		6-8	Yes 2	Yes Mild BA				2562
2800	No	VD	14VD 4CS	8-10	No	No				2563
2801	No	CS	Maternal request	9-10	No	No				2564
2802	No	VD		8-10	No	No				2565
2803	No	VD		7-10	No	No				2566
2804	No	VD		9-10	No	No				2567
2805	No	VD		9-10	No	No				2568
2806	No	VD		9-10	No	No				2569

2807	No	CS	1 con 140 Fully dilated Previous CS x 1 Elective CS	8-10	No	No				2570
2808	No	VD		9-10	No	No				2571
2809	No	VD		9-10	No	No				2572
2811	No	VD		8-10	No	No				2573
2812	No	VD		8-10	No	No				2574
2813	No	VD		9-10	No	No				2575
2814	No	VD	14 NVD. 4 CS	8-10	No	No				2576
2815	No	VD		8-10 & 7-10	No	No				2577
2816	No	VD		8-10	No	No				2578
2817	No	VD	16yrs	8-10	No	No				2579
2818	No	VD		9-10	No	No				2580
2819	No	VD		9-10	No	No				2581
2820	No	VD	14yrs	9-10	No	No				2582
2821	No	VD		8-10	No	No				2583
2822	No	VD		8-10	No	No				2584
2823	No	VD		8-10	No	No				2585
2824	No	VD		8-10	No	No				2586
2825	No	CS	35yrs. Pre eclampsia	7-10	No	No				2587
2826	No	CS	Obstructed labour	9-10	No	No				2588
2827	No	VD		8-10	No	No				2589
2828	No	CS	Prolonged labour. Previous CS	8-10	No	No				2590
2829	No	VD		8-10	No	No				2591
2830	No	VD		9-10	No	No				2592

2831	No	CS	Multiple gestation, transverse lie. Elective	8-10 & 9-10	No	No				2593
2832	No 40Y	CS	Prepared on AN ward 4 previous CS Elective CS	8-10	No	No				2594
2833	No	VD		8-10	No	No				2595
2834	No	VD	17VD 1 CS	9-10	No	No				2596
2835	No	VD		9-10	No	No				2597
2836	No	VD	Came in fully dilated and pushing not monitored VD 38yrs	9-10	No	No				2598
2837	No	VD		8-10	No	No				2599
2838	No	VD		9-10	No	No				2600
2839	No	VD		8-10	No	No				2601
2840	No	VD	17yrs	8-10	No	No				2602
2841	No	VD	17yrs	8-10	No	No				2603
2842	No	VD	17y	8-10	No	No				2604
2843	No	VD		9-10	No	No				2605
2844	No	VD	15yrs	8-10	No	No				2606
2845	No	VD		8-10	No	No				2607
2846	No	VD		9-10	No	No				2608
2848	No	VD		9-10	No	No				2609
2849	No	VD		9-10	No	No				2610
2850	No	VD	40yrs	8-10	No	No				2611
2851	No	VD	14 NVD. 5CS.	8-10	No	No				2612
2852	No	CS	Eclampsia	9-10	No	No				2613

2853	No	VD		8-10	No	No				2614
2854	No	VD		9-10	No	No				2615
2855	No	VD	37yrs	8-10	No	No				2616
2856	No	VD	16yrs	8-10	No	No				2617
2857	No	VD	16yrs	8-10	No	No				2618
2858	No	CS	36yrs. Pre eclampsia	9-10	No	No				2619
2859	No	VD		7-10	No	No				2620
2860	No	VD		9-10	No	No				2621
2861	No	VD	40yrs	8-10	No	No				2622
2862	No	VD	35yrs	8-10	No	No				2623
2863	No	VD	39yrs	8-10	No	No				2624
2864	No	CS	36yrs. Previous CS. Request	7-10	No	No				2625
2865	No	CS	Unknown	8-10	No	No				2626
2866	No	VD	45yrs	8-10	No	No				2627
2867	No	CS	35yrs. Arrest of descent	9-10	No	No				2628
2868	No	VD		9-10	No	No				2629
2869	No	VD		9-10	No	No				2630
2870	No	VD	13 NVD. 4CS.	8-10	No	No				2631
2872	No	VD		9-10	No	No				2632
2873	No	VD		7-10	No	No				2633
2874	No	VD		9-10	No	No				2634
2875	No	VD		9-10	No	No				2635
2876	No	VD		9-10	No	No				2636
2877	No	VD		8-10	No	No				2637
2878	No	CS	Prolonged labour	9-10	No	No				2638
2879	No	VD		9-10	No	No				2639

2880	No	CS	Prolonged labour	8-10	No	No				2640
2881	No	VD		8-10	No	No				2641
2882	No	VD		8-10	No	No				2642
2883	No	CS	Eclampsia	8-10	No	No				2643
2884	No	VD	17yrs	9-10	No	No				2644
2886	No	VD		8-10	No	No				2645
2887	No	VD		7-10	No	no				2646
2888	NR	CS	35 yrs. Cord prolapse	8-10	No	No				2647
2889	No	VD	14 NVD. 4 CS	9-10	No	No				2648
2890	No	VD		9-10	No	No				2649
2891	No	VD	38yrs	8-10	No	No				2650
2892	No	VD		8-10	No	No				2651
2893	No	VD		8-10	No	No				2652
2894	No	VD		9-10	No	No				2653
2895	No	VD		8-10	No	No				2654
2897	No	CS	Previous CS. Arrest of descent	9-10	No	No				2655
2898	No	VD		8-10	No	No				2656
2899	No	CS	Placenta praevia	8-10	No	No				2657
2900	No	VD		9-10	No	No				2658
2901	No	VD		9-10	No	No				2659
2902	No	VD		9-10	No	No				2660
2903	No	VD		9-10	No	No				2661
2904	No	VD	17yrs	8-10	No	No				2662
2905	No	VD		9-10	No	No				2663
2906	No	CS	Previous CS x1	8-10	No	No				2664
2907	No	CS	Maternal request	9-10	No	No				2665

2908	No	VD	11 NVD. 6 CS.	8-10	No	No				2666
2910	No	VD	16yrs	8-10	No	No				2667
2911	No	CS	Footling breech	7-10	No	No				2668
2912	No	VD		9-10	No	No				2669
2913	No	VD	17yrs	9-10	No	no				2670
2914	No	VD		8-10	No	No				2671
2915	No	VD		8-10	No	No				2672
2916	No	CS	Previous CS x2	8-10	No	Yes				2673
2917	No	CS	Failure to progress	8-10	No	Yes				2674
2918	No	VD		7-10	No	Yes				2675
2919	No	VD		8-10	No	Yes				2676
2920	No	CS	40yrs. Prolonged labour	7-10	No	Yes				2677
2921	No	CS	Obstructed labour	8-10	No	Yes				2678
2922	No	CS	Prolonged labour	8-10	No	Yes				2679
2923	No	VD	17yrs	8-10	No	Yes				2680
2924	No	VD	40yrs	7-10	No	Yes				2681
2927	No	VD		9-10	No	No				2682
2928	No	VD	14 NVD. 1VAC. 3 CS	8-10	No	No				2683
2930	No	VD		5-8	Yes 5	Yes				2684
2931	No	Vacuum	Prolonged 2 nd stage	6-8	Yes 2	Yes				2685
2936	NR	CS	NOT MONITORED Immediate CS Twins/transverse.	5-8 & 4-7	Yes (1st twin) 3	Yes (1st twin)			No BA, BA	2686
						BA				
2937	NR	CS	Not monitored CS for APH	6-8	Yes 4	Yes Mild BA				2687

2939	No	CS	Breech	9-10	No	Yes				2688
2940	No	VD	16yrs	8-10	No	Yes				2689
2941	No	VD	16yrs	8-10	No	No				2690
2942	No	VD		8-10	No	No				2691
2943	No	VD		8-10	No	No				2692
2944	No	VD	17yrs	8-10	No	No				2693
2945	No	VD		8-10	No	No				2694
2946	No	VD	15yrs	8-10	No	No				2695
2947	No	VD		9-10	No	No				2696
2948	No	VD		8-10 & 9-10	No	Yes				2697
2949	No	VD		8-10	No	Yes				2698
2950	No	VD		9-10	No	No				2699
2951	No	VD		8-10	no	No				2700
2952	No	VD	10 NVD. 8 CS.	9-10	No	No				2701
2953	No	CS	Previous CS x3	8-10	No	No				2702
2954	No	CS	Twins. Breech. Eclampsia	9-10 & 8-10	No	No				2703
2955	No	VD	37yrs	9-10	No	No				2704
2956	No	VD		8-10	No	No				2705
2957	No	CS	Mat request. Suspected big baby	7-10	No	No				2706
2958	No	VD	16yrs	8-10	No	No				2707
2959	No	VD		9-10	No	No				2708
2960	No	CS	Elective CS	8-10	No	No				2709
2961	No	VD	17yrs	7-10	No	Yes				2710
2962	No	VD		8-10 & 9-10	No	No				2711
2963	No	CS	Twins. Obstructed labour. Previous CS	8-10 & 8-10	No	No				2712

2964	No	CS	Obstructed labour and previous CS	7-10	No	No				2713
2965	No	VD	16yrs	7-10	No	No				2714
2966	No	CS	Placenta praevia	8-10	No	No				2715
2967	No	VD		8-10	No	No				2716
2968	No	CS	35yrs. Previous CS. Arrest of descent	8-10	No	No				2717
2969	No	VD		9-10	No	No				2718
2970	No	VD	13 NVD. 6CS.	9-10	No	No				2719
2971	No	VD		8-10	No	No				2720
2972	No	VD	17yrs	8-10	No	No				2721
2973	No	VD		8-10	No	No				2722
2974	No	VD		8-10	no	No				2723
2975	No	VD		7-10	No	No				2724
2976	No	VD		8-10	No	No				2725
2977	No	VD		8-10	No	No				2726
2978	No	CS	Eclampsia	7-10	No	No				2727
2979	No	VD	17yrs	9-10	No	No				2728
2980	No	CS	Multiple gestation, malpresentation	8-10 & 7-10	No	No				2729
2981	No	CS	Prolonged labour. Previous CS	8-10	No	No				2730
2982	No	CS	CPD Prolonged labour	8-10	No	No				2731
2983	No	VD		8-10	No	No				2732
2984	No	CS	Prolonged labour	9-10	No	No				2733
2985	No	CS	36yrs. Previous CS x2	9-10	No	No				2734
2986	No	VD		9-10	No	No				2735
2987	No	VD		9-10	No	No				2736

2988	No	VD		9-10	No	No				2737
2989	No	VD	16 VD. 3 CS	8-10	No	No				2738
2990	No	VD		9-10	No	No				2739
2991	No	VD		9-10	No	No				2740
2992	No	VD		8-10	No	No				2741
2993	No	VD		8-10	No	No				2742
2994	No	VD		8-10	No	No				2743
2995	No	VD		8-10	No	No				2744
2996	No	CS	36 maternal request	8-10	No	No				2745
2997	No	CS	16yrs. Failure to progress	8-10	No	No				2746
2998	No	VD		8-10	No	No				2747
2999	No	VD		7-10	No	No				2748
3000	No	VD		8-10	No	No				2749
3001	No	VD		8-10	No	No				2750
3003	No	VD		8-10	No	No				2751
3004	No	CS	Previous CS x1 CPD	8-10	No	No				2752
3005	No	VD		8-10	No	No				2753
3006	No	VD		9-10	No	No				2754
3007	No	VD		9-10	No	No				2755
3008	No	VD		9-10	No	No				2756
3009	No	VD	12 VD 6CS	8-10	No	No				2757
3010	No	VD	35yrs	9-10	No	No				2758
3011	No	VD		8-10	No	No				2759
3012	No	CS	Pre eclampsia	9-10 & 8-10	No	No				2760
3013	No	VD		9-10 & 9-10	No	No				2761

3014	No	VD	37yrs	9-10	No	No				2762
3015	No	VD		8-10	No	No				2763
3016	No	CS		8-10	No	No				2764
3017	No	VD		9-10	No	No				2765
3018	No	VD		9-10	No	No				2766
3019	No	VD	39yrs	9-10	No	No				2767
3020	No	VD		8-10	No	No				2768
3021	No	VD		9-10	No	No				2769
3022	No	CS	Obstructed labour	8-10	No	No				2770
3023	No	VD		9-10	No	No				2771
3024	No	CS	Arrest of descent	8-10	No	No				2772
3025	No	CS	Previous CS x1 CPD	8-10	No	No				2773
3026	No	CS	Macrosomia	9-10	No	No				2774
3027	No	CS	12 VD, 6CS 16yrs obstructed labour	8-10	No	No				2775
3028	No	CS	NRFS	8-10	No	No				2776
3029	No	VD		8-10	No	No				2777
3030	No	CS		8-10	No	No				2778
3031	No	VD	17yrs	7-10	No	Yes				2779
3032	No	VD		4-7	Yes 4	Yes BA			BA	2780
3033	No	VD		4-7	Yes 4	Yes BA and wt			BA	2781
3034	No	VD		7-10	No	Yes				2782
3035	No	VD	48yrs	8-10 & 7-10	Yes 10	Yes Mild BA				2783
3037	No	VD		8-10 & 7-10	No	Yes				2784
3038	No	VD		8-10	No	No				2785
3039	No	CS	APH Placental abruption	9-10	No	No				2786
3040	No	VD		9-10	No	No				2787

3042	No	VD		9-10	No	No				2788
3043	No	CS	Cervical dystocia	8-10	No	No				2789
3044	No	VD	17yrs	8-10	No	No				2790
3045	No	VD		9-10	No	No				2791
3046	No	CS	Prolonged 2 nd stage	8-10	No	No				2792
3047	No	CS	13VD, 5CS. Breech	8-10	No	Yes				2793
3048	No	CS	Prolonged 2 nd stage	7-10	No	Yes				2794
3049	No	VD	37yrs. Breech	8-10 & 7-10	No	No				2795
3050	No	CS	Obstructed labour	8-10	No	No				2796
3051	No	VD	16 yrs	8-10	No	No				2797
3052	No	VD	37yrs	9-10	No	No				2798
3053	No	VD		8-10	No	No				2799
3054	No	VD		9-10	No	No				2800
3056	No	VD		8-10	No	No				2801
3057	No	VD	37yrs	9-10	No	No				2802
3058	No	VD	17yrs	8-10	No	No				2803
3059	No	CS	Breech Maternal request	8-10	No	No				2804
3060	No	VD	41yrs	8-10	No	No				2805
3061	No	VD	36yrs	9-10 & 8-10	No	No				2806
3062	No	VD		7-10	No	No				2807
3063	No	VD		9-10	No	No				2808
3064	No	CS	Previous CS x3	8-10	No	No				2809
3065	No	VD		9-10	No	No				2810
3067	No	CS	11VD. 7CS. Previous CS x3	8-10	No	No				2811
3068	No	VD		9-10	No	No				2812

3069	No	VD		8-10	No	No				2813
3070	No	VD		7-10	No	No				2814
3071	No	VD		9-10	No	No				2815
3072	No	VD	17yrs	7-10	No	Yes				2816
3073	No	VD	17yrs	7-10	No	Yes				2817
3074	No	CS	Multiple gestation, malpresentation	9-10 & 9-10	No	No				2818
3075	No	VD		8-10	No	No				2819
3077	No	VD		8-10	No	No				2820
3078	No	VD		9-10	No	No				2821
3079	No	VD		9-10	No	No				2822
3080	No	CS	Foetal macrosomia	8-10	No	No				2823
3081	No	CS		8-10	No	No				2824
3082	No	CS	Previous CS x2	7-10	No	No				2825
3083	No	CS	Placenta praevia	8-10	No	No				2826
3084	No	VD		9-10	No	No				2827
3085	No	CS	Fail to progress Maternal request	9-10	No	No				2828
3086	No	VD	11 VD. 7 CS	9-10	No	No				2829
3087	No	VD		9-10	No	No				2830
3088	No	CS	Maternal request	9-10	No	No				2831
3089	No	CS	Macrosomia	9-10	No	No				2832
3090	No	VD		9-10	No	No				2833
3091	No	CS	Prolonged labour	8-10	No	No				2834
3092	No	CS	44yrs Previous CS x1. Prolonged labour	9-10	No	No				2835
3093	No	CS	Prolonged labour	8-10	No	No				2836
3095	No	CS	Prolonged labour. Malpresentation	9-10	No	No				2837

3096	No	VD		8-10	No	No				2838
3097	No	VD		8-10	No	No				2839
3098	No	VD		8-10	No	No				2840
3099	No	VD		7-10	No	No				2841
3100	No	VD		9-10	No	No				2842
3101	No	VD		9-10	No	No				2843
3102	No	VD		7-10	No	No				2844
3103	No	VD		8-10	No	No				2845
3104	No	CS	42yrs CPD Macrosomia	7-10	No	Yes				2846
3106	No	CS	12 VD. 6CS Obstructed labour	8-10	No	No				2847
3107	No	CS	Twin pregnancy One twin by VD	8-10 & 7-10	No	No				2848
3108	No	VD		7-10	No	No				2849
3109	No	CS	17yrs Hand prolapse	7-10	No	Yes				2850
3111	No	CS	Retained twin	8-10 & 6-10	No	Yes				2851
3112	No	VD		8-10	No	Yes				2852
3113	No	VD	35yrs	9-10	No	Yes				2853
3114	No	VD	36yrs	8-10	No	Yes				2854
3115	No	VD		7-10	No	Yes				2855
3116	No	VD	36yrs	5-8	Yes 2	Yes Mild BA				2856
3117	No	CS	Obstructed labour	5-8	Yes 6	Yes Mild BA				2857
3118	No	VD		6-8	NO	Yes ? BA risk of sepsis				2858
3119	No	VD		7-10	No	Yes				2859
3121	No	CS	Eclampsia, obstructed labour	6-8	Yes 5	Yes ?BA				2860
3122	No	VD		8-10 & 7-10	No	Yes				2861

3123	No	VD		6-9	No	Yes				2862
3124	No	VD	35yrs	8-10	No	Yes				2863
3125	No	VD		8-10	No	No				2864
3126	No	CS	13 VD. 5CS	7-10	No	No				2865
3127	No	VD		8-10	No	No				2866
3128	No	CS	Eclampsia. Pre term labour	7-10	No	No				2867
3129	No	VD		7-10	No	No				2868
3130	No	VD		8-10	No	No				2869
3131	No	VD	17yrs	8-10	No	No				2870
3132	No	VD		8-10	No	No				2871
3135	No	VD		8-10	No	No				2872
3136	No	VD		8-10	No	No				2873
3137	No	CS	Arrest of cervical dilatation	9-10	No	No				2874
3138	No	VD	38yrs	8-10	No	No				2875
3139	No	VD		9-10	No	No				2876
3140	No	VD	37yrs	9-10 & 8-10	No	No				2877
3141	No	VD		9-10	No	No				2878
3142	No	VD		8-10	No	No				2879
3143	No	CS	Macrosomia	9-10	No	No				2880
3144	No	VD		8-10	No	No				2881
3145	No	CS	43yrs Preeclampsia	9-10	No	No				2882
3146	No	CS	13 VD. 5 CS 38yrs mat request	8-10	No	No				2883
3147	No	VD		9-10	No	No				2884
3148	No	VD		7-10	No	No				2885
3149	No	VD		8-10	No	No				2886

3150	No	CS	Previous CS x1 Request	9-10	No	No				2887
3151	No	VD		7-10	No	No				2888
3152	No	VD		9-10	No	No				2889
3153	No	CS	Elective	9-10	No	No				2890
3154	No	VD		8-10	No	No				2891
3155	No	VD		9-10	No	No				2892
3156	No	VD		8-10	No	No				2893
3157	No	VD	17yrs	9-10	No	No				2894
3158	No	CS	39yrs Previous CS Preeclampsia	9-10	No	No				2895
3159	No	VD		9-10	No	No				2896
3160	No	VD		8-10	No	No				2897
3161	No	CS	Arrest descent obstructed labour	9-10	No	No				2898
3162	No	VD		7-10	No	No				2899
3163	No	VD		8-10	No	No				2900
3164	No	VD	7 VD. 11CS	8-10	No	No				2901
3165	No	CS	Prolonged labour, malposition	8-10	No	No				2902
3166	No	VD		9-10	No	No				2903
3167	No	CS	Failure to progress	8-10	No	No				2904
3168	No	CS	Pre eclampsia	8-10	No	No				2905
3169	No	CS	44yrs Obstructed labour	8-10	No	No				2906
3170	No	CS	Prolonged 2 nd stage	9-10	No	No				2907
3171	No	VD		Unknown NR	No	No				2908
3172	No	VD		9-10	No	No				2909
3173	No	CS	Malposition Arrest of descent	8-10	No	No				2910

3174	No	CS	Prolonged 2 nd stage	8-10	No	No				2911
3175	No	VD		8-10	No	No				2912
3176	No	VD		8-10	No	No				2913
3177	No	VD		8-10	No	No				2914
3178	No	CS	Malposition	8-10	No	No				2915
3179	No	CS	17yrs. Obstructed labour	8-10	No	No				2916
3180	No	CS	Twins. Footling breech	9-10 & 8-10	No	No				2917
3181	No	CS	Prolonged labour	8-10	No	No				2918
3182	No	VD	15 VD. 3 CS	8-10	No	No				2919
3183	No	VD		9-10	No	No				2920
3184	No	VD		9-10	No	No				2921
3185	No	VD		8-10	No	No				2922
3186	No	VD		9-10	No	No				2923
3187	No	VD		8-10	No	No				2924
3188	No	CS	? fetal macrosomia	9-10	No	No				2925
3190	No	VD		9-10	No	No				2926
3191	No	VD		8-10	No	No				2927
3192	No	VD		7-10	No	No				2928
3193	No	VD		8-10	No	No				2929
3194	No	VD		9-10	No	No				2930
3195	No	CS	Pre eclampsia	8-10	No	No				2931
3196	No	VD	35yrs	9-10	No	No				2932
3197	No	VD		8-10	No	No				2933
3198	No	CS	Poor maternal effort	8-10	No	No				2934
3199	No	VD		7-10	No	No				2935
3200	No	VD		8-10	No	No				2936

3201	No	VD	12 VD. 1 VAC. 5 CS	9-10	No	No				2937
3202	No	VD		9-10	No	No				2938
3203	No	VD		9-10	No	No				2939
3204	No	VD		9-10	No	No				2940
3205	No	VD		8-10	No	Yes				2941
3206	No	VD		9-10	No	No				2942
3207	No	Vacuum	16yrs Poor maternal effort	5-8	Yes	Yes Mild BA 2				2943
3208	No	CS	17yrs CPD Malpresentation	8-10	No	Yes				2944
3209	No	CS	CPD Malposition	5-8	No	Yes risk sepsis				2945
3210	No	VD		9-10	No	Yes				2946
3211	No	CS	17yrs eclampsia	4-8	Yes	Yes Mild BA 4				2947
3213	No	VD		9-10	No	No				2948
3214	No	VD	42yrs	8-10	No	No				2949
3215	No	CS	Previous CS x2	8-10	No	No				2950
3216	No	VD	36yrs	9-10	No	No				2951
3218	No	CS	Breech	8-10	No	No				2952
3219	No	VD	17yrs	8-10 & 7-10	No	No				2953
3220	No	VD	17yrs	8-10	No	No				2954
3221	No	VD	11VD. 7CS	9-10	No	No				2955
3222	No	VD		9-10	No	No				2956
3223	No	VD	36yrs	8-10	No	No				2957
3224	No	VD		8-10	No	No				2958
3225	No	CS	Prolonged 1 st stage	7-10	No	No				2959
3226	No	VD		9-10	No	No				2960

3227	No	CS	Macrosomia	7-10	No	No				2961
3228	No	CS	CPD	8-10	No	No				2962
3229	No	CS	Previous CS x2	8-10	No	No				2963
3230	No	VD		8-10	No	No				2964
3231	No	VD		9-10	No	No				2965
3232	No	CS	Previous C x3	8-10	No	No				2966
3233	No	VD	44yrs	7-10	No	No				2967
3234	No	VD		8-10	No	No				2968
3235	No	VD	35yrs	9-10	No	No				2969
3236	No	CS	Previous CS Elective	8-10	No	Yes				2970
3237	No	VD		9-10	No	Yes				2971
3238	No	CS	17yrs Pre eclampsia	8-10	No	Yes				2972
3240	No	Vacuum	13 VD. 1 VAC. 5CS. Poor mat effort	7-9	No	Yes				2973
3242	No	VD		8-10	No	No				2974
3243	No	CS	Previous CS. CPD	8-10	No	No				2975
3244	No	VD	35yrs	8-10	No	No				2976
3245	No	VD	17yrs	8-10	No	No				2977
3246	No	VD	Suspected ruptured uterus. Previous CS	9-10	No	No				2978
3247	No	VD	Macrosomia	9-10	No	No				2979
3248	No	VD		7-10	No	No				2980
3249	No	VD	37yrs	8-10	No	No				2981
3250	No	VD		9-10	No	No				2982
3251	No	CS	Prolonged 2 nd stage	8-10	No	No				2983
3252	No	CS	Retained twin	9-10	No	No				2984

3253	No	CS	CPD. Delayed descent	7-10	No	No				2985
3254	No	VD		8-10	No	No				2986
3255	No	VD	Breech	8-10	No	No				2987
3256	No	CS	Poor cervical dilatation	8-10	No	No				2988
3257	No	VD		8-10	No	No				2989
3259	No	VD		8-10	No	No				2990
3260	No	VD		8-10	No	No				2991
3261	No	VD	18 VD 1CS 17yr	7-10	No	No				2992
3262	No	VD	15yr	9-10	No	No				2993
3263	No	VD		9-10	No	No				2994
3265	No	VD		9-10	No	No				2995
3266	No	VD		9-10	No	No				2996
3267	No	VD		9-10	No	No				2997
3268	No	VD	42yr	9-10	No	No				2998
3269	No	VD		8-10	No	No				2999
3270	No	CS	Deep transverse arrest	9-10	No	No				3000
3271	No	VD		8-10	No	No				3001
3272	No	VD		9-10	No	No				3002
3273	No	VD		7-10	No	No				3003
3274	No	VD		8-10	No	No				3004
3275	No	VD		8-10	No	No				3005
3276	No	VD		9-10	No	No				3006
3277	No	VD		9-10	No	No				3007
3278	No	VD		8-10	No	No				3008
3279	No	VD		9-10	No	No				3009

3280	No	VD		8-10	No	No				3010
3281	No	VD	9 VD 9CS 15yr	8-10	No	No				3011
3282	No	VD		9-10	No	No				3012
3283	No	CS	Malpresentation	8-10	No	No				3013
3284	No	CS	Prolonged labour	4-7	Yes	Yes BA 4			BA	3014
3285	No	VD		8-10	No	Yes				3015
3286	No	VD	17yr	5-8	Yes	Yes 4				3016
3287	No	VD		9-10	No	No				3017
3288	No	CS	Obstructed labour	8-10	No	No				3018
3289	No	VD	15yr	8-10	No	No				3019
3290	No	VD		8-10 & 8-10	No	No				3020
3291	No	VD		9-10	No	No				3021
3292	No	CS	38yr uterine prolapse	9-10	No	No				3022
3293	No	CS	Obstructed labour	8-10	No	No				3023
3294	No	VD	39yr	8-10	No	No				3024
3295	No	CS	Failed cervical dilatation	8-10	No	No				3025
3296	No	CS	Fetal macrosomia	9-10	No	No				3026
3297	No	CS	Fetal macrosomia	9-10	No	No				3027
3298	No	CS	Maternal request	8-10	No	No				3028
3299	No	VD	14 VD 5 CS	9-10	No	No				3029
3300	No	VD	17yr	8-10	No	No				3030
3301	No	VD		8-10	No	No				3031
3302	No	VD	17yr	Unknown NR	No	No				3032
3303	No	VD		8-10	No	No				3033
3304	No	VD		9-10	No	No				3034

3305	No	VD		9-10	No	No				3035
3306	No	VD		9-10	No	No				3036
3307	No	VD	38yr	9-10	No	No				3037
3308	No	VD		9-10	No	No				3038
3309	No	VD		9-10	No	No				3039
3310	No	VD		9-10	No	No				3040
3311	No	VD		9-10	No	No				3041
3312	No	CS	Prolonged 2 nd stage	8-10	No	No				3042
3313	No	CS	Previous CS x3	8-10	No	No				3043
3314	No	CS	Placenta praevia	8-10	No	No				3044
3315	No	CS	Placenta praevia	8-10	No	No				3045
3316	No	CS	17yr obstructed labour	5-7	Yes	Yes BA			BA	3046
3317	No	VD		9-10	No	No				3047
3318	No	VD	13VD. 5CS	8-10	No	No				3048
3319	No	VD		9-10	No	No				3049
3321	No	VD	37yr	8-10	No	No				3050
3322	No	CS	41yr Previous CS x2	8-10	No	No				3051
3323	No	CS	Previous CS x2	8-10	No	No				3052
3324	No	VD		8-10	No	No				3053
3325	No	VD		9-10	No	No				3054
3326	No	VD		9-10	No	No				3055
3327	No	VD	37yrs	8-10	No	No				3056
3328	No	CS	Failure to progress	8-10	No	No				3057
3329	No	VD		9-10	No	No				3058
3330	No	CS	Oblique lie	9-10	No	No				3059
3331	No	VD		9-10	No	No				3060

3332	No	CS	Previous CS. Obstructed labour	8-10	No	No				3061
3333	No	VD		9-10	No	No				3062
3334	No	VD		8-10	No	No				3063
3335	No	VD		8-10	No	No				3064
3336	No	VD		8-10	No	No				3065
3337	No	VD	18VD 0CS	8-10	No	No				3066
3338	No	VD		8-10	No	No				3067
3339	No	VD		8-10	No	No				3068
3340	No	VD		8-10	No	No				3069
3341	No	VD		8-10	No	No				3070
3342	No	VD		8-10	No	No				3071
3343	No	VD		9-10	No	No				3072
3344	No	VD		8-10	No	No				3073
3345	No	VD		9-10	No	No				3074
3346	No	VD		8-10	No	No				3075
3347	No	VD		8-10	No	No				3076
3348	No	VD		9-10	No	No				3077
3349	No	VD		7-10	No	No				3078
3350	No	VD		9-10 & 8-10	No	No				3079
3351	No	VD		9-10	No	No				3080
3352	No	VD		8-10	No	No				3081
3353	No	VD		8-10	No	No				3082
3354	No	VD		9-10	No	No				3083
3356	No	VD	4VD 6CS	8-10	No	No				3084
3357	No	CS	Arrest of descent	9-10	No	No				3085
3358	No	VD		9-10	No	No				3086

3359	No	VD		9-10	No	No				3087
3361	No	CS	Macrosomia	7-10	No	No				3088
3362	No	VD	17yrs	6-8	Yes	Yes Mild BA				3089
3363	No	CS	Previous CS x3	7-10	No	Yes				3090
3364	No	CS	Previous CS x1	8-10	No	No				3091
3365	No	CS	44yrsPrevious CS x1	8-10	No	No				3092
3366	No	CS	Transverse lie Hand prolapse	8-10	No	No				3093
3367	No	VD	19VD	7-10	No	No				3094
3369	No	VD		7-10	No	No				3095
3370	No	VD		8-10	No	No				3096
3371	No	VD		8-10	No	No				3097
3372	No	VD		8-10	No	No				3098
3373	No	VD		8-10	No	No				3099
3374	No	VD		8-10	No	No				3100
3375	No	VD		9-10	No	No				3101
3376	No	VD		8-10	No	No				3102
3377	No	VD		6-9	No	No				3103
3378	No	VD		9-10	No	No				3104
3379	No	VD		7-10	No	No				3105
3380	No	VD		8-10	No	No				3106
3381	No	VD		9-10	No	No				3107
3382	No	VD		8-10	No	No				3108
3383	No	VD		9-10	No	No				3109
3384	No	VD		8-10	No	No				3110
3385	No	VD		8-10	No	No				3111
3386	No	VD		8-10	No	No				3112

3387	No	VD	13VD 6CS	9-10	No	No				3113
3389	No	VD		8-10	No	No				3114
3390	No	VD		8-10	No	No				3115
3391	No	VD		8-10	No	No				3116
3392	No	VD		9-10	No	No				3117
3393	No	VD		7-10	No	No				3118
3394	No	VD		9-10	No	No				3119
3395	No	VD		8-10	No	No				3120
3396	No	VD		9-10	No	No				3121
3397	No	VD		8-10	No	No				3122
3398	No	VD		9-10	No	No				3123
3399	No	VD		9-10	No	No				3124
3400	No	CS	Eclampsia CPD	8-10	No	No				3125
3401	No	CS	Previous CS x3	8-10	No	No				3126
3402	No	CS	Transverse breech and elective	8-10 & 8-10	No	No				3127
3403	No	CS	Elective previous CS	8-10 & 9-10	No	No				3128
3404	No	VD	Breech	5-9	Yes	Yes				3129
3406	No	CS	Previous CS x2	4-8	Yes	Yes				3130
3407	No	CS	Macrosomia	8-10	No	No				3131
3408	No	CS	Eclampsia multiple	9-10 & 8-10	No	No				3132
3410	No	CS	Breech	9-10	No	No				3133
3411	No	VD	17VD 3CS	8-10	No	No				3134
3412	No	VD		8-10	No	No				3135
3413	No	VD		8-10	No	No				3136
3414	No	VD		9-10	No	No				3137
3415	No	VD		8-10	No	No				3138

3416	No	VD		9-10	No	No				3139
3417	No	VD		8-10	No	No				3140
3418	No	VD		9-10	No	No				3141
3419	No	VD		9-10	No	No				3142
3420	No	VD		9-10	No	No				3143
3421	No	VD		7-10	No	No				3144
3422	No	VD		8-10	No	No				3145
3423	No	VD		8-10	No	No				3146
3424	No	VD		8-10	No	No				3147
3425	No	VD		8-10	No	No				3148
3426	No	VD		9-10	No	No				3149
3428	No	CS	Previous CS x2	8-10	No	No				3150
3432	No	VD		7-10	No	No				3151
3434	No	CS	Protracted pelvis and previous CS	8-10	No	No				3152
3435	No	CS	Previous CS x1	8-10	No	No				3153
3436	No	VD		8-10	No	Yes				3154
3437	No	VD	18VD 2 CS	9-10 & 8-10	No	No				3155
3438	No	VD		8-10	No	No				3156
3439	No	VD		8-10	No	No				3157
3440	No	VD		9-10	No	No				3158
3441	No	VD		9-10	No	No				3159
3442	No	VD		8-10	No	No				3160
3443	No	VD		8-10	No	No				3161
3444	No	VD		9-10	No	No				3162
3445	No	VD		8-10	No	No				3163
3446	No	VD		9-10	No	No				3164
3447	No	VD		9-10	No	No				3165

[illegible]

3485	No	Vacuum	Poor pushing	8-10	No	No				3191
3486	No	VD		8-10	No	No				3192
3487	No	VD	1 vacuum 18VD	8-10	No	No				3193
3488	No	VD		8-10	No	No				3194
3489	No	VD		8-10	No	No				3195
3490	No	VD		9-10	No	No				3196
3491	No	VD		9-10	No	No				3197
3492	No	VD		8-10	No	No				3198
3493	No	VD		7-10	No	No				3199
3494	No	VD		8-10	No	No				3200
3495	No	VD		8-10	No	No				3201
3496	No	VD		8-10	No	No				3202
3497	No	VD		9-10	No	No				3203
3498	No	VD		7-10	No	No				3204
3499	No	VD		8-10	No	No				3205
3500	No	VD		8-10	No	No				3206
3501	No	VD		7-10	No	No				3207
3502	No	VD		9-10	No	No				3208
3503	No	VD		9-10	No	No				3209
3504	No	VD		8-10	No	No				3210
3505	No	VD		8-10	No	No				3211
3506	No	VD		9-10	No	No				3212
3507	No	VD		8-10	No	No				3213
3508	No	VD		7-10	No	No				3214
3509	No	VD		8-10	No	No				3215
3510	No	VD	7CS 12VD	9-10	No	No				3216
3511	No	VD		8-10	No	No				3217
3512	No	VD		8-10	No	No				3218

3513	No	VD		8-10	No	No				3219
3515	No	CS	Obstructed labour	8-10	No	No				3220
3516	No	CS	Cervical dystocia	9-10	No	No				3221
3517	No	CS	Macrosomia	8-10	No	No				3222
3518	No	VD		8-10	No	No				3223
3519	No	CS	Breech	7-10	No	No				3224
3520	No	CS	Prolonged labour Arrest descent	7-10	No	No				3225
3522	No	CS	Obstructed labour	3-7	Yes 10	Yes	PDF needed		BA	3226
3523	No	CS	Footling breech	4-7	Yes 6	Yes			BA	3227
3524	No	VD		6-9	No	Yes				3228
3525	No	VD		8-10	No	No				3229
3526	No	VD		8-10	No	No				3230
3527	No	VD	3CS 4VD	9-10	No	No				3231
3528	No	VD		7-9	Yes 2	Yes	PDF needed			3232
3529	No	CS	Brow	7-10	No	No				3233
3530	No	CS	Previous CS x3	9-10	No	No				3234
3531	No	CS	Previous CS x2	7-10	No	No				3235
										3235

Additional file 8B CB Dunbar Hospital with NO changes in FHR and Apgar scores 7 or higher at 5 minutes. n = 3235

Prehospital and antenatal and intrapartum

Maternal ages 13-16 years n = 131

Abruption =2
Twins = 24; Triplet =1;
Preeclampsia = 16
Severe preeclampsia = 4
Previous CS x1 =60
Previous CS x 2 = 23
Previous CS x3 = 11
Previous CS x 4 = 1
Eclampsia = 15
APH = 5
Placenta praevia = 7
PROM = 2
Polyhydramnios = 1
Oligohydramnios = 1
Hydrocephalus = 3
Bad obstetric history = 1
Classical CS incision = 1
Oblique lie = 4
Transverse lie = 4 (2 with prolapsed hands)
Ruptured uterus = 1
Protracted pelvis = 1
Uterine prolapse = 1
Cervical prolapse = 1
Prolapsed hand = 1

Deliveries

Unassisted vaginal deliveries = 2721 (84%); Caesarean section 461 (14%), Vacuum = 29 (0.9%) and 22 NR.
Prolonged labour including failed descent n=124
Failed augmentation = 8
Obstructed labour = 77
Breech = 27 (3 footling 1 primip)
Episiotomy = 2
Malposition = 4
Unable to push = 14
Brow malpresentation = 2

Malpresentations = 4
Cervical dystocia = 5
Elective/requested by mother = 37
Retained 2nd twin = 3
Face = 5
Cord prolapse = 1
Shoulder dystocia = 1
Preterm =3

Newborn including resuscitation

1 NR, 22 BA (0.7%) and 3212 (99.3%) = No BA
3072 Apgar 10 at 5 minutes =95%
79 Received resuscitation (2.4%), 30 NR, 3214 (99.4%) = no resuscitation.

Supplemental file 6C Sinje Apgar at 5 minutes of 7 or higher with no FHR changes N 267 + 2 deaths = 269

Sinje	Age Mum	N contract ions monitor ed	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apg ar 5 min	mode of delivery and reason for type	Baby resus Yes or No plus type of resus	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizure If YES give details	Birth asphyxia as defined in our report
Sinje Died aged 6 days	ND	30c no changes		7	10	4Kg VD	-	No	Yers Congenital malaria	No	None
Sinje Died Aged 5 days	15	31c no changes	None	4	8	B Wt 1.6Kg Malaria in pregnancy, Bleeding at home, VD	-	No	Congenital malaria Preterm low birth weight	No	None
	not docume nted	28		8	10	VD	No		No		
	not docume nted	28		8	10	VD	No		No		
	not docume nted	51	Poor maternal efforts to push	6	10	VD	Yes, B+M	5	Yes, birth asphyxia. 8days	No	
	not docume nted	35		8	10	VD	No		No		

Sinje	Age Mum	N contract ions monitor ed	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apg ar 5 min	mode of delivery and reason for type	Baby resus Yes or No plus type of resus	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizure If YES give details	Birth asphyxia as defined in our report
-------	---------	----------------------------	---	-------------	--------------	--------------------------------------	---	----------------------	--	---------------------------------	---

	not documented	46		8	10	VD	No		no		
	not documented	1		8	10	VD	No		No		
	not documented	38		8	10	VD	No		No		
	not documented	1		9	10	VD	No		No		
	not documented	1		9	10	VD	No		No		
	not documented	28	4.6Kg	6	9	VD	Yes, B+M,	8	Yes, birth asphyxia. 9days	No	
	not documented	34		8	10	VD	No		No		
	20	37		8	10	VD	No		No		
	not documented	11		9	10	VD	No		No		
	not documented	not documented		8	10	VD	No		No		
	not documented	1		9	10	VD	No		No		
	not documented	15		8	10	VD	No		No		

Pat no.	Age Mum	N contractions monitored	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus Yes or No plus type of resus	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizure If YES give details	Birth asphyxia as defined in our report	Record Number
19	not documented	21		8	10	VD	No		No			17.

21	not documented	1		7	10	CS, APH, suspected placenta previa	NO		Yes, risk of sepsis			18.
23	not documented	20		6	10	VD	No		Yes, risk of sepsis			19.
24	not documented	28	Previous CS x 1 Brow malpresentation. Fetal distress during CS	6	8	CS,	Yes, B+M	5	Yes, birth asphyxia. Home against medical advice	No		20.
25	not documented	27		5	8	prolonged latent phase,,previous CS	Yes B+M	3	Home against medical advice	No		21.
27	not documented	47		9	10	VD	No		No			22.
28	not documented	26		9	10	VD	No		No			23.
29	not documented	57		9	10	VD	No		No			24.
30	not documented	15		9	10	VD	No		No			25.
31	not documented	21		9	10	VD	No		No			26.

Pat no.	Age Mum	N contractions monitored	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus Yes or No plus type of resus	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizure If YES give details	Birth asphyxia as defined in our report	Record Number
32	not documented	27		9	10	VD	No		No			27.

33	not documented	34		8	10	VD	No		No			28.
34	not documented	15		9	10	VD	No		No			29.
35	not documented	15		7	10	VD	No		No			30.
36	not documented	48		8	10	VD	No		No			31.
37	not documented	33		8	10	VD	No		No			32.
38	not documented	33		9	10	VD	No		No			33.
42	not documented	1		9	10	VD	No		No			34.
43	not documented	1		8	10	VD	No		No			35.
44	not documented	60		9	10	VD	No		No			36.
45	not documented	24		7	10	VD	No		No			37.
46	not documented	55		9	10	VD	No		No			38.

Pat no.	Age Mum	N contract ions monitored	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apg ar 5 min	mode of delivery and reason for type	Baby resus Yes or No plus type of resus	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizure If YES give details	Birth asphyxia as defined in our report	Record Number
48	not documented	29		9	10	VD	No		No			39.
49	not documented	23		9	10	VD	No		No			40.

50	not documented	16		9	10	VD	No		No			41.
51	not documented	58		9	10	VD	No		No			42.
52	not documented	48		9	10	VD	No		No			43.
53	not documented	NR		9	10	VD	No		Ni			44.
54	not documented	41		8	10	VD	No		No			45.
55	not documented	38		9	10	VD	No		No			46.
56	not documented	21		8	10	VD	No		No			47.
57	not documented	18		8	9	VD	No		No			48.
58	not documented	25		8	10	VD	No		No			49.
59	not documented	29		8	9	VD	NO		Yes, preterm 2.1kg. 12days			50.

Pat no.	Age Mum	N contract ions monitored	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apg ar 5 min	mode of delivery and reason for type	Baby resus Yes or No plus type of resus	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizure If YES give details	Birth asphyxia as defined in our report	Record Number
60	not documented	1		8	10	VD	No		No			51.
61	not documented	16		8	10	VD	No		No			52.
62	not documented	15		9	10	VD	No		No			53.

63	not documented	32		9	10	VD	No		No			54.
64	not documented	33		8	10	VD	No		No			55.
65	not documented	58		8	10	VD	No		No			56.
66	not documented	35		9	10	VD	No		No			57.
67	not documented	48		9	10	VD	No		No			58.
68	not documented	23		8	10	VD	No		No			59.
69	not documented	27		7	10	VD	No		Yes, sepsis. 5days	No		60.
70	not documented	1		8	10	VD	No		No			61.
71	not documented	28		8	10	VD	No		No			62.

Pat no.	Age Mum	N contract ions monitored	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apg ar 5 min	mode of delivery and reason for type	Baby resus Yes or No plus type of resus	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizure If YES give details	Birth asphyxia as defined in our report	Record Number
72	not documented	35		8	10	VD	No		No			63.
73	not documented	1		9	10	VD	No		No			64.
74	not documented	35		8	9	VD	No		No			65.
75	not documented	17		9	10	VD	No		No			66.

78	not documented	58		6	10	VD	No		sepsis risk 5 days			67.
81	not documented	58	Primigravida, patient laboured but had difficulties due to poor maternal efforts	5	8	VD	Yes, B+M	10	Yes, birth asphyxia 5 days	No		68.
82	not documented	41		7	10	VD	No		No			69.
83	not documented	not documented		8	10	VD	No		No			70.
84	not documented	3		9	10	VD	No		No			71.
85	not documented	38		8	10	VD	No		No			72.
86	not documented	58		8	10	VD	No		No			73.

Pat no.	Age Mum	N contractions monitored	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus Yes or No plus type of resus	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizure If YES give details	Birth asphyxia as defined in our report	Record Number
87	not documented	43		8	10	VD	No		No			74.
88	not documented	1		9	10	VD	No		No			75.
89	not documented	11		7	10	VD	No		Yes, preterm , sepsis risk, 1.5kg. 15days	No		76.

91	not documented	39		8	10	VD	No		No			77.
92	not documented	not documented		7	10	VD	No		No			78.
93	not documented	42		8	10	VD	No		No			79.
94	not documented	34		9	10	VD	No		No			80.
95	not documented	40		9	10	VD	No		No			81.
96	not documented	30		8	10	VD	No		No			82.
100	not documented	28		5	10	CS , protracted labour, arrest of descent	Yes, B+M,	3	Yes, birth asphyxia. 5days	No		83.
102	not documented	30		8	10	VD	No		No			84.
103	not documented	30		8	10	VD	No		No			85.

Pat no.	Age Mum	N contract ions monitored	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apg ar 5 min	mode of delivery and reason for type	Baby resus Yes or No plus type of resus	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizure If YES give details	Birth asphyxia as defined in our report	Record Number
104	not documented	23		7	10	VD	No		No			86.
105	not documented	30		8	10	VD	No		No			87.
106	not documented	26		9	10	VD	No		No			88.
107	not documented	27		9	10	VD	No		No			89.

108	not documented	27		8	10	VD	No		No			90.
109	not documented	36		8	10	CS, breech , post term primip	No		No			91.
110	not documented	1		9	10	CS, breech , post term primip	No		No			92.
111	not documented	1		9	10	VD	No		No			93.
112	not documented	21		9	10	VD	No		No			94.
113	not documented	1		7	10	CS	NO		No			95.
114	not documented	29		9	10	VD	No		No			96.
115	not documented	24		8	10	VD	No		No			97.

Pat no.	Age Mum	N contract ions monitored	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apg ar 5 min	mode of delivery and reason for type	Baby resus Yes or No plus type of resus	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizure If YES give details	Birth asphyxia as defined in our report	Record Number
116	not documented	27		8	10	VD	No		No			98.
117	not documented	15		8	10	VD	No		No			99.
118	not documented	30		8	10	VD	No		No			100.
119	not documented	27		9	10	VD	No		No			101.
120	not documented	20		9	10	VD	No		No			102.

121	not documented	1		8	10	VD	No		No			103.
122	not documented	28		7	10	VD	No		No			104.
123	not documented	1		8	10	VD	No		No			105.
124	not documented	29		9	10	CS , prev CS x3	No		No			106.
125	not documented	22		9	10	VD	No		No			107.
126	not documented	15		8	10	VD	No		No			108.
128	not documented	29		8	10	VD	No		No			109.

Pat no.	Age Mum	N contractions monitored	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus Yes or No plus type of resus	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizure If YES give details	Birth asphyxia as defined in our report	Record Number
129	not documented	42		8	10	VD	No		No			110.
130	not documented	15		8	10	VD	No		No			111.
131	not documented	40		9	10	CS, multiple gestation , BTL requested	NR		No			112.
133	not documented	30		7, 8	10, 10	VD	No		No			113.
134	not documented	45		8	10	VD	No		Yes, congenital malaria, risk of sepsis	No		114.

135	not documented	27		9	10	CS , bad obs history	No		Yes, congenital malaria	No		115.
136	not documented	45		7	9	CS , fetal distress and malpresentation	NO		Yes, neonatal sepsis	No		116.
137	not documented	24		6	10	VD	NO		No	No		117.
138	not documented	40		6	10	VD	NO		Yes, risk of neonatal sepsis	No		118.
139	not documented	45		6	9	CS, gestational hypertension , prolonged latent phase, fetal macrosomia Bwt 3.4Kg	Yes, B+M	2	Yes, congenital malaria, birth asphyxia	No		119.

Pat no.	Age Mum	N contractions monitored	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus Yes or No plus type of resus	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizure If YES give details	Birth asphyxia as defined in our report	Record Number
142	not documented	38		7	10	VD	No		No			120.
143	not documented	45		9	10	VD	No		No			121.
144	not documented	15		8	10	CS, prolonged obstructed labour , malposition	No		No			122.
145	not documented	30		8	10	VD	No		No			123.
146	not documented	45		8	10	VD	No		No			124.
147	not documented	15		8	10	VD	No		No			125.

148	not documented	26		9	10	VD	No		No			126.
149	not documented	15		9	10	VD	No		No			127.
150	not documented	15		9	10	VD	No		No			128.
151	not documented	30		9	10	VD	No		No			129.
153	not documented	1 Fully dil		4	7	VD	Yes, B+M,	5	Yes, mild birth asphyxia. 6days	No	BA	130.
154	not documented	25		6	8	CS, obstructed labour	Yes, B+M	2	Yes, birth asphyxia 6 days	No		131.

Pat no.	Age Mum	N contractions monitored	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus Yes or No plus type of resus	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizure If YES give details	Birth asphyxia as defined in our report	Record Number
156	not documented	41		6	10	VD	No		Yes 4 days	No		132.
157	not documented	43		6	10	VD	Yes, B+M	6	Yes, birth asphyxia. And congenital malaria 6days	No		133.
158	not documented	24		7	10	VD	NO		No			134.
159	not documented	1		9	10	VD	No		No			135.
161	not documented	29		9	10	VD	No		No			136.
162	not documented	1		9	10	CS, prolonged pregnancy	No		No			137.

163	not documented	25		8	10	VD	No		No			138.
164	not documented	28		7	10	VD	No		No			139.
165	not documented	25		8	10	VD	No		No			140.
166	not documented	29		8	10	VD	No		No			141.
167	not documented	43		7	10	VD	No		No			142.
168	not documented	37		8	10	VD	No		No			143.

Pat no.	Age Mum	N contractions monitored	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus Yes or No plus type of resus	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizure If YES give details	Birth asphyxia as defined in our report	Record Number
169	not documented	38		8	10	VD	No		No			144.
170	not documented	29		8	10	VD	No		No			145.
171	not documented	1		9	10	CS	No		No			146.
172	not documented	45		8	10	VD	No		No			147.
173	not documented	30		7	10	CS	No		No			148.
175	not documented	1		7	10	VD	No		No			149.
176	not documented	28		9	10	VD	No		No			150.

177	not documented	1		9	10	VD	No		No			151.
178	not documented	1		9	10	VD	No		No			152.
179	not documented	23		8	10	VD	No		No			153.
180	not documented	18		8	10	VD	No		No			154.
181	not documented	29		9	10	VD	No		No			155.

Pat no.	Age Mum	N contractions monitored	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus Yes or No plus type of resus	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizure If YES give details	Birth asphyxia as defined in our report	Record Number
183	not documented	29		7	10	CS , arrest of descent, multiple gestation	No		Yes, congenital malaria . 6days	No		156.
184	not documented	39		8	10	VD	No		Yes, sepsis risk	No		157.
185	not documented	14		7	10	VD	No		Yes, Risk for neonatal sepsis. 5days	No		158.
186	not documented	25		8	10	VD	No		No			159.
188	18	31		9	10	VD	No		No			160.
189	not documented	1		9	10	CS , elective	No		No			161.
190	not documented	unknown		8	10	VD	No		No			162.

191	not documented	21		7	10	VD	No		No			163.
192	not documented	22		9	10	VD	No		No			164.
193	not documented	33		8	10	VD	No		No			165.
195	16	16	Age 16	9	10	VD	No		No			166.
196	31	41		9	10	VD	No		No			167.
197	20	8		8	9	VD	No		No			168.
198	not documented	31		8	10	VD	No		No			169.

Pat no.	Age Mum	N contract ions monitored	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apg ar 5 min	mode of delivery and reason for type	Baby resus Yes or No plus type of resus	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizure If YES give details	Birth asphyxia as defined in our report	Record Number
199	29	1		8	10	CS , elective	No		No			170.
200	not documented	unknown		8	10	VD	No		No			171.
201	not documented	33		6	10	VD	No		Yes, congenital malaria. 5days	No		172.
202	17	22		9	10	VD	No		Yes, congenital malaria. 5days	No		173.
203	not documented	21		7	10	VD	No		Yes, congenital malaria. 6days	No		174.
206	not documented	40		7	10	VD	No		No			175.
207	40	19		8	10	VD	No		No			176.
208	Not documented	30	2.0Kg	8	10	VD	No		Yes, preterm, 30wks. 6days	No		177.

209	Not documented	15		9	10	VD	No		No			178.
210	Not documented	15		8	10	VD	No		No			179.
211	Not documented	1		8	10	VD	No		No			180.
212	34	1		8	10	VD	No		No			181.
213	Not documented	15		8	10	VD	No		No			182.
216	16	44	Age 16	8	10	VD	No		No			183.
217	19	33		9	10	VD	No		No			184.

Pat no.	Age Mum	N contractions monitored	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus Yes or No plus type of resus	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizure If YES give details	Birth asphyxia as defined in our report	Record Number
218	22	1		9	10	VD	No		No			185.
219	Not documented	1		9	10	VD	No		No			186.
220	21	33		8	10	VD	No		No			187.
222	Not documented	1		7	10	VD	No		No			188.
223	Not documented	30		4	7	CS, arrest of descent Labour dystocia, malaria in pregnancy	Yes, B+M	3 min	Yes, congenital malaria, risk of sepsis, birth asphyxia. 5days	No	BA	189.
224	Not documented	1		3	7	CS, retained 2nd twin, NRFS	Yes, B+M	7 min	Yes, moderate birth asphyxia. 6days	No	BA	190.

231	Not documented	1		9	10	VD	No		No			191.
232	Not documented	1		8	10	VD	No		No			192.
233	not documented	28		9	10	VD	No		No			193.
234	Not documented	15		9	10	VD	No		No			194.
235	Not documented	45		8	10	VD	No		No			195.

Pat no.	Age Mum	N contractions monitored	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus Yes or No plus type of resus	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizure If YES give details	Birth asphyxia as defined in our report	Record Number
236	not documented	1		9	10	VD	No		No			196.
237	not documented	28		6	10	CS , fetal distress due to poor maternal efforts to push	No		No			197.
238	Not documented	1		7	10	VD	No		No			198.
239	Not documented	15		6	10	VD	No		No			199.
240	Not documented	15		8	10	VD	No		No			200.
241	Not documented	45		8	10	Vacuum No effort to push	No		Yes congenital malaria, risk of sepsis. 2days	No		201.
242	Not documented	15		8	10	CS, arrest of descent , labour dystocia	No		Yes, congenital malaria, risk of sepsis. 5days	No		202.

243	Not documented	45		6	10	VD	No		Yes, congenital malaria. 5days	No		203.
244	Not documented	11	Malaria in pregnancy	9	10	CS	No		Yes, congenital malaria, risk of sepsis. 6days	No		204.
245	Not documented	1		8	10	VD	No		Yes, congenital malaria, risk of sepsis. 5days	No		205.
246	Not documented	15	eclampsia	7	10	Vacuum	No		Yes, congenital malaria, risk of sepsis. 6days	No		206.

Pat no.	Age Mum	N contractions monitored	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus Yes or No plus type of resus	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizure If YES give details	Birth asphyxia as defined in our report	Record Number
248	Not documented	1		8	10	VD	No		No			207.
251	Not documented	30	Slow labor progress, inadequate pelvic, rupture membrane	6	7	VD	No		Yes, risk of sepsis 5days	No	BA	208.
252	Not documented	2	Vacuum delivery due to poor maternal efforts to push	6	10	Vacuum	No		Yes, risk of sepsis, birth asphyxia. 5days	No		209.
258	Not documented	27		8	10	VD	No		No			210.
259	Not documented	1		9	10	VD	No		No			211.

260	Not documented	15		8	10	VD	No		No			212.
261	Not documented	20		9	10	VD	No		No			213.
262	Not documented	3		7	10	VD	No		No			214.
263	Not documented	15		7	10	VD	No		No			215.
264	Not documented	1		9	10	VD	No		No			216.

Pat no.	Age Mum	N contractions monitored	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus Yes or No plus type of resus	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizure If YES give details	Birth asphyxia as defined in our report	Record Number
265	Not documented	15		8	10	VD	No		No			217.
266	Not documented	15		9	10	VD	No		No			218.
267	22	22		8	10	VD	No		Yes, congenital malaria, early sepsis. 15days	No		219.
272	16	1	Age 16 Fully dilated on admission Breech 25 weeks 0.7Kg	7	7	VD	No		No Transferred to Monrovia NR available		BA	220.
273	28	1		8	10	VD	No		No			221.
274	24	22		8	10	VD	No		No			222.
275	22	11		8	10	VD	No		No			223.
276	37	22		9	10	VD	No		No			224.

277	16	22	Age 16	9	10	VD	No		No			225.
278	28	22		9	10	VD	No		No			226.
279	Not documented	12		8	10	VD	No		No			227.
280	Not documented	29		9	10	VD	No		No			228.
281	Not documented	1	Referred from clinic for obstructed labor and CPD. Poor	7	10	Vacuum	No		No			229.

Pat no.	Age Mum	N contractions monitored	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus Yes or No plus type of resus	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizure If YES give details	Birth asphyxia as defined in our report	Record Number
			maternal efforts to push. Episiotomy done follow by vacuum delivery									
282	Not documented	42		6	10	CS , PROM, suspected fetal distress, prolonged latent phase	Yes Bag & mask	5mins	No	No		230.
283	Not documented	1		7	10	CS , elective	No		No			231.
284	Not documented	10		9	10	CS , CPD, uncontrolled gestational hypertension	No		No			232.
285	20	22		8	10	VD	No		No			233.
286	Not documented	2		9	10	VD	No		No			234.

287	Not documented	14		8	10	VD	No		No			235.
288	Not documented	31		9	10	VD	No		No			236.
291	21	9		8	10	VD	No		No			237.
292	15	18	Age 15	8	10	VD	No		No			238.
293	24	33		8	10	VD	No		No			239.
294	24	19		7	10	VD	No		No			240.
295	17	18		9	10	VD	No		No			241.
296	18	1		9	10	VD	No		No			242.

Pat no.	Age Mum	N contractions monitored	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus Yes or No plus type of resus	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizure If YES give details	Birth asphyxia as defined in our report	Record Number
297	22	20		8	10	VD	No		No			243.
298	24	19		8	10	VD	No		Yes, congenital malaria, risk of sepsis. 5days	No		244.
300	27	9		8	10	VD	No		No			245.
302	16	6	Age 16	8	10	VD	No		No			246.
303	30	19		9	10	VD	No		Yes, congenital malaria, risk of sepsis. 5days	No		247.
304	28	21		8	10	VD	No		No			248.
305	19	6		7	10	VD	No		Yes, congenital malaria, signs of early sepsis. 3days	No		249.
306	17	1		9	10	CS , prev CS x1 with short interval	No		No			250.
307	39	19		8	10	VD	No		No			251.
309	28	9		8	10	VD	No		No			252.
310	22	16		8	10	VD	No		No			253.
311	28	22		8	10	VD	No		No			254.

312	16	16	Aged 16 years	5	10	VD	Yes, B+M	5	Yes, mild birth asphyxia, congenital malaria , signs of early sepsis. 5days	No		255.
313	22	28		9	10	VD	No		No			256.
314	27	22		8	10	VD	No		No			257.
315	35	31		9	10	VD	No		Yes, congenital malaria ,	No		258.

Pat no.	Age Mum	N contract ions monitor ed	Obstetric disorder Yes/no If Yes Describe	Apgar 1 min	Apg ar 5 min	mode of delivery and reason for type	Baby resus Yes or No plus type of resus	Duratio n resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizure If YES give details	Birth asphyxia as defined in our report	Record Number
									sepsis risk. 5days			
317	19	33		8	10	VD	No		No			259.
318	26	33	Poor maternal efforts to push	4	10	VD	Yes, B+M	3	Yes, birth asphyxia. 7days	No		260.
319	17	22		9	10	VD	No		No			261.
320	23	1		9	10	VD	No		No			262.
321	18	20		7	10	VD	No		No			263.
322	23	20		9	10	VD	No		No			264.
323	30	11		8	10	VD	No		No			265.
324	23	17		8	10	VD	No		No			266.
325	24	9		9	10	VD	No		No			267.

Summary findings 9C at Sinje CEmOC facility with NO changes in FHR and Apgar scores 7 or higher at 5 minutes. n = 267

Prehospital

Previous CS x 1 =3

Previous CS x3 =1

Bad obstetric history = 1

Preeclampsia = 2

Eclampsia = 1

PROM = 1

Age 15 or 16 = 7

Request BTL = 1

Antenatal and intrapartum^{Brow = 1}

APH Placenta praevia = 1

Twins = 3

Malaria =21

Preterm = 3

Deliveries

Unassisted vaginal deliveries =234 (88%); CS = 29 (11%); Vacuum 4 (1.5%)

Poor efforts = 7

Breech = 3 (2 primagravida and post term, 1 = 25 weeks)

Pos date = 1

Elective/request = 3

Retained second twin = 1

Prolonged labour = 7

Obstructed labour = 4

Malpresentation = 1

Episiotomy = 1

Malposition = 1

Newborn including resuscitation

Apgar 10 at 5 minutes =252 (94%)

Resuscitation performed = 14 (5.2%); NR = 1

BA = 5 (1.9%) No BA = 263 (98%)

Additional file 6D Tellewoyan Hospital and Apgar scores at 5 mins of 7 or higher but no FHR abnormality detected N 872+3 deaths=875

Report No	Pat no.	Age mother ?	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia as defined in our report
		28	34 th = 127 Thought to be a change	Oxygen	6	10	Moved to delivery room for quick delivery	Yes	5	Yes Sepsis, jaundice, phototherapy, IV abiotics Died 3 days	No	No
		ND	15 no changes	Preterm 27 wks BWT 1.3Kg	5	10	VD	Yes	3	Yes IV abiotics Died Aged 6 days	No	No
		35	1c no abnormality	2 previous CS	7	10	Elective CS	Yes	3	Conjoined twin Died age 1 day	No	No
1.	1		32		7	10	VD	no		no		
2.	2		31		9	10	VD	no		no		
3.	3		34		9	10	VD	no		no		
4.	4		35		8	9	VD	no		no		
5.	5		37		9	10	VD	no		no		
6.	6		37		9	10	VD	no		no		
7.	7		35		8	9	VD	no		no		
8.	8		34		9	10	VD	no		no		
9.	9		36		9	10	VD	no		no		
10.	10		33		9	10	VD	no		no		

11.	11		33		9	10	VD	no		no		
12.	12		29		9	10	VD	no		no		
13.	13		37		9	10	VD	no		no		
14.	14		39		9	10	VD	no		no		
15.	15		32		8	10	VD	no		no		
16.	16		34		9	10	VD	no		no		
17.	17		32	Aged 16	9	10	VD	no		no		
18.	18		35		8	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia as defined in our report
19.	19	34		9	10	VD	no		no		
20.	20	34		8	10	VD	no		no		
21.	21	34		8	10	VD	no		no		
22.	22	36		9	10	VD	no		no		
23.	23	37		9	10	VD	no		no		
24.	24	32		9	10	VD	no		no		
25.	25	35		9	10	VD	no		no		
26.	26	26		9	10	VD	no		no		
27.	27	36		9	10	VD	no		no		
28.	28	31		9	10	VD	no		no		
29.	29	33		9	10	VD	no		no		
30.	30	31		8	10	VD	no		no		
31.	31	32		9	10	VD	no		no		
32.	32	34		9	10	VD	no		no		

33.	33	34		9	10	VD	no		no		
34.	34	35		9	10	VD	no		no		
35.	35	34		9	10	VD	no		no		
36.	36	34		9	10	VD	no		no		
37.	37	36		9	10	VD	no		no		
38.	38	37		9	10	VD	no		no		
39.	39	28		9	10	VD	no		no		
40.	40	36		9	10	VD	no		no		
41.	41	34		8	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia as defined in our report
42.	42	36		9	10	VD	no		no		
43.	43	32		9	10	VD	no		no		
44.	44	33		9	10	VD	no		no		
45.	45	35		9	10	VD	no		no		
46.	46	34		9	10	VD	no		no		
47.	47	35		9	10	VD	no		no		
48.	48	33		9	10	VD	no		no		
49.	49	34		9	10	VD	no		no		
50.	50	36		9	10	VD	no		no		
51.	51	34		9	10	VD	no		no		
52.	52	36		9	10	VD	no		no		
53.	53	31		8	10	VD	no		no		
54.	54	34		9	10	VD	no		no		
55.	55	31		9	10	VD	no		no		

56.	56	34		9	10	VD	no		no		
57.	57	36		9	10	VD	no		no		
58.	58	34		8	10	VD	no		no		
59.	59	35		9	10	VD	no		no		
60.	60	39		9	10	VD	no		no		
61.	61	36		9	10	VD	no		no		
62.	62	32		9	10	VD	no		no		
63.	63	34		9	10	VD	no		no		
64.	64	34		9	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia as defined in our report
65.	65	35		9	10	VD	no		no		
66.	66	32		9	10	VD	no		no		
67.	67	35		9	10	VD	no		no		
68.	68	35		9	10	VD	no		no		
69.	69	34		8	10	VD	no		no		
70.	70	34		9	10	VD	no		no		
71.	71	34		8	10	VD	no		no		
72.	72	32		9	10	VD	no		no		
73.	75 +2	26	CPD Hydramnios PROM	7	8	CS	Yes	21mins	Yes. Risk for sepsis, moderate asphyxia 5days	No	
74.	76	33		9	10	VD	no		no		
75.	77	33		9	10	VD	no		no		

76.	78	31		8	10	VD	no		no		
77.	79	33		9	10	VD	no		no		
78.	80	31		9	10	VD	no		no		
79.	81	39		9	10	VD	no		no		
80.	82	35		8	10	VD	no		no		
81.	83	31		8	10	VD	no		no		
82.	84	35		9	10	VD	no		no		
83.	85	30		9	10	VD	no		no		
84.	86	34		9	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia as defined in our report
85.	87	34		9	10	VD	no		no		
86.	88	39		9	10	VD	no		no		
87.	89	29	obstructed labour Malposition LOTP	8	10	CS	no		no		
88.	90	35		9	10	VD	no		no		
89.	91	36		8	10	VD	no		no		
90.	92	26		8	10	VD	no		no		
91.	93	30		8	10	VD	no		no		
92.	94	31		8	10	VD	no		no		
93.	95	35		9	10	VD	no		no		
94.	96	33		9	10	VD	no		no		
95.	97	39		8	10	VD	no		no		
96.	98	34		9	10	VD	no		no		

97.	99	32		9	10	VD	no		no		
98.	100	40		8	10	VD	no		no		
99.	101	37		9	10	VD	no		no		
100	102	38		8	10	VD	no		no		
101	103	42		9	10	VD	no		no		
102	104	28		9	10	VD	no		no		
103	105	40		8	10	VD	no		no		
104	106	39		8	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia as defined in our report
105	107	33		9	10	VD	no		no		
106	108	34		9	10	VD	no		no		
107	109	38		8	10	VD	no		no		
108	110	36		9	10	VD	no		no		
109	111	43		8	10	VD	no		no		
110	112	38		8	10	VD	no		no		
111	113	33		8	10	CS - CPD	no		no		
112	114	34		9	10	VD	no		no		
113	115	31		9	10	VD	no		no		
114	116	31		9	10	VD	no		no		
115	117	34		9	10	VD	no		no		
116	118	39		8	10	VD	no		no		
117	119	37		9	10	VD	no		no		
118	120	37		8	10	VD	no		no		
119	121	34		9	10	VD	no		no		

120	122	40		9	10	Vacuum poor maternal efforts	no		no		
121	123	42		8	10	VD	no		no		
122	124	33		9	10	VD	no		no		
123	125	35		9	10	VD	no		no		
124	126	39		8	10	VD	no		no		
125	127	38		9	10	VD	no		no		
126	128	39		8	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia as defined in our report
127	129	40		8	10	VD	no		no		
128	130	39		8	10	VD	no		no		
129	131	39		8	10	VD	no		no		
130	132	37		9	10	VD	no		no		
131	133	39		9	9	VD	no		no		
132	134	37		9	10	VD	no		no		
133	135	38		8	9	VD	no		yes premature	No	
134	136	38		8	10	VD	no		no		
135	137	43		7	10	VD	yes	3	Yes. Risk for sepsis 3days	No	
136	138	40		6	10	VD	yes	4	Yes	No	
137	139	34		9	10	VD	no		no		
138	140	40		8	10	VD	no		no		
139	141	37		8	10	VD	no		no		

140	142	37		9	10	VD	no		no		
141	143	34		9	10	VD	no		no		
142	144	34		9	10	VD	no		no		
143	145	37		9	10	VD	no		no		
144	146	39		8	10	VD	no		no		
145	147	41		9	10	VD	no		no		
146	148	39		8	10	VD	no		no		
147	149	40		8	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia as defined in our report
148	150	36		9	10	VD	no		no		
149	151	36		9	10	VD	no		no		
150	152	34		9	10	VD	no		no		
151	153	36		9	10	VD	no		no		
152	154	43		9	10	VD	no		no		
153	155	36		9	10	VD	no		no		
154	156	39		8	10	VD	no		no		
155	157	33		9	10	VD	no		no		
156	158	39		8	10	VD	no		no		
157	159	37		9	10	VD	no		no		
158	160	39		8	10	VD	no		no		
159	161	39		8	10	VD	no		no		
160	162	28		9	10	VD	no		no		
161	163	40		8	10	VD	no		no		
162	164	34		9	10	VD	no		no		

163	165	35	CPD VD not possible	9	10	CS	no		no		
164	166	39		8	10	VD	no		no		
165	167	38		8	10	VD	no		no		
166	168	39		9	10	VD	no		no		
167	169	37		9	10	VD	no		no		
168	170	39		9	10	VD	no		no		
169	171	38		8	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia as defined in our report
170	172	38		8	10	VD	no		no		
171	173	32		9	10	VD	no		no		
172	174	39		8	10	VD	no		no		
173	175	34		9	10	VD	no		no		
174	176	39		8	10	VD	no		no		
175	177	42		9	10	VD	no		no		
176	178	39	+2	8	10	VD	no		no		
177	180	35		5	10	VD	Yes	5mins	yes, mild birth asphyxia 5days	No	
178	181	38	Pre-eclampsia	5	8	VD	yes	5	Yes. Mild asphyxia 14days	No	
179	182	28		9	10	VD	no		no		
180	183	39		8	10	VD	no		no		
181	184	39		8	10	VD	no		no		
182	185	42		8	10	VD	no		no		

183	186	35		8	10	VD	no		no		
184	187	43		9	10	VD	no		no		
185	188	39		9	10	VD	no		no		
186	189	32		9	10	VD	no		no		
187	190	24	Prolonged 2 nd stage of labor, poor maternal efforts to push	7	8	VD	yes	7mins	yes, mild birth asphyxia 6days	No	

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia as defined in our report
188	191	37		9	10	VD	no		no		
189	192	39		9	10	VD	no		no		
190	193	39		8	10	VD	no		no		
191	194	39		8	10	VD	no		no		
192	195	39		8	10	VD	no		no		
193	196	38		9	10	VD	no		no		
194	198	35	+4	9	10	VD	no		no		
195	199	39		8	10	VD	no		no		
196	200	38		9	10	VD	no		no		
197	201	13	Malaria in pregnancy	8	10	CS, low lying placenta	no		no		
198	202	39		9	10	VD	no		no		
199	203	33		9	10	VD	no		no		
200	204	32		9	10	VD	no		no		
201	205	39		8	10	VD	no		no		
202	206	32		8	10	VD	no		no		

203	207	42		8	10	VD	no		no		
204	208	39		8	10	VD	no		no		
205	209	33		8	10	VD	no		no		
206	210	38		8	10	VD	no		no		
207	211	39		8	10	VD	no		no		
208	212	36		9	10	VD	no		no		
209	213	33		9	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia as defined in our report
210	214	38		8	10	VD	no		no		
211	215	32		9	10	VD	no		no		
212	216	31		9	10	VD	no		no		
213	217	35		9	10	VD	no		no		
214	218	39		8	10	VD	no		no		
215	219	31		8	10	VD	no		no		
216	220	32		8	10	VD	no		no		
217	221	43		8	10	VD	no		no		
218	222	38		8	10	VD	no		no		
219	223	41		8	10	VD	no		no		
220	224	43		9	10	VD	no		no		
221	225	40		8	10	VD	no		no		
222	226	39		9	10	VD	no		no		
223	227	41		8	10	VD	no		no		
224	228	37		8	10	VD	no		no		
225	229	37		8	10	VD	no		no		

226	230	39		8	10	VD	no		no		
227	231	37		9	10	VD	no		no		
228	232	33		8	10	VD	no		no		
229	234	37		9	10	VD	no		no		
230	235	39		8	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia as defined in our report
231	236	32	Aged 16	9	10	Vacuum delivery Poor effort	no		Yes. Early onset sepsis, Omphalitis	No	
232	238	38		8	10	VD	no		no		
233	239	38		8	10	VD	no		no		
234	240	40		8	10	VD	no		no		
235	241	41		8	10	VD	no		no		
236	242	32		9	10	VD	no		no		
237	244	36		8	10	VD	no		no		
238	245	2	Aged 16 Preterm 2.3kg	6	10	CS, placental abruption, Preterm	Yes	2 mins	Yes mild birth asphyxia 22days	No	
239	246	38		8	10	VD	no		no		
240	248	38		9	10	VD	no		no		
241	249	40		9	10	VD	no		no		
242	251	28		9	10	VD	no		no		
243	252	39		8	10	VD	no		no		
244	253	41		9	10	VD	no		no		

245	254	37		8	10	VD	no		no		
246	255	30		9	10	VD	no		no		
247	257	37		8	10	VD	no		no		
248	258	43		9	10	VD	no		no		
249	259	38		8	10	VD	no		no		
250	260	2		8	10	CS - CPD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia as defined in our report
251	261	26		9	10	VD	no		no		
252	262	1		8	10	CS – CPD, prev CS	yes	3	yes, sepsis 7days	No	
253	263	39		8	10	VD	no		no		
254	265	33		9	10	VD	no		no		
255	266	36		9	10	VD	no		no		
256	267	28		9	10	VD	no		no		
257	268	33		8	10	VD	no		no		
258	269	40		9	10	VD	no		no		
259	270	38		8	10	VD	no		no		
260	271	2		5	10	CS-APH abruption, prev CS x1	Yes	5mins	Yes. Severe Birth asphyxia 6days	No	
261	272	39		7	10	VD	no		no		
262	273	35		9	10	VD	no		no		
263	274	32		9	10	VD	no		no		
264	275	39		8	10	Vacuum poor effort	no		no		

265	276	1		9	10	CS – prev CS	no		no		
266	277	39		8	10	VD	no		no		
267	278	39		8	10	VD	No		No		
268	279	3		6	10	CS – prev CSx2	yes	2	Mild birth asphyxia 5days		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia as defined in our report
269	280	38		8	10	VD	no		no		
270	281	43		9	10	VD	no		no		
271	282	31		9	10	VD	no		no		
272	284	40		9	10	VD	no		no		
273	285	32		9	10	VD	no		no		
274	286	38		8	10	VD	no		no		
275	287	39		8	10	VD	no		no		
276	288	39		8	10	VD	no		no		
277	289	37		8	10	VD	no		no		
278	290	31		9	10	VD	no		no		
279	291	36		8	10	VD	no		no		
280	292	32		9	10	VD	no		no		
281	293	1	Twins	8 & 9	10 & 10	CS -elective	No		No		
282	294	3		8	10	CS, prev CS x2	No		No		
283	295	33		9	10	VD	no		No		
284	296	35		9	10	VD	no				
285	297	1		8	10	CS -elective	No		No		

286	298	30		8	10	VD	No		No		
287	299	37		8	10	VD	no	no	no		
288	300	29		8	10	VD	no	no	no		
289	301	37		8	10	VD	no	no	no		
290	302	38		9	10	VD	no	no	no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia as defined in our report
291	303	39		6	8	VD	yes	3	sepsis risk	No	
292	307	1		5	7	Vacuum (fetal macrosomia) poor effort	yes	5	birth asphyxia 6days	No	BA
293	310	34		9	10	VD	no		no		
294	311	35		9	10	VD	no		no		
295	312	35		9	10	VD	no		no		
296	313	40		8	10	VD	no		no		
297	314	35		8	10	VD	no		no		
298	315	41		8	10	VD	no		no		
299	316	3		8	10	CS, severe pre eclampsia	no		no		
300	317	13		8	10	CS, large fetus	no		no		
301	318	40		8	10	VD	no		no		
302	319	41		8	10	VD	no		no		
303	320	32		9	10	VD	no		no		
304	321	43		9	10	VD	no		no		
305	322	39		8	10	VD	no		no		
306	323	39		8	9	VD	no		no		

307	324	38		8	10	VD	no		no		
308	325	33		9	10	VD	no		no		
309	326	42		8	10	VD	no		no		
310	327	38		8	10	VD	no		no		
311	328	39		8	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia as defined in our report
312	329	31		9	10	VD	no		no		
313	330	38		8	10	VD	no		no		
314	331	41		8	10	VD	no		no		
315	332	31		8	10	VD	no		no		
316	333	35		8	10	VD	no		no		
317	334	40		8	10	VD	no		no		
318	335	40		8	10	VD	no		no		
319	336	32		9	10	VD	no		no		
320	337	1		9	10	Elective CS, prev CS x2	no		no		
321	338	37		9	10	VD	no		no		
322	339	36		9	10	VD	no		no		
323	340	37		8	10	VD	no		no		
324	341	39		8	10	VD	no		no		
325	342	42 120		8	10	CS Delay 2 nd st Large fetus CPD	no		no		
326	343	40		8	10	VD	no		no		
327	344	1		9	10	CS, elective	no		no		

328	345	1		9, 8	10, 10	CS, CPD, twins	no		no		
329	346	1		9	10	CS, elective	no		no		
330	347	32		7	10	VD	yes	2	yes	No	
331	348	3		9	10	CS, prolonged labour, CPD	no		Yes. Congenital malaria,		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia as defined in our report
									neonatal sepsis mother has malaria 5days		
332	349	38		8	10	VD	no		no		
333	350	1		5	7	CS, CPD	yes	5mins	Yes. Birth asphyxia 9days	No	BA
334	353	38		8	10	VD	no		no		
335	354	30		8	10	VD	no		no		
336	355	38		8	10	VD	no		no		
337	356	38		8	10	VD	no		no		
338	357	1		9	10	CS, Previous CS x 1 CPD	no		no		
339	358	38		8	10	VD	no		no		
340	359	37		9	10	VD	no		no		
341	360	31		9	10	VD	no		no		
342	361	38		8	10	VD	no		no		
343	362	38		8	10	VD	no		no		

344	363	36		8	10	VD	no		no		
345	364	38		8	10	VD	no		no		
346	365	40		9	10	VD	no		no		
347	366	11		9	10	CS, elective	no		no		
348	367	39		8	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia as defined in our report
349	368	38		8	10	VD	no		no		
350	369	32		9	10	VD	no		no		
351	370	2		8	10	CS, CPD	no		no		
352	371	28		8	10	VD	no		no		
353	373	35		9	10	VD	no		no		
354	374	38		8	10	VD	no		no		
355	375	38		8	10	VD	no		no		
356	376	29		9	10	VD	no		no		
357	377	37		9	10	VD	no		no		
358	378	37		8	10	VD	no		no		
359	379	39		8	10	VD	no		no		
360	380	29		9	10	VD	no		no		
361	381	43		9	10	VD	no		no		
362	382	38		8	10	VD	no		no		
363	384	40		8	10	VD	no		no		
364	385	1		8	10	CS Elective	no		no		
365	387	1		6	8	VD	yes	2	Yes. Birth asphyxia 5days		

366	388	2 normal 126 and 128		7	10	CS-prev CS x 2 Fetal distress, poor maternal efforts to push	Yes	5min	Yes. Birth asphyxia 7days	No	
-----	-----	----------------------------	--	---	----	---	-----	------	--	----	--

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia as defined in our report
367	390	1		8	10	CS, 2 prev CS Elective	no		no		
368	391	1		5,5	8,9	CS, elective 34 wk eclampsia twins	Yes Which one	3	yes, risk of sepsis	No	
369	392	34		7	10	VD	yes	1	yes	No	
370	393	38		6	8	VD	yes	3	yes, birth asphyxia	No	
371	394	41		9	10	VD	no		no		
372	395	39		8	10	VD	no		no		
373	396	39		8	10	VD	no		no		
374	397	38		8	10	VD	no		no		
375	398	1		8	10	CS, prolonged labour	no		no		
376	399	41		9	10	VD	no		no		
377	400	1		7,8	8,9	CS Prol lab twins	no		no		
378	402	35		9	10	VD	no		no		
379	403	1		9,8	10,10	CS – malpresentation, multiple gestation	no		no		
380	405	33		9	10	VD	no		no		

381	406	1		8	10	CS – prev CS x1, short interval	no		no		
382	407	38		8	10	VD	no		no		
383	408	31		9	10	VD	no				

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia as defined in our report
384	409	1	Twin	10,9	10,10	CS, prev CS, short interval	No		No		
385	410	37		8	10	VD	no		no		
386	412	41		9	10	VD	no		no		
387	413	37		9	10	VD	no		no		
388	414	41		9	10	VD	no		no		
389	415	39		8	10	VD	no		no		
390	416	37		8	10	VD	no		no		
391	417	36		9	10	VD	no		no		
392	418	1		8	10	CS, obstructed labour	no		no		
393	419	1		8	10	CS, previous CS x2	no		no		
394	420	30		9	10	VD	no		no		
395	421	39		8	10	VD	no		no		
396	422	1		8	10	CS CPD	no		no		
397	423	37		9	10	VD	no		no		
398	424	36		9	10	VD	no		no		
399	425	38		8	10	VD	no		no		
400	426	38		8	10	VD	no		no		

401	427	37		8	10	VD	no		no		
402	429	1		9	10	CS Obs lab	no		no		
403	430	1 (120)	Twin	8, 8	10,10	CS Prol 2 nd stage	no		no		
404	431	37		8	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia as defined in our report
405	432	38		9	10	VD	no		no		
406	433	37		8	10	VD	no		no		
407	434	37		8	10	VD	no		no		
408	435	39		9	10	VD	no		no		
409	436	38		8	10	VD	no		no		
410	437	1		8	10	CS, CPD	no		no		
411	438	38		8	10	VD	no		no		
412	439	38		8	10	VD	no		no		
413	440	38		9	10	VD	no		no		
414	441	32		9	10	VD	no		no		
415	442	38		8	10	VD	no		no		
416	443	38	Prolonged labor, UTI, PROM	4	7	VD	yes	4	yes, birth asphyxia, 27days	No	BA
417	444	30		3	8	Vacuum Poor maternal effort	yes	10	yes, severe birth asphyxia 5days	No	
418	445	1		6	8	CS eclampsia Cord prolapse	yes	3	Yes. Birth asphyxia 6days	No	
419	448	32		9	10	VD	no		no		

420	449	37		9	10	VD	no		no		
421	450	39		8	10	VD	no		no		
422	451	1		8	10	CS, CPD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia as defined in our report
423	452	39		8	10	VD	no		no		
424	453	1		9	10	CS, 2 prev CS	no		no		
425	454	33		9	10	VD	no		no		
426	455	1		8	10	CS, CPD	no		no		
427	456	40		8	10	VD	no		no		
428	457	33		9	10	VD	no		no		
429	458	32		9	10	VD	no		no		
430	459	1	placental abruption	8	10	CS, placental abruption APH	no		no		
431	460	38		8	10	VD	no		no		
432	461	38		8	10	VD	no		no		
433	462	2		9	10	CS, CPD	no		no		
434	463	30		9	10	VD	no		no		
435	464	32		9	10	VD	no		no		
436	465	1		9	10	Elective CS, fetal macrosomia	no		no		
437	466	1		8	10	CS, CPD	no		no		
438	467	1	APH, Placenta previa	5	10	CS, APH, Placenta previa Previous CS x 1	yes	3	Yes	No	

439	468	39		5	9	VD	yes	2	yes, mild birth asphyxia, 6days	No	
440	469	1	prev CS, short interval	9	10	CS	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia as defined in our report
441	470	32		9	10	VD	no		no		
442	471	31		9	10	VD	no		no		
443	472	1		9	10	CS - elective	no		no		
444	473	6	Twins	8,8	10	Vacuum poor effort	no		no		
445	474	2 (120)		8	10	CS Previous cs x1 Malpresentation, Breech	no		no		
446	475	38		8	10	VD	no		no		
447	476	31		9	10	VD	no		no		
448	477	38		8	10	VD	no		no		
449	478	34		8	10	VD	no		no		
450	479	23		9	10	VD	no		no		
451	480	39		8	10	VD	no		no		
452	481	1		9	10	CS, fetal macrosomia	no		no		
453	482	1		8	10	CS, CPD previous CS x2	no		no		
454	483	32		9	10	VD	no		no		
455	484	31		9	10	VD	no		no		
456	485	19		8	10	VD	no		no		

457	486	1		8	10	CS, prol Labour malpresentation, breech	no		no		
458	487	30		9	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia as defined in our report
459	488	1		7	10	CS, elective	no		no		
460	489	1		8	10	CS, CPD	no		no		
461	490	2		9	10	CS, CPD prol labour	no		no		
462	491	1		9	10	CS-referral. prev CS x 1	no		no		
463	495	1		8	10	CS, prev CS x 1	no		no		
464	496	36		9	10	VD	no		no		
465	497	28		9	10	VD	no		no		
466	498	34		9	10	VD	no		no		
467	499	35		9	10	VD	no		no		
468	500	38		8	10	VD	no		no		
469	501	1		9	10	CS – elective	no		no		
470	502	28		9	10	VD	no		no		
471	503	33		9	10	VD	no		no		
472	505	31		9	10	VD	no		no		
473	506	1		8	10	CS,CPD	no		no		
474	507	39		8	10	VD	no		no		
475	508	1		8	10	CS, CPD, 2 prev CS	no		no		
476	510	28		9	10	VD	no		no		

477	511	37		9	10	VD	no		no		
478	512	35		9	10	VD	no		no		
479	513	34		9	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia as defined in our report
480	514	38		8	10	VD	no		no		
481	515	35		8,9	10,10	VD	no		no		
482	516	1		9	10	CS, prev CS x 4	no		no		
483	519	1		9	10	CS, prolonged labour, CPD	no		no		
484	520	39		8	10	VD	no		no		
485	521	1		8	10	CS, CPD weak contractions	no		no		
486	522	39		8	10	VD	no		no		
487	523	38		8	10	VD	no		no		
488	524	37		8	10	VD	no		no		
489	525	32		9	10	VD	no		no		
490	526	33		8	10	VD	no		no		
491	527	38		8	10	VD	no		no		
492	528	39		8	10	VD	no		no		
493	529	34		9	10	VD	no		no		
494	530	3		9	10	CS, CPD	no		no		
495	531	32		9	10	VD	no		no		
496	532	39		8,9	10,10	VD	no		no		
497	533	38		8	10	VD	no		no		
498	534	34		9	10	VD	no		no		

499	535	31		9	10	VD	no		no		
500	536	33		9	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia as defined in our report
501	537	1		9	10	CS, elective	no		no		
502	538	1		8	10	CS strong contractions prev CS x1	no		no		
503	539	1		8	10	CS, CPD	no		no		
504	540	28		9	10	VD	no		no		
505	541	33		9	10	VD	no		no		
506	542	36		9	10	VD	no		no		
507	543	1		8	10	CS, CPD	no		no		
508	544	39		8	10	VD	no		no		
509	545	34		8	10	VD	No		No		
510	546	40		8	10	VD	no		no		
511	548	1		8	10	CS, prev CS x 3	no		no		
512	549	1		8	10	CS, prev CS x2	no		no		
513	550	38		8	10	VD	no		no		
514	551	32		8	10	VD	no		no		
515	552	0 consent only		9	10	CS-elective previous X 3	No		No		
516	553	35		7	9	Vacuum poor effort	no		no		
517	554	38		8	10	VD	no		no		

518	555	1		7,10	10,10	CS, malpresentation and twins	no		no		
-----	-----	---	--	------	-------	-------------------------------	----	--	----	--	--

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia as defined in our report
519	556	29		9	10	VD	no		no		
520	557	35		8	10	VD	no		no		
521	558	38		8	10	VD	no		no		
522	559	34		9	10	VD	no		no		
523	560	34		9	10	VD	no		no		
524	561	39		8	10	VD	no		no		
525	562	36		9	10	VD	no		no		
526	563	32		9	10	VD	no		no		
527	565	36		9	10	VD	no		no		
528	566	4		9	10	CS – CPD	no		no		
529	567	1		8	10	CS – prev CS x2	no		no		
530	568	33		9	10	VD	no		no		
531	573	32	Poor maternal efforts to push	3	10	VD	yes	10	Yes. Birth asphyxia. 6days		
532	574	31		4	8	VD	yes	5	Yes	No	
533	575	36		8	10	VD	yes, B+M	5	yes, baby born depressed. Birth asphyxia 5days	No	
534	576	40		8	10	VD	no		no		
535	577	26		9	10	VD	no		no		

536	578	39		8	10	VD	no		no		
537	580	32		9	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia as defined in our report
538	581	39		9	10	VD	no		no		
539	582	28		9	10	VD	no		no		
540	583	28		9	10	VD	no		no		
541	584	27		7	10	VD	yes	3	Yes. Asphyxia 6days	No	
542	585	30		9	10	VD	no		no		
543	586	33		9	10	VD	no		no		
544	587	30		9	10	VD	no		no		
545	588	39		8	10	VD	no		no		
546	589	24		9	10	VD	no		no		
547	590	42		8	10	VD	no		no		
548	591	38		8	10	VD	no		no		
549	592	2		9	10	CS – previous CS x 1	no		no		
550	593	39		8	10	VD	no		no		
551	594	39		8	10	VD	no		no		
552	595	39		8	10	VD	no		no		
553	597	18		9	10	VD	no		no		
554	598	39		8	10	VD	no		no		
555	599	34		9	10	VD	no		no		
556	600	27		9	10	VD	no		no		

557	601	1		9	10	CS, prev CS x 1, CPD, elective CS	no		no		
-----	-----	---	--	---	----	--------------------------------------	----	--	----	--	--

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia as defined in our report
558	602	2		9	10	CS, referral due to previous CS x1 and CPD	no		no		
559	603	32		9	10	VD	no		no		
560	604	34		9	10	VD	no		no		
561	605	32		8	10	VD	no		no		
562	606	31		9	10	VD	no		no		
563	607	13		9	10	VD	no		no		
564	608	31		9	10	VD	no		no		
565	609	25		8	10	VD	no		no		
566	610	1		9	10	CS- referral, em CS - CPD	no		no		
567	611	1		7	10	CS – CPD	no		no		
568	612	1		8	10	CS – Prev CS x2 weak contractions	no		no		
569	613	29		9	10	VD	no		no		
570	614	39		8	10	VD	no		no		
571	615	39		8	10	VD	no		no		
572	616	30		8	10	VD	no		no		
573	617	31		9	10	VD	no		no		
574	618	34		8	10	VD	no		no		
575	619	35		8	10	VD	no		no		
576	621	22		9	10	VD	no		no		

577	622	39		8	10	VD	no		no		
-----	-----	----	--	---	----	----	----	--	----	--	--

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia as defined in our report
578	623	1		9	10	CS – emergency CPD	no		no		
579	624	1		9	10	CS – elective	no		no		
580	625	1		8	10	CS – CPD	no		no		
581	626	34		9	10	VD	no		no		
582	627	22		9	10	VD	no		no		
583	628	1		9	10	CS –	no		no		
584	629	30		9	10	VD	no		no		
585	631	28		7	10	VD	yes	3	Yes. Sepsis 5days	No	
586	632	38		6	9	VD	yes	2	Mild birth asphyxia Treated with Ampicillin, gentamycin, D10, Vit-K. discharge alive after 6days	No	
587	633	1		8	10	CS – prolonged labour,	no		no		
588	635	1		8	10	CS – prolonged labour	no		no		
589	636	39		8	10	VD	no		no		
590	638	37		8	10	Vacuum	no		no		
591	639	15		8	10	VD	yes	2	no		

592	640	31		9	10	VD	no		no		
-----	-----	----	--	---	----	----	----	--	----	--	--

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia as defined in our report
593	641	38		8	10	VD	no		no		
594	642	3	eclampsia	9	10	CS eclampsia	no		no		
595	643	25		9	10	VD	no		no		
596	644	21		9	10	VD	no		no		
597	645	33		9	10	VD	no		no		
598	646	3		8	10	CS - CPD	no		no		
599	647	39		8	10	VD	no		no		
600	648	32		9	10	VD	no		no		
601	649	39		8	10	VD	no		no		
602	650	22		9	10	VD	no		no		
603	651	1		9	10	CS – prev CS x2	no		no		
604	652	37		8	10	VD	no		no		
605	653	40		8	10	VD	no		no		
606	654	39		8	10	VD	no		no		
607	655	26		9	10	VD	no		no		
608	656	1		8	10	CS – placental abruption	no		no		
609	657	39		8	10	Vacuum (fetal macrosomia) Unable to push	no		no		
610	658	32		9	10	VD	no		no		
611	659	33		9	10	VD	no		no		
612	660	39		8	10	VD	no		no		

613	661	31		9	10	VD	no		no		
------------	------------	----	--	----------	-----------	-----------	-----------	--	-----------	--	--

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia as defined in our report
614	662	1		8	10	CS – prev CS x2	no		no		
615	663	13		8	10	VD	no		no		
616	664	39		8	10	VD	no		no		
617	665	28		9	10	VD	no		no		
618	666	21		8	10	VD	no		no		
619	667	39		8	10	VD	no		no		
620	668	27		9	10	VD	no		no		
621	669	0		8	10	VD	no		no		
622	670	32		9	10	VD	no		no		
623	672	32		9	10	VD	no		no		
624	673	37		8	10	VD	no		no		
625	674	26		9	10	VD	no		no		
626	675	39		8	10	VD	no		no		
627	676	27		9	10	VD	no		no		
628	677	33		9	10	VD	no		no		
629	678	32		8	10	VD	no		no		
630	679	39		8	10	VD	no		no		
631	680	38		8	10	VD	no		no		
632	682	35		9	10	VD	no		no		
633	683	32		9	10	VD	no		no		
634	684	28		9	10	VD	no		no		
635	685	1		9	10	CS - CPD	no		no		

636	686	24		8	10	VD	no		no		
Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia as defined in our report
637	687	31		9	10	VD	no		no		
638	688	1		8	10	CS – APH, complete placenta previa	no		no		
639	689	25		9	10	VD	no		no		
640	690	24		9	10	VD	no		no		
641	691	38		8	10	VD	no		no		
642	692	1		8	10	CS – prolonged labour	no		no		
643	693	35		9	10	VD	no		no		
644	694	25		4	7	VD	yes	5	yes, preterm	No	BA
645	695	36		8	10	Vacuum Large fetus	no		yes, sepsis risk	No	
646	696	35	Age 16	6	9	VD	yes	10	Yes	No	
647	697	1		9	10	CS – elective/ maternal request	no		yes, malaria in pregnancy	No	
648	698	27		8	10	VD	no		yes, preterm, sepsis. 10days		
649	699	40		8	10	VD	no		no		
650	700	1		9	10	CS – prolonged labour, CPD	no		no		
651	701	18		9	10	VD	no		no		
652	702	40		8	10	VD	no		no		
653	703	13		9	10	VD	no		no		

654	704	39		8	10	VD	no		no		
------------	------------	----	--	---	----	----	----	--	----	--	--

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia as defined in our report
655	705	1		8	10	CS - CPD	no		no		
656	706	26		9	10	VD	no		no		
657	707	1		9	10	CS – elective	no		no		
658	708	1		8	10	CS – CPD	no		no		
659	709	1		8	10	CS - elective	no		no		
660	710	31		9	10	VD	no		no		
661	711	18		9	10	VD	no		no		
662	712	39		8	10	VD	no		no		
663	713	32		9	10	VD	no		no		
664	714	39		8	10	VD	no		no		
665	715	4		8	10	CS – Prolonged labour, CPD	Yes	3 min	no		
666	716	1		9	10	CS - elective	no		no		
667	717	32		10	10	VD	no		no		
668	718	39		8	10	CS – elective	no		no		
669	719	19		9	10	VD	no		no		
670	720	38		8	10	VD	no		no		
671	721	1		9	10	CS - elective	no		no		
672	722	39		8	10	VD	no		no		
673	723	39		8	10	VD	no		no		
674	724	22		9	10	VD	no		no		
675	725	1		8	10	CS – prev CSx2	no		no		
676	726	40		8	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia as defined in our report
677	727	18		9	10	VD	no		no		
678	728	40		8	10	VD	no		no		
679	729	4		7	10	CS – prev CS x1, CPD	no		no		
680	730	1		9	10	CS – placenta previa	no		no		
681	731	23		7,6	10,10	VD	no		no		
682	732	1		8	10	CS - CPD	no		no		
683	733	7		9	10	VD	no		no		
684	734	20		8	10	VD	no		no		
685	735	33		9	10	VD	no		no		
686	736	34		9	10	VD	no		no		
687	737	18		9	10	VD	no		no		
688	738	1		8	10	CS Prol lab Breech	no		no		
689	739	1		9	10	CS – elective	no		no		
690	740	36		8	10	VD	no		no		
691	741	39		8	10	VD	no		no		
692	742	1		8	10	CS – prev CS x2	no		no		
693	743	32		8	10	VD	Yes	2 min	Yes	No	
694	744	1		5	8	CS – arrest of descent, CPD	yes	10	Yes. Birth asphyxia 5days	No	
695	745	26		6	10	VD	yes	5	yes	No	
696	748	34		9	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia as defined in our report
697	749	38		9	10	VD	no		no		
698	750	22		9	10	VD	no		no		
699	751	53		8	10	VD	no		no		
700	752	36		9	10	VD	no		no		
701	753	56		9	10	VD	no		no		
702	754	54		8	10	VD	no		no		
703	755	35		9	10	VD	no		no		
704	756	54		8	10	VD	no		no		
705	757	50		9	10	VD	no		no		
706	758	43		9	10	VD	no		no		
707	759	56		8	10	VD	no		no		
708	760	30		9	10	VD	no		no		
709	761	38		7	10	VD	no		no		
710	762	32		9	10	VD	no		no		
711	763	2		9	10	CS - CPD	no		no		
712	764	53		8	10	VD	no		no		
713	765	56		7,8	10,10	Vacuum (breech presentation 2nd twin)	no		no		
714	766	51		8	10	VD	no		no		
715	767	54		9	10	VD	no		no		
716	768	55		8	10	VD	no		no		
717	769	32		9	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia as defined in our report
718	770	32		9	10	VD	no		no		
719	771	54		9	10	VD	no		no		
720	772	31		9	10	VD	no		no		
721	773	54		missing data	10	VD	no		no		
722	774	33		9	10	VD	no		no		
723	775	35		9	10	VD	no		no		
724	776	32		9	10	VD	no		no		
725	777	54		8	10	VD	no		no		
726	778	31		9	10	VD	no		no		
727	779	57		9	10	VD	no		no		
728	780	34		8	10	VD	no		no		
729	781	31		9	10	VD	no		no		
730	782	54		9	10	VD	no		no		
731	783	46		8	10	CS – prev CS x1, CPD 4.2 Kg	no				
732	784	53		9	10	VD	No				
733	786	39		7	10	VD	no		yes, risk of newborn sepsis 7days	No	
734	787	32		7	10	VD	yes	2	Yes. Mild birth asphyxia 5days Against Medical Advice.	No	

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia as defined in our report
735	788	33		8	10	VD	no		yes, baby premature 28days	No	no
736	789	34		9	10	VD	yes	10	Yes		
737	790	33		9	10	VD	no		Yes	No	No
738	791	55		8	10	VD	no		Yes	No	No
739	792	12		9	10	VD	no		Yes	No	No
740	793	16		9	10	VD	no		no		
741	794	46		9	10	CS – prolonged labour, CPD	no		Yes sepsis? 5days	No	No
742	795	52		9	10	VD	no		no		
743	796	1		9	10	VD	no		no		
744	797	46		8	10	VD	no		no		
745	798	51		9	10	VD	no		no		
746	799	49		9	10	CS Placenta praevia APH	no		no		
747	800	51		8	10	VD	no		no		
748	801	51		9	10	VD	no		no		
749	802	33		9	10	CS – prolonged labour, CPD	no		no		
750	803	1		9	10	CS - elective	no		no		
751	804	1	eclampsia	9	NR	CS	no		no		
752	805	1		8	10	CS – CPD, prolonged labour	no		yes, early sepsis		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia as defined in our report
753	807	51		9	10	VD	no		no		
754	808	51		9	10	VD	no		no		
755	809	55		9	10	VD	no		no		
756	810	53		9	10	VD	no		no		
757	811	4	? fetal distress MW took over	6	8	CS – face presentation,	yes	3	Yes 6days	No	
758	812	2		8	10	CS – prev CS x4, CPD 2.1Kg	no		no		
759	813	51		9	10	VD	no		no		
760	814	49		9	10	VD	no		no		
761	815	1		5	8	CS – fetal macrosomia Bwt 3.8kg	yes	4	Yes Birth asphyxia. 6days	No	
762	816	29		8	10	VD	no		no		
763	817	23		9	10	VD	no		no		
764	818	28		9	10	VD	no		yes, prematurity	No	
765	819	51		9	10	VD	no		no		
766	820	52		9	10	VD	no		no		
767	821	51		8	10	VD	no		no		
768	823	51		9	10	CS Placenta praevia APH	no		no		
769	824	28		9	10	VD	no		no		
770	825	26		9	10	VD	no		no		
771	826	42		9	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia as defined in our report
772	827	35		8	9	VD	no		no		
773	828	2		9	10	CS - CPD	no		no		
774	829	28		8	10	VD	no		no		
775	830	23		9	10	VD	no		no		
776	831	51		9	10	VD	no		no		
777	832	55		8	10	VD	no		no		
778	833	1		9	10	CS – prev CS x1, prolonged labour/CPD	no		no		
779	834	51		8	10	VD	no		no		
780	835	55		8	10	VD	no		no		
781	836	31		7	10	CS prol lab	no		no		
782	837	1		9	10	CS	no		no		
783	839	1	Placental abruption	9	10	CS	no		no		
784	840	29		8	10	VD	no		no		
785	841	30		9	10	CS – CPD	no		no		
786	842	16		9	10	CS – prev CS x2	no		no		
787	843	17		9	10	VD	no		no		
788	844	16		9	10	VD	no		no		
789	845	12		9	10	VD	no		no		
790	846	52		7	10	VD	no		no		
791	847	15		9	10	VD	no		no		
792	848	29		9	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia as defined in our report
793	849	27		8	9	VD	no		no		
794	850	6		9	10	CS	no		no		
795	851	15		9	10	VD	no		no		
796	852	24		9	10	VD	no		no		
797	853	50		8	10	VD	no		no		
798	854	43		6	10	CS – fetal distress, prev CS x1	yes	3	yes, early onset sepsis	No	
799	855	46		9	10	VD	no		no		
800	856	15		9	10	VD	no		no		
801	858	31		9	10	VD	no		no		
802	859	31		9	10	VD	No		No		
803	860	32		9	10	VD	no		no		
804	861	29		9	10	VD	no		no		
805	862	19		9, 9	10,10	VD	no		no		
806	863	31		9	10	VD	no		no		
807	864	37		9	10	VD	no		no		
808	865	44		7	10	VD	no		no		
809	866	49		7	9	CS, suspected macrosomia, PROM 2.9Kg	yes	2	yes, sepsis risk 5days	No	
810	867	52		9	10	VD	no		no		
811	868	50		8	10	VD	no		no		
812	869	38		9	10	VD	no		no		
813	870	27		9	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia as defined in our report
814	872	50		8	10	VD	no		no		
815	873	51		8	10	VD	no		no		
816	874	51		8	10	VD	no		no		
817	875	51		9	10	VD	no		no		
818	876	5	pre-eclampsia	7	10	CS, 2.1Kg	no		Yes	No	
819	877	32		9	10	VD	no		no		
820	878	40		8	10	VD	no		no		
821	879	44		9	10	VD	no		no		
822	880	25		9	10	VD	no		no		
823	881	51		9	10	VD	no		no		
824	882	34		9	10	VD	no		no		
825	883	51		8	10	VD	no		no		
826	884	31		9	10	VD	no		no		
827	885	12		8	10	VD	no				
828	886	29		9	10	VD	no				
829	887	20		9	10	VD	no		no		
830	888	52		8	10	VD	no		no		
831	889	32		9	10	VD	no		no		
832	890	51		9	10	VD	no		no		
833	891	33		9	10	VD	no		no		
834	892	28		8	10	VD	no		no		
835	893	28		9	10	VD	no		no		
836	894	50		9	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia as defined in our report
837	895	28		9	10	VD	no		no		
838	896	23		9	10	VD	no		no		
839	897	25		8	10	VD	no		no		
840	898	32		9	10	VD	no		no		
841	899	18		9	10	VD	no		no		
842	900	19		9	10	VD	no		no		
843	901	20		9	10	VD	no		no		
844	902	21		9	10	VD	no		no		
845	903	20		9	10	VD	no		no		
846	904	16		9	10	VD	no		no		
847	905	60		9	10	VD	no		no		
848	906	16		9, 9	10, 10	VD	no		no		
849	907	47		9	10	VD	no		no		
850	908	15		8	10	VD	no		no		
851	909	58		8	10	VD	no		no		
852	910	59		8	10	VD	no		no		
853	911	13		9	10	VD	no		no		
854	912	34		9	10	VD	no		no		
855	913	31		9	10	VD	no		no		
856	914	18		8	10	VD	no		no		
857	915	54		9	10	VD	no		no		
858	916	32		9	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia as defined in our report
859	917	15		9	10	VD	no		no		
860	918	26		8	10	VD	no		no		
861	919	26		8	10	VD	no		no		
862	920	1		9	10	CS, elective	no		no		
863	921	1		7	10	CS, elective previous CS x 4	yes	2	Yes 3days	No	
864	922	1		9	10	CS, macrosomia 3.3Kg	no		no		
865	924	16		5	8	VD	yes	3	yes	No	
866	925	40		6	8	VD	yes	4	Yes 5days	No	
867	926	16		8	10	VD	no		no		
868	928	43		9	10	CS, prev CS x1, prolonged labour due to CPD	no		Yes Not birth asphyxia	No	
869	929	1		8	10	CS, CPD	no		no		
870	930	54		9	10	CS, prolonged labour	no		no		
871	931	1		8	10	CS, abruptio placenta	no		no		
872	932	2		8	10	CS, CPD 4.3Kg	no		no		

Summary findings at Tellewoyan Hospital with NO changes in FHR and Apgar scores 7 or higher at 5 minutes. n = 872

Age 16 = 3

PROM =3

Preeclampsia = 3

Previous CS x1 =18

Previous CS x2 =17

Previous CS x3 = 2

Previous CS x4 = 3

Eclampsia = 1

UTI = 1

Severe preeclampsia = 1

Polyhydramnios =1

Antenatal and intrapartum

Placenta praevia = 6

Malaria = 2

Preterm = 6

Abruption = 5

Deliveries

Unassisted vaginal deliveries = 713 (82%); CS = 148 (17%); Vacuum = 11 (1.3%)

Twins = 10

Elective/requested CS = 26

Obstructed labour/CPD =54

Poor efforts = 11

Prolonged labour = 13

Macrosomia = 1

Cord prolapse = 1

Breech = 4

Face presentation = 1

Newborn including resuscitation

Resuscitation received = 46 (5.3%)

NR Resuscitation = 0

Apgar scores = 10 at 5 minutes = 839 (96%)

BA = 4 (0.5%) No BA = 868 (99.5%).