


Western blot bands for LIM-2405, and HT-29 ran on the same blot with a well separating each cell line are shown. PD-L1 expression was evaluated in cells treated with C: control, A: atropine, 4-D: 4-DAMP.



Western blot bands for LIM-2405, and HT-29 ran on the same blot with a well separating each cell line are shown. PD-L2 expression was evaluated in cells treated with C: control, A: atropine, 4-D: 4-DAMP.


PD-L2

LIM-2405

HT-29


C A 4-D

C A 4-D



Western blot bands for LIM-2405, and HT-29 ran on the same blot with a well separating each cell line are shown.

GAPDH expression was evaluated in cells treated with C: control, A: atropine, 4-D: 4-DAMP.



Western blot bands for LIM-2405, and HT-29 ran on the same blot with a well separating each cell line are shown. M3R expression was evaluated in cells treated with C: control, A: atropine, 4-D: 4-DAMP.


M3R

LIM-2405


HT-29

C A 4-D


C A 4-D



Western blot bands for LIM-2405, and HT-29 ran on the same blot with a well separating each cell line are shown. ChAT expression was evaluated in cells treated with C: control, A: atropine, 4-D: 4-DAMP.



Western blot bands for LIM-2405, and HT-29 ran on the same blot with a well separating each cell line are shown. EGFR expression was evaluated in cells treated with C: control, A: atropine, 4-D: 4-DAMP.



Western blot bands for LIM-2405, and HT-29 ran on the same blot with a well separating each cell line are shown. pERK expression was evaluated in cells treated with C: control, A: atropine, 4-D: 4-DAMP.

pERK

LIM-2405

HT-29

C A 4-D

C A 4-D



Western blot bands for LIM-2405, and HT-29 ran on the same blot with a well separating each cell line are shown. pSTAT expression was evaluated in cells treated with C: control, A: atropine, 4-D: 4-DAMP.

pSTAT3

LIM-2405

HT-29

C A 4-D

C A 4-D

