

Copper's New Role in Cancer: How Cuproptosis-Related Genes Could Revolutionize Glioma Treatment

Yu Wang^{1#}, Sen Qiao^{3#}, Ping Wang^{1#}, Mi Li², Xiaozhen Ma², Hongmei Wang^{2*}, Junhong Dong^{1*}

¹ School of Basic Medical Sciences, Shandong Second Medical University, Weifang, 261053, China

² School of Basic Medicine, Shaanxi University of Chinese Medicine, No.1, Middle Century Avenue, Chenyangzhai, Xianyang, Shaanxi, 712046, China

³ Assisted Reproduction Center, Northwest Women's and Children's Hospital, No.73 Houzaimen, North Street, Xincheng District, Xi'an, 710003, China

Corresponding authors

Hongmei Wang: E-mail: wanghongmei@sntcm.edu.cn Tel.: +86-15165041791; Shaanxi University of Chinese Medicine, No.1, Middle Century Avenue, Chenyangzhai, Xianyang, Shaanxi, 712046, China; ORCID: 0000-0002-6975-9467

Junhong Dong: E-mail: djh196@163.com Tel.: +86-18365607858; School of Basic Medical Sciences, Shandong Second Medical University, NO. 7166 Baotong West Street, Weifang, 261053, China

#Yu Wang, Sen Qiao, and Ping Wang contributed equally to this work.

Supplemental Materials-original data files-original western blots

Fig.7B Western blotting analysis revealed differences in the expression levels of SLC31A1 protein in cells from different treatment groups.

Fig.7B The results of the **first** WB experiment.




Fig.7B The results of the **second** WB experiment.




Fig.7B The results of the **third** WB experiment.

These two images to the figures in the manuscript




Fig. 8A Western blot analysis revealed differences in the expression levels of SLC31A1 protein in different groups of cells after treatment with MP-HJ-1b.

Fig. 8A The results of the **first** WB experiment.




Fig. 8A The results of the **second** WB experiment.

These two images to the figures in the manuscript




Fig. 8A The results of the **third** WB experiment.

