

TableS1 Results of multicollinearity examination of variables

variables	Non-standardized coefficient		Standard coefficient	t-Value	Sig.	Collinearity statistics	
	B	Standard error				Tolerance	VIF
(constant)	1.422	.084		16.885	.000		
Source of income	-.010	.010	-.018	-1.026	.305	.762	1.313
Cognition	-.092	.015	-.109	-6.249	.000	.751	1.332
Mobility	.127	.017	.155	7.701	.000	.568	1.760
Self care	-.006	.019	-.007	-.333	.739	.461	2.169
Getting along	.047	.017	.058	2.708	.007	.498	2.008
Life activities	.140	.017	.171	8.427	.000	.557	1.794
Participation	.179	.022	.137	8.014	.000	.793	1.261
Chronic diseases	.039	.008	.078	4.724	.000	.842	1.188
Hospitalization within a year	-.028	.013	-.034	-2.121	.034	.897	1.115
Physical discomfort within 2 weeks	-.075	.013	-.093	-5.605	.000	.841	1.190
Poverty	-.025	.013	-.031	-1.902	.057	.847	1.180
Region	-.029	.008	-.061	-3.751	.000	.861	1.161
Living style	.003	.009	.006	.352	.725	.864	1.157
Employment status	-.080	.014	-.099	-5.740	.000	.771	1.297
Education level	-.022	.014	-.027	-1.608	.108	.815	1.227
Age	.005	.009	.009	.555	.579	.794	1.259
Gender	.006	.013	.007	.429	.668	.792	1.263

a. Dependent variable\): QOL