

Supplementary uncut and non-processed blots

Supplementary Original Western blots used for Fig.6A






Fig.1 The uncut and and non-processed blot image of complement 3

Samples are labelled throughout as follows.

NC: normal control group

MC: model control group

PNFS-L: PNFS low dose group, 30.0 mg/kg

PNFS-M: PNFS middle dose group, 60.0 mg/kg

PNFS-H: PNFS high dose group, 120.0 mg/kg

This is the result of WB experiment with 3 samples in each group. All proteins are the same batch of samples. The protein as complement 3 bands are used for this manuscript.






Fig.2 The uncut and non-processed blot image of GAPDH

Samples are labelled throughout as follows.

NC: normal control group

MC: model control group

PNFS-L: PNFS low dose group, 30.0 mg/kg

PNFS-M: PNFS middle dose group, 60.0 mg/kg

PNFS-H: PNFS high dose group, 120.0 mg/kg

This is the result of WB experiment with 3 samples in each group. All proteins are the same batch of samples. The protein as GAPDH bands are used for this manuscript.









Fig.3 The uncut and non-processed blot image of KLF5

Samples are labelled throughout as follows.

NC: normal control group

MC: model control group

PNFS-L: PNFS low dose group, 30.0 mg/kg

PNFS-M: PNFS middle dose group, 60.0 mg/kg

PNFS-H: PNFS high dose group, 120.0 mg/kg

This is the result of WB experiment with 3 samples in each group. All proteins are the same batch of samples. The protein as KLF5 bands are used for this manuscript.









Fig.4 The uncut and non-processed blot image of LXR α

Samples are labelled throughout as follows.

NC: normal control group

MC: model control group

PNFS-L: PNFS low dose group, 30.0 mg/kg

PNFS-M: PNFS middle dose group, 60.0 mg/kg

PNFS-H: PNFS high dose group, 120.0 mg/kg

This is the result of WB experiment with 3 samples in each group. All proteins are the same batch of samples. The protein as LXR α bands are used for this manuscript.









Fig.5 The uncut and and non-processed blot image of Renin

Samples are labelled throughout as follows.

NC: normal control group

MC: model control group

PNFS-L: PNFS low dose group, 30.0 mg/kg

PNFS-M: PNFS middle dose group, 60.0 mg/kg

PNFS-H: PNFS high dose group, 120.0 mg/kg

This is the result of WB experiment with 3 samples in each group. All proteins are the same batch of samples. The protein as Renin bands are used for this manuscript.