

Additional Table S2. Average $\pm$ standard deviation scores assigned to each item and to each factor of the questionnaire used in the present work and p values of the statistical comparisons between two specific master programs. p values <0.05 are highlighted with asterisks (*).

		AH	ES	HS	SS	AH vs. ES	AH vs. HS	AH vs. SS	ES vs. HS	ES vs. SS	HS vs. SS
INFO	ITEM 1.1	4.76 $\pm$ 1.84	5.17 $\pm$ 1.50	6.00 $\pm$ 3.83	4.77 $\pm$ 1.61	0.3183	0.0966	0.9964	0.2402	0.2995	0.1075
	ITEM 1.2	4.44 $\pm$ 2.19	4.63 $\pm$ 1.75	4.84 $\pm$ 1.63	4.40 $\pm$ 1.65	0.6955	0.4024	0.9333	0.6052	0.5921	0.2913
	ITEM 1.3	5.62 $\pm$ 1.65	5.51 $\pm$ 1.25	5.78 $\pm$ 1.24	5.50 $\pm$ 1.31	0.7696	0.6519	0.7553	0.3826	0.9642	0.3875
	ITEM 1.4	4.24 $\pm$ 2.09	5.31 $\pm$ 1.35	5.84 $\pm$ 1.02	4.63 $\pm$ 1.61	0.0128*	0.0002*	0.4012	0.0761	0.0677	0.0007*
	ITEM 1.5	5.88 $\pm$ 1.15	6.09 $\pm$ 0.92	6.25 $\pm$ 0.76	5.73 $\pm$ 1.11	0.4190	0.1328	0.6010	0.4312	0.1669	0.0360*
	MEAN 1	4.99$\pm$1.36	5.34$\pm$0.95	5.74$\pm$1.05	5.01$\pm$1.02	0.2127	0.0144*	0.9518	0.1055	0.1742	0.0068*
RUU	ITEM 2.1	4.71 $\pm$ 1.78	5.63 $\pm$ 1.42	5.34 $\pm$ 1.26	4.97 $\pm$ 1.56	0.0200*	0.1002	0.5389	0.3894	0.0782	0.2987
	ITEM 2.2	4.29 $\pm$ 1.80	4.91 $\pm$ 1.72	4.28 $\pm$ 1.61	3.93 $\pm$ 1.64	0.1483	0.9757	0.4075	0.1260	0.0224*	0.4027
	ITEM 2.3	4.71 $\pm$ 1.40	5.17 $\pm$ 1.15	4.56 $\pm$ 1.29	3.90 $\pm$ 1.49	0.1361	0.6681	0.0298*	0.0455*	0.0003*	0.0663
	ITEM 2.4	5.06 $\pm$ 1.67	5.49 $\pm$ 0.89	4.94 $\pm$ 1.37	4.67 $\pm$ 1.45	0.1873	0.7485	0.3221	0.0538	0.0069*	0.4513
	ITEM 2.5	5.79 $\pm$ 1.25	5.86 $\pm$ 1.03	5.75 $\pm$ 0.84	5.17 $\pm$ 1.37	0.8199	0.8678	0.0597	0.6452	0.0238*	0.0460*
	ITEM 2.6	6.09 $\pm$ 1.11	6.09 $\pm$ 0.92	6.19 $\pm$ 0.69	5.73 $\pm$ 1.17	0.9918	0.6669	0.2187	0.6132	0.1796	0.0662
	ITEM 2.7	6.00 $\pm$ 1.23	5.83 $\pm$ 1.15	6.13 $\pm$ 0.66	5.53 $\pm$ 1.04	0.5519	0.6121	0.1092	0.2059	0.2855	0.0093*
	ITEM 2.8	5.91 $\pm$ 1.29	6.14 $\pm$ 1.09	6.06 $\pm$ 1.16	5.73 $\pm$ 1.34	0.4232	0.6201	0.5889	0.7710	0.1784	0.3042
	ITEM 2.9	5.44 $\pm$ 1.69	5.91 $\pm$ 0.92	5.59 $\pm$ 1.01	5.13 $\pm$ 1.28	0.1519	0.6605	0.4196	0.1789	0.0058*	0.1200
	MEAN 2	5.33$\pm$1.09	5.67$\pm$0.69	5.43$\pm$0.68	4.97$\pm$0.86	0.1284	0.6781	0.1519	0.1509	0.0006*	0.0243*
DUTY	ITEM 3.1	5.41 $\pm$ 1.76	4.86 $\pm$ 1.52	5.59 $\pm$ 1.46	4.73 $\pm$ 1.34	0.1652	0.6499	0.0908	0.0472*	0.7303	0.0186*
	ITEM 3.2	5.94 $\pm$ 1.39	6.23 $\pm$ 0.97	6.03 $\pm$ 1.00	5.63 $\pm$ 0.96	0.3224	0.7648	0.3139	0.4160	0.0163*	0.1163
	ITEM 3.3	4.35 $\pm$ 2.23	4.03 $\pm$ 1.65	4.81 $\pm$ 1.42	3.93 $\pm$ 1.95	0.4937	0.3252	0.4283	0.0424*	0.8318	0.0459*
	MEAN 3	5.24$\pm$1.43	5.04$\pm$1.00	5.48$\pm$1.03	4.77$\pm$0.98	0.5084	0.4335	0.1372	0.0800	0.2739	0.0072*
PERS	ITEM 4.1	6.68 $\pm$ 0.73	6.26 $\pm$ 1.01	6.39 $\pm$ 0.84	6.37 $\pm$ 0.81	0.0525	0.1426	0.1116	0.5753	0.6350	0.9235
	ITEM 4.2	6.06 $\pm$ 1.10	5.83 $\pm$ 1.18	6.19 $\pm$ 1.03	5.97 $\pm$ 1.07	0.4040	0.6258	0.7354	0.1901	0.6239	0.4101
	ITEM 4.3	5.71 $\pm$ 1.31	5.51 $\pm$ 1.25	5.41 $\pm$ 1.10	5.90 $\pm$ 1.30	0.5364	0.3212	0.5551	0.7093	0.2264	0.1107
	ITEM 4.4	6.09 $\pm$ 1.14	5.71 $\pm$ 1.10	5.69 $\pm$ 1.06	6.07 $\pm$ 1.08	0.1697	0.1444	0.9385	0.9196	0.1990	0.1685
	ITEM 4.5	4.47 $\pm$ 2.08	3.97 $\pm$ 1.72	4.75 $\pm$ 1.41	4.60 $\pm$ 1.71	0.2807	0.5279	0.7884	0.0485*	0.1466	0.7076
	ITEM 4.6	5.74 $\pm$ 1.46	5.23 $\pm$ 1.44	5.81 $\pm$ 0.93	5.53 $\pm$ 1.36	0.1513	0.8003	0.5708	0.0550	0.3852	0.3463
	ITEM 4.7	4.56 $\pm$ 2.08	4.63 $\pm$ 1.46	5.13 $\pm$ 1.24	4.83 $\pm$ 1.53	0.8719	0.1867	0.5542	0.1395	0.5833	0.4117
	ITEM 4.8	5.06 $\pm$ 1.70	4.49 $\pm$ 1.88	4.91 $\pm$ 1.42	4.73 $\pm$ 1.62	0.1901	0.6952	0.4379	0.3099	0.5752	0.6560
	MEAN 4	5.54$\pm$1.00	5.20$\pm$1.03	5.53$\pm$0.86	5.50$\pm$0.94	0.1677	0.9594	0.8570	0.1616	0.2324	0.8878
PROC	ITEM 5.1	6.82 $\pm$ 0.46	6.60 $\pm$ 0.65	6.47 $\pm$ 0.88	6.47 $\pm$ 1.11	0.1047	0.0422*	0.0899	0.4874	0.5491	0.9935
	ITEM 5.2	6.38 $\pm$ 1.02	6.14 $\pm$ 0.97	6.09 $\pm$ 1.06	6.33 $\pm$ 1.12	0.3210	0.2624	0.8552	0.8439	0.4670	0.3909
	ITEM 5.3	6.09 $\pm$ 1.16	5.57 $\pm$ 1.31	5.75 $\pm$ 1.08	6.03 $\pm$ 1.33	0.0885	0.2259	0.8605	0.5471	0.1641	0.3581
	MEAN 5	6.43$\pm$0.63	6.10$\pm$0.73	6.10$\pm$0.87	6.28$\pm$1.02	0.0501	0.0822	0.4656	0.9976	0.4295	0.4720
SOC	ITEM 6.1	5.38 $\pm$ 1.41	4.91 $\pm$ 1.58	5.59 $\pm$ 1.13	4.97 $\pm$ 1.38	0.1995	0.5067	0.2394	0.0488*	0.8880	0.0541
	ITEM 6.2	6.15 $\pm$ 1.12	5.86 $\pm$ 1.31	6.19 $\pm$ 0.82	6.00 $\pm$ 1.39	0.3244	0.8834	0.6342	0.2254	0.6713	0.5170
	ITEM 6.3	5.18 $\pm$ 1.71	5.11 $\pm$ 1.55	5.91 $\pm$ 0.86	5.40 $\pm$ 1.43	0.8748	0.0340*	0.5759	0.0129*	0.4452	0.0934
	ITEM 6.4	4.88 $\pm$ 1.70	4.69 $\pm$ 1.71	5.59 $\pm$ 1.01	5.03 $\pm$ 1.65	0.6338	0.0446*	0.7206	0.0112*	0.4097	0.1097
	MEAN 6	5.39$\pm$1.22	5.14$\pm$1.33	5.82$\pm$0.81	5.35$\pm$1.20	0.4235	0.0975	0.8959	0.0152*	0.5137	0.0733
PROF	ITEM 7.1	5.00 $\pm$ 1.33	4.89 $\pm$ 1.39	5.44 $\pm$ 1.19	4.87 $\pm$ 1.36	0.7278	0.1640	0.6927	0.0868	0.9558	0.0829
	ITEM 7.2	4.82 $\pm$ 1.49	5.29 $\pm$ 1.20	5.53 $\pm$ 1.14	5.27 $\pm$ 1.20	0.1597	0.0343*	0.1984	0.3944	0.9494	0.3762
	ITEM 7.3	5.38 $\pm$ 1.37	5.89 $\pm$ 1.05	5.78 $\pm$ 0.94	5.43 $\pm$ 1.01	0.0910	0.1756	0.8674	0.6707	0.0825	0.1647
	ITEM 7.4	5.35 $\pm$ 1.47	6.11 $\pm$ 1.08	5.72 $\pm$ 0.92	5.60 $\pm$ 1.19	0.0168*	0.2350	0.4677	0.1134	0.0726	0.6615
	ITEM 7.5	5.29 $\pm$ 1.40	5.60 $\pm$ 1.33	5.69 $\pm$ 0.78	5.87 $\pm$ 0.86	0.3566	0.1679	0.0576	0.7470	0.3507	0.3933
	ITEM 7.6	4.68 $\pm$ 1.98	4.91 $\pm$ 1.50	4.75 $\pm$ 1.24	4.33 $\pm$ 1.97	0.5753	0.8583	0.4908	0.6294	0.1829	0.3204
	ITEM 7.7	3.74 $\pm$ 1.64	4.23 $\pm$ 1.50	4.38 $\pm$ 1.26	3.80 $\pm$ 1.58	0.1959	0.0818	0.8733	0.6682	0.2669	0.1183
	ITEM 7.8	5.09 $\pm$ 1.40	5.80 $\pm$ 1.30	5.53 $\pm$ 0.95	5.50 $\pm$ 1.48	0.0322*	0.1400	0.2574	0.3418	0.3878	0.9210
	ITEM 7.9	3.65 $\pm$ 1.43	3.37 $\pm$ 1.57	3.88 $\pm$ 1.31	3.03 $\pm$ 1.54	0.4498	0.5038	0.1040	0.1619	0.3867	0.0239*
	ITEM 7.10	4.85 $\pm$ 1.64	5.26 $\pm$ 1.15	5.25 $\pm$ 1.16	4.57 $\pm$ 1.22	0.2376	0.2627	0.4358	0.9799	0.0221*	0.0278*
	MEAN 7	4.79$\pm$1.00	5.13$\pm$0.84	5.19$\pm$0.74	4.83$\pm$0.81	0.1216	0.0655	0.8577	0.7605	0.1396	0.0667