

Supplemental 1 : Table of correspondence between ICD-10 codes and cause of death

ICD-10 code	Cause of death
C00-D48	Terminal disease
I231 ; I232 ; I233 ; I238 ; I25 ; I27 ; I42 ; I43 ; I50 ; I51 ; I520 ; I60 ; I61 ; I62 ; I63 ; I64 ; I67 ; I688 ; I69 ; I70 ; I73 ; I74 ; I792 ; I970 ; I971 ; I978 ; I980 ; I981 ; I988 ; J40 ; J41 ; J42 ; J43 ; J44 ; J47 ; J60 ; J61 ; J62 ; J66 ; J80 ; J841 ; J951 ; J952 ; J953 ; J96 ; J980 ; J981 ; J982 ; J983 ; J984 ; R060 ; R062 ; R063 ; R064 ; R065 ; R068 ; E10 ; E11 ; E12 ; E13 ; E14 ; E70 ; E71 ; E72 ; E75 ; E76 ; E77 ; E84 ; K44 ; K50 ; K51 ; K55 ; K56 ; K70 ; K71 ; K72 ; K73 ; K74 ; K75 ; K76 ; K77 ; K85 ; K86 ; K871" "K90 ; N02 ; N03 ; N04 ; N05 ; N11 ; N12 ; N136 ; N160 ; N18 ; N19 ; N25 ; N312 ; N318 ; N319 ; N82 ; M05 ; M06 ; M13 ; M15 ; M21 ; M30 ; M31 ; M32 ; M33 ; M34 ; M35 ; M41 ; M42 ; M43 ; M45 ; M46 ; M47 ; M48 ; M49 ; M50 ; M51 ; M53 ; M54 ; M638 ; M80 ; M81 ; M820 ; M821 ; M843 ; M844 ; M86 ; M87 ; M88 ; M907 ; M961 ; L305 ; L40 ; L41 ; L42 ; L440 ; L93 ; L945 ; A520 ; A521 ; A522 ; A523 ; A527 ; A810 ; A812 ; B15 ; B16 ; B17 ; B18 ; B19 ; B20 ; B21 ; B22 ; B23 ; B24 ; Q01 ; Q02 ; Q03 ; Q04 ; Q05 ; Q06 ; Q078 ; Q079 ; Q20 ; Q21 ; Q22 ; Q23 ; Q24 ; Q25 ; Q26 ; Q27 ; Q28 ; Q31 ; Q33 ; Q40 ; Q60 ; Q61 ; Q63 ; Q64 ; Q65 ; Q66 ; Q67 ; Q68 ; Q714 ; Q75 ; Q76 ; Q77 ; Q78 ; Q79 ; Q850 ; Q86 ; Q87 ; Q89 ; Q90 ; Q91 ; Q92 ; Q93 ; Q95 ; Q96 ; Q97 ; Q99 ; D60 ; D61	Organic failure
G03 ; G04 ; G05 ; G07 ; G10 ; G11 ; G12 ; G20 ; G21 ; G22 ; G23 ; G30 ; G31 ; G32 ; G35 ; G36 ; G37 ; G477 ; G518 ; G551 ; G608 ; G70 ; G71 ; G72 ; G73 ; G80 ; G81 ; G82 ; G83 ; G90 ; G91 ; G92 ; G93 ; G94 ; G95 ; G96 ; G97 ; G98 ; G99 ; F00 ; F01 ; F03 ; F05 ; F06	Frailty


Supplemental 2: Process maps of healthcare utilization in the last year of life for individuals aged 65 years and over in Quebec between 2013 and 2018.
Full size


A) General unfiltered map (p. 3);


B) 10% filtered map, only edges followed by a minimum of 10% of the population are displayed (p.4);

C) For the 50% filtered map, only edges followed by a minimum of 50% of the population are displayed (p.5)

The node color and edge thickness are proportional to the proportion of individuals involved







Supplemental 3: Process maps of healthcare utilization in the last year of life for individuals aged 65 years and over in Quebec between 2013 and 2018 according to their cause of death. Full size

- A) Terminal disease (p. 7);
- B) Organic failure (p.8);
- C) Physical or cognitive frailty (p.9);
- D) Other or unknown (p.10)

The node color and edge thickness are proportional to the proportion of individuals involved

