

	B	95% CI^{a, c}	p-value
Inhospital death	0,65	0.62-0.68	<.0001
Age at death	-0,01	-0.013- -0.099	<.0001
Sex			
Male vs female	0,07	0.03-0.10	<.0001
Survival in months	0,01	0.01-0.01	<.0001
Living in a nursing home	-0,18	-0.24- -0.12	<.0001
Care level (reference = no care level)			
1	-0,15	-0.20- -0.11	<.0001
2	-0,15	-0.19- -0.11	<.0001
3	-0,17	-0.21- -0.12	<.0001
Medical consultations			
Number of hospital days	0,03	0.03-0.03	<.0001
Palliative Care			
Inpatient palliative care	0,18	0.14-0.22	<.0001
Outpatient palliative care	0,03	-0.04-0.10	0,4497
Chemotherapy in last 30 days of life	0,21	0.17-0.24	<.0001
Charlson Comorbidities Groups			
Congestive Heart Failure	0,03	0.00-0.07	0,0554
Renal Disease	0,05	0.01-0.09	0,008
Body regions with Metastases			
Brain	0,01	-0.03-0.05	0,5515

^a Values are rounded to two decimals except if they would be rounded to exactly 1 then they are rounded to three decimals

^c 95% confidence interval