



Supplemental Figure 1


a



b




a




CRISPR KO

a)









b)









HPAF-II







SCR sg1




HSPE1 KO




HSPD1 KO





Supplemental Figure 4



Supplemental Figure 5



Supplemental figure 6



Correlated gene dependency	Correlation (r)	Z_score
SPC24	0.63	5.2
NUF2	0.6	4.9
RPLP2	0.58	4.8
SPC25	0.58	4.8
POLR2C	0.56	4.7
RPL24	0.56	4.7
SRSF3	0.56	4.6
NUTF2	0.55	4.6
HSPE1	0.56	4.6
UBL5	0.55	4.6

Prime Name	sgRNA primer sequence
Scramble_sg1	CACCGACGGAGGCTAAGCGTCGCAA
Scramble_sg2	CACCGCGCTTCCGCGGCCCGTTCAA
Scramble_sg1	AAACTTGCGACGCTTAGCCTCCGTC
Scramble_sg2	AAACTTGAACGGGCCGCGGAAGCGC
CCR5_sg_F	CACCGAGTTTACACCCGATCCACTG
CCR5_sg_R	AAACCAGTGGATCGGGTGTAACCTC
CSNK1E_sg_F	CACCGCGGGCTTGTCGTCAAACCGC
CSNK1E_sg_R	AAACGCGGTTTGACGACAAGCCCGC
DDI2_sg_F	CACCGGCTCGAAGTCGGCGTCGACC
DDI2_sg_R	AAACGGTCGACGCCGACTTCGAGCC
FZD5_sg_F	CACCGGGTGGGCACGCTCTTCCTGC
FZD5_sg_R	AAACGCAGGAAGAGCGTGCCCAACC
HSPE1_sg_F	CACCGTAAACGCTTGTCCTGCCTGT
HSPE1_sg_R	AAACACAGGCAGGACAAGCGTTTAC
LSM2_sg_F	CACCGTGTGTGTCGACCTCATCTGC
LSM2_sg_R	AAACGCAGATGAGGTCGACACACAC
LSM7_sg_F	CACCGCGTGGTGCTAATCTGCCCCG
LSM7_sg_R	AAACGCGGGCAGATTAGCACCACGC
MED30_sg_F	CACCGACGGCGTCGCTGTGCCGCAT
MED30_sg_R	AAACATGCGGCACAGCGACGCCGTC
MYL12A_sg_F	CACCGGGAACATGGTGAAATTGATG
MYL12A_sg_R	AAACCATCAATTTACCATGTTCCC
PFN1_sg_F	CACCGTTTATACTTAGCCCCCACGG
PFN1_sg_R	AAACCCGTGGGGGCTAAGTATAAAC
PRICKLE4_sg_F	CACCGTCTGCAGGAGCGCTACTGCC
PRICKLE4_sg_R	AAACGGCAGTAGCGCTCCTGCAGAC
RAB40B_sg_F	CACCGCGAATGCACGGGCCGCCCGG
RAB40B_sg_R	AAACCCGGGCGGCCCGTGCAATTCG
RABGAP1_sg_F	CACCGCGTATGTTATTACGGGGAGC
RABGAP1_sg_R	AAACGCTCCCCGTAATAACATACGC
RSL24D1_sg_F	CACCGATGTAGTACTCACCTGCAAG
RSL24D1_sg_R	AAACCTTGACAGGTGAGTACTACATC
SKP1_sg_F	CACCGACTATTAAGACCATGTTGGA
SKP1_sg_R	AAACTCCAACATGGTCTTAATAGTC

sgRNA sequences for the generation of CRISPR-KO constructs

Primer name	PCR primer sequence
CCR5_surveyor_F	TAAAAAAGACCTCTCCCACCCAC
CCR5_surveyor_R	GTCCTTCTCCTGAACACCTTCC
CSNK1E_surveyor_F	TGTTGCCTCCTTTTCTTGCCTCTC
CSNK1E_surveyor_R	AGCTCGTACCTCCCGTCTGT
DDI2_surveyor_F	CAGTAGCAAAGGGAGGGAGTG
DDI2_surveyor_R	GAGGGAGTGACTCACTGAGC
FZD5_surveyor_F	AGGTAGCAGGCCACCACAATG
FZD5_surveyor_R	TGTCGCTCACCTGGTTCCTG
HSPE1_surveyor_F	CAACAGCGACTACTGTTGCTTGC
HSPE1_surveyor_R	CCTAACAGACGTAAGGAATCGGG
LSM2_surveyor_F	CCCTGGGTGGTTAGAGGACA
LSM2_surveyor_R	CTCAAGAGAGGATAGCTGTTCCC
LSM7_surveyor_F	TTCTTGAGGTCCCTCAGTC
LSM7_surveyor_R	GAATCCAGGTTTCCTCAGAAGGTC
MED30_surveyor_F	ATCCACGGGCCCCACGTAAA
MED30_surveyor_R	GCGGCCGCTGTTTTGAAATCG
MYL12A_surveyor_F	CCTCTCACTTACCAGTTGCTTCTTCATC
MYL12A_surveyor_R	GGTTCGTGTGTGTGTGTGTGTG
PFN1_surveyor_F	CCGGTCTTTGCCAACCAGGA
PFN1_surveyor_R	GCTTCTGCTTTTCCTGAAGGAGAG
PRICKLE4_surveyor_F	GAAGGGGAATTTGGGGGGAG
PRICKLE4_surveyor_R	GCCTGTCAGGACCTGATTGATG
RAB40B_surveyor_F	ATTTTCTCGTAGCTCTGGAAGCCG
RAB40B_surveyor_R	AGAAACCCACGTTGAGGGGC
RABGAP1_surveyor_F	GGGGGTAACTGTTGTTCACTCAC
RABGAP1_surveyor_R	GTGGTAGACTCACTTCCCCC
RSL24D1_surveyor_F	CCCATCTGTGGGGCTAACTTAAG
RSL24D1_surveyor_R	GCATAACTTGGGGGGATATGGAAC
SKP1_surveyor_F	CTCTCAAGCACCTTATGACAGGC
SKP1_surveyor_R	GCAGGCCTTAAAAGCTTCTGTTCC


Primer list for all Surveyor assays

Figure 2g (Part 1)

Sample			relative colony area compared to control					
	colony area (%)		average Colony area (%)	condition (%)	std (%)	t.test	Relative colony area (%)	Relative colony area (%)
scr sg1	82.56	68.94	67.51	100.00	16.12		122.30	102.13
	79.58	78.22					117.89	115.87
	73.02	68.1					108.17	100.88
	73.36	70.15					108.67	103.92
	78.29	72.7					115.98	107.70
	67.03	68.75					99.30	101.84
	62.7	46.37					92.88	68.69
	70.5	51.87					104.44	76.84
hspe1 sg4	57.42	45.53					85.06	67.45
	12.97	9.85	11.86	17.57	3.95	2.52E-11	30.58	27.83
	13.07	14.3					33.88	34.53
lsm7 sg1	10.48	10.49					25.75	25.52
	9.35	15.46	14.51	21.49	2.69	7.50E-11	19.21	14.59
	17.42	17.83					19.36	21.18
med30 sg2	13.79	13.19					15.52	15.54
	20.64	18.79	20.04	29.68	11.60	5.56E-10	78.71	79.86
	22.87	23.31					78.28	79.88
lsm2 sg2	17.38	17.23					57.36	56.16
	22.35	23.61	23.35	34.59	4.64	2.20E-09	33.11	34.98
	27.22	26.73					40.32	39.60
MYL12A sg1	20.45	19.72					30.29	29.21
	45.46	30.79	38.16	56.53	7.78	2.47E-06	67.34	45.61
	42.7	37.6					63.25	55.70
RABGAP1 sg4	37.1	35.3					54.96	52.29
	63.65	42.26	55.78	82.63	14.33	2.86E-02	94.29	62.60
	66.89	56.96					99.09	84.38
skp1 sg3	58.63	46.27					86.85	68.54
	21.4	23.13	27.17	40.24	6.61	1.35E-08	31.70	34.26
	31.31	32.74					46.38	48.50
fzd5 sg1	26.25	28.17					38.89	41.73
	53.13	53.91	48.41	71.71	4.65	6.90E-04	13.85	22.90
	52.84	53.92					25.81	26.41
PRICKL4 sg1	38.72	37.91					20.43	19.54
	45.68	35.39	45.49	67.39	11.43	1.55E-04	67.67	52.43
	57.04	51.33					84.50	76.04
CSNK1E sg4	41.29	42.22					61.17	62.54
	42.96	38.88	42.30	62.67	9.06	2.30E-05	63.64	57.60
	49.26	49.03					72.97	72.63
RSL24D1 sg3	33.57	40.12					49.73	59.43
	30.96	32.27	32.33	47.90	3.39	1.00E-07	45.86	47.80
	35.12	35.09					52.03	51.98
PFN1 sg1	29.78	30.78					44.12	45.60
	64.63	55.54	62.13	92.04	8.83	2.65E-01	95.74	82.28
	65.86	54.76					97.56	81.12
DDI2 sg2	69.86	62.12					103.49	92.02
	37.75	21.11	26.71	39.56	13.28	3.46E-08	55.92	31.27
	36.96	22.34					54.75	33.09
RAB40 sg1	26.5	15.57					39.26	23.06
	39.7	37.04	39.86	59.05	8.74	6.46E-06	58.81	54.87
	47.92	42.09					70.99	62.35
CCR5 sg4	42.11	30.31					62.38	44.90
	45.05	45.05	38.60	57.18	16.71	1.29E-05	66.74	66.74
	53.31	33.07					78.97	48.99
	33.12	21.98					49.06	32.56

Figure 2g (Part 2)

Sample	average Colony area (%)	relative colony area compared to control condition (%)	std (%)	t.test
SCR sg1	67.505	100	16.12492	
HSPE1 sg4	11.86	17.57	3.95	2.52E-11
LSM7 sg1	14.51	21.49	2.69	7.5E-11
MED30 sg	20.04	29.68	11.60	5.56E-10
LSM2 sg	23.35	34.59	4.64	2.2E-09
MYL12A sg	38.16	56.53	7.78	2.47E-06
RABGAP1 sg	55.78	82.63	14.33	0.028628
SCR sg1	67.51	100.00	16.12	
SKP1 sg	27.17	40.24	6.61	1.35E-08
CSNK1E sg	42.30	62.67	9.06	2.3E-05
PRICKLE4 sg	45.49	67.39	11.43	0.000155
FZD5 sg	48.41	71.71	4.65	0.00069
SCR sg1	67.51	100.00	16.12	
DDI2 sg	26.71	39.56	13.28	3.46E-08
RSL24D1 sg	32.33	47.90	3.39	1E-07
CCR5 sg	37.31	55.26	17.94	2.53E-05
RAB40B sg	39.86	59.05	8.74	6.46E-06
PFN1 sg	62.13	92.04	8.83	0.265462







Figure 3c

SRB

BxPC3

	scr				hspe1			
	rep1	rep2	2021 virus	2022 virus	rep1	rep2	2021 virus	2022 virus
Replicate 1	0.380333	0.346333	0.343333	0.286333	0.205333	0.206333	0.093333	0.033333
	0.354333	0.400333	0.376333	0.333333	0.171333	0.215333	0.048333	0.020333
	0.357333	0.365333	0.346333	0.302333	0.063333	0.144333	0.118333	0.040333
	average	0.364	0.370667	0.355333	0.307333	0.146667	0.188667	0.086667
Replicate 2	0.194167	0.329167	0.215167	0.210167	0.046167	0.049167	0.041167	0.042167
	0.159167	0.331167	0.207167	0.188167	0.055167	0.060167	0.044167	0.035167
	0.161167	0.252167	0.165167	0.203167	0.053167	0.058167	0.039167	0.048167
	average	0.1715	0.304167	0.195833	0.2005	0.0515	0.055833	0.0415
Replicate 4	0.363833	0.570833	0.347833		0.220833	0.250833	0.088833	
	0.360833	0.638833	0.270833		0.196833	0.287833	0.098833	
	0.246833	0.634833	0.277833		0.176833	0.252833	0.122833	
	0.230833	0.622833	0.248833		0.203833	0.273833	0.160833	
Replicate 4	0.246833	0.668833	0.275833		0.216833	0.313833	0.145833	
	0.254833	0.600833	0.290833		0.213833	0.295833	0.154833	
	average	0.284	0.622833	0.285333	0.204833	0.279167	0.128667	
	0.103667	0.447667	0.178667		0.132667	0.115667	0.050667	
Replicate 4	0.086667	0.392667	0.158667		0.148667	0.139667	0.038667	
	0.096667	0.424667	0.166667		0.124667	0.111667	0.060667	
	0.110667	0.371667	0.163667		0.152667	0.116667	0.055667	
	0.135667	0.369667	0.148667		0.086667	0.096667	0.049667	
Replicate 4	0.129667	0.413667	0.132667		0.095667	0.082667	0.035667	
	average	0.1105	0.403333	0.158167	0.1235	0.1105	0.0485	

	Relative values				Relative values			
	rep1	rep2	2021 virus	2022 virus	rep1	rep2	2021 virus	2022 virus
Replicate 1	1.044872	0.934353	0.966229	0.93167	0.564103	0.556655	0.262664	0.10846
	0.973443	1.080036	1.059099	1.084599	0.470696	0.580935	0.136023	0.066161
	0.981685	0.985612	0.974672	0.983731	0.173993	0.389388	0.333021	0.131236
	average	1.132167	1.082192	1.098723	1.048213	0.269193	0.161644	0.210213
Replicate 2	0.928086	1.088767	1.057872	0.938487	0.321672	0.197808	0.225532	0.175395
	0.939747	0.829041	0.843404	1.0133	0.31001	0.191233	0.2	0.240233
	average	1.281103	0.916511	1.219042	0.777582	0.402729	0.311332	
	1.27054	1.025689	0.949182	0.693075	0.462135	0.346379		
Replicate 3	0.869131	1.019267	0.973715	0.622653	0.405941	0.430491		
	0.812793	1	0.872079	0.717723	0.439657	0.563668		
	0.869131	1.073856	0.966706	0.763498	0.50388	0.511098		
	average	0.8973	0.964678	1.019276	0.752934	0.47498	0.54264	
Replicate 4	0.93816	1.109917	1.12961	1.200603	0.286777	0.320337		
	0.784314	0.973554	1.003161	1.3454	0.346281	0.244468		
	0.874811	1.052893	1.053741	1.128205	0.27686	0.383562		
	1.001508	0.921488	1.034773	1.381599	0.289256	0.351949		
Replicate 5	1.227753	0.916529	0.939937	0.784314	0.239669	0.314015		
	1.173454	1.02562	0.838778	0.865762	0.204959	0.225501		
	average	1.03816	1.052893	1.053741	1.128205	0.27686	0.383562	
	1.001508	0.921488	1.034773	1.381599	0.289256	0.351949		

All replicates				
SCR	1	0.109028	2.47E-22	
HSPE1	0.471605	0.385861		
4 biological replicates of 2021 virus condition				
SCR	1	0.096659	t.test	
HSPE1	0.328494	0.229746	1.78E-19	

Prestoblue

	scr				hspe1			
	rep1	rep2	2021 virus	2022 virus	rep1	rep2	2021 virus	2022 virus
Replicate 1	11538	29147	11565	11986	1630	-1167	-916	404
	10989	25452	12475	11435	1627	-1699	-559	1388
	11914	23757	9693	12158	1147	252	397	802
	average	11480.33	26118.67	11244.33	11859.67	1468	-871.333	-359.333
Replicate 2	7293	16592	2133		997	4290	250	
	3751	26192	5091		1614	4916	-1918	
	6027	23031	7679		2417	2706	-1541	
	7412	25699	7501		2755	3106	471	
Replicate 3	9098	26036	7453		7246	6252	2577	
	2896	29052	7373		4160	2519	-1646	
	average	6079.667	24433.83	6205.167	3198.333	3965	-301	
	11480.33	26118.67	11244.33	11859.67	1468	-871.333	-359.333	864.6667

	Relative values				Relative values			
	rep1	rep2	2021 virus	2022 virus	rep1	rep2	2021 virus	2022 virus
Replicate 1	1.005023	1.115945	1.028518	0.141982	-0.04468	-0.08146		
	0.957202	0.974475	1.109448	0.141721	-0.06505	-0.04971		
	1.037775	0.909579	0.862034	0.09991	0.009648	0.035307		
	average	1.1996	0.679065	0.343773	0.164017	0.175583	0.040316	
Replicate 2	0.617002	1.071963	0.820472	0.265502	0.201203	-0.30907		
	0.991365	0.942593	1.237544	0.397582	0.110755	-0.24831		
	1.219173	1.051786	1.208858	0.453177	0.127126	0.075931		
	1.496491	1.065578	1.201123	1.191869	0.255882	0.415326		
Replicate 3	0.476369	1.189014	1.18823	0.684275	0.103102	-0.26524		
	average	1.037775	0.909579	0.862034	0.09991	0.009648	0.035307	
	1.005023	1.115945	1.028518	0.141982	-0.04468	-0.08146		
	0.957202	0.974475	1.109448	0.141721	-0.06505	-0.04971		

All replicates				
SCR	1	0.243254	1.45E-15	
HSPE1	0.149137	0.791116		
4 biological replicates of 2021 virus condition				
SCR	1	0.269161	t.test	
HSPE1	0	0	1.16E-07	

MiaPaCa2

SRB

								Relative values											
scr				hspe1				scr				hspe1				SCR	1	0.10464	t.test
2000	1000	500	100	2000	1000	500	100	2000	1000	500	100	2000	1000	500	100	HSPE1	0.468196	0.178922	3.12E-12
1.115667	0.493667	0.466667	0.080667	0.546667	0.299667	0.102667	0.051667	0.993765	0.917312	0.987306	0.978766	0.486936	0.556829	0.217207	0.626896				
1.129667	0.579667	0.485667	0.062667	0.609667	0.297667	0.158667	0.034667	1.006235	1.077114	1.027504	0.760364	0.543052	0.553112	0.335684	0.420627				
	0.591667	0.510667	0.086667		0.328667	0.185667	0.046667		1.099412	1.080395	1.051567		0.610715	0.392807	0.566229				
	0.487667	0.427667	0.099667		0.260667	0.114667	0.042667		0.906163	0.904795	1.209302		0.48436	0.242595	0.517695				
average	1.122667	0.538167	0.472667	0.082417	0.578167	0.296667	0.140417	0.043917	average	1	1	1	0.514994	0.551254	0.297073	0.532861			



Prestoblue

Teststopbac

scr				hspe1			
2000	1000	500	100	2000	1000	500	100
34113.17	21089.17	21150.17	2504.167	15365.17	11899.17	3719.167	193.1667
37270.17	21573.17	14825.17	1476.167	17727.17	11791.17	3300.167	1240.167
	19384.17	13390.17	1932.167		7927.167	2693.167	-464.833
	17871.17	13872.17	1257.167		6793.167	2965.167	625.1667
average	35691.67	19979.42	15809.42	1792.417	16546.17	9602.667	3169.417

Relative values

scr				hspe1			
2000	1000	500	100	2000	1000	500	100
0.955774	1.055545	1.337821	1.39709	0.430497	0.595571	0.23525	0.107769
1.044226	1.07977	0.937743	0.823562	0.496675	0.590166	0.208747	0.691896
	0.970207	0.846974	1.077967		0.396767	0.170352	-0.25933
	0.894479	0.877462	0.701381		0.340008	0.187557	0.348784
average	1	1	1	0.463586	0.480628	0.200477	0.222279

SCR	1	0.186592	t.test
HSPE1	0.324336	0.359213	5.89E-09

SCR	1	0.10464	t.test
HSPE1	0.468196	0.178922	3.12E-12

SCR	1	0.186592	t.test
HSPE1	0.324336	0.359213	5.89E-09

PANC-1

SRB

Relative values					
SCR			HSPE1		
1000	500	100	1000	500	100
0.6183	0.3083	0.0583	0.5203	0.2523	0.0503
0.7053	0.3403	0.0893	0.4693	0.2833	0.0513
0.6663	0.3573	0.0623	0.4803	0.2653	0.0713
0.6913	0.4263	0.0653	0.4433	0.2803	0.0593
0.6253	0.3903	0.0863	0.4303	0.2723	0.0573
0.7193	0.3873	0.0753	0.4903	0.2873	0.0423
0.6543	0.3683	0.0523	0.5093	0.2813	0.0593
0.8193	0.3693	0.0863	0.5173	0.2523	0.0743
0.6903	0.3173	0.0893	0.4813	0.2703	0.0513
average	0.687744	0.362744	0.073856	0.482411	0.271633

SCR			HSPE1		
1000	500	100	1000	500	100
0.899026	0.84991	0.789379	0.756531	0.695531	0.681059
1.025526	0.938126	1.209117	0.682376	0.780991	0.694599
0.968819	0.984991	0.843538	0.69837	0.731369	0.965398
1.00517	1.175208	0.884158	0.644571	0.77272	0.802919
0.909204	1.075964	1.168497	0.625668	0.750666	0.775839
1.045883	1.067694	1.019558	0.71291	0.792018	0.57274
0.951371	1.015315	0.708139	0.740537	0.775477	0.802919
1.191286	1.018072	1.168497	0.752169	0.695531	1.006018
1.003716	0.87472	1.209117	0.699824	0.745153	0.694599
1	1	1	0.701439	0.748828	0.777343

SCR	1	0.137229	t.test
HSPE1	0.742537	0.100682	1.66E-11



Prestoblue

SCR			HSPE1		
1000	500	100	1000	500	100
20745.4	17926.4	4322.4	17314.4	15377.4	1280.4
22190.4	20719.4	4809.4	18442.4	14475.4	3261.4
31175.4	20253.4	5576.4	13200.4	13667.4	2090.4
20596.4	10609.4	2250.4	21095.4	12635.4	5175.4
32525.4	22170.4	599.4	19562.4	8488.4	2914.4
27120.4	18398.4	4730.4	16087.4	12498.4	2492.4
30845.4	17107.4	4489.4	20969.4	14507.4	4468.4
25911.4	23200.4	7295.4	19005.4	14473.4	2681.4
30442.4	21250.4	5934.4	17359.4	10098.4	2035.4
average	26839.18	19070.62	4445.289	18115.18	12913.51

SCR			HSPE1		
1000	500	100	1000	500	100
0.772952	0.940001	0.972355	0.645117	0.80634	0.288035
0.826791	1.086456	1.081909	0.687145	0.759042	0.733676
1.161563	1.062021	1.254452	0.491833	0.716673	0.470251
0.767401	0.556322	0.506244	0.785993	0.662558	1.164244
1.211863	1.162542	0.134839	0.728875	0.445103	0.655615
1.010478	0.964751	1.064138	0.5994	0.655375	0.560683
1.149268	0.897055	1.009923	0.781298	0.76072	1.005199
0.965432	1.216552	1.641153	0.708122	0.758937	0.6032
1.134252	1.1143	1.334986	0.646793	0.529527	0.457878
1	1	1	0.674953	0.677142	0.659865

SCR	1	0.320987	t.test
HSPE1	0.670653	0.213297	2.54E-06

Figure 4d

NTC											T.test compared to control	T.testKHS101 condition compared to relative untreated
		1	2	3	4	5	6	7	average	STD		
neg	PI+/AnexV-	2.84	2.38	5.83	3.42	3.19	3.43	3.77	3.55	1.02		
necrotic	PI+/AnexV+	49.2	40	50.5	49.8	33.1	36.5	35.4	42.07	6.99		
apoptotic	PI-/AnexV+	14.2	12.3	7.63	8.59	20.4	15.8	17.8	13.82	4.33		
viable	PI-/AnexV-	33.7	45.3	36.1	38.2	43.2	44.4	43	40.56	4.19		
		99.94	99.98	100.06	100.01	99.89	100.13	99.97				
NTC KHS101											T.test compared to control	T.testKHS101 condition compared to relative untreated
		1	2	3	4	5	6	7	average	STD		
neg	PI+/AnexV-					2.92	4	4.96	3.96	0.83		0.49228719
necrotic	PI+/AnexV+					43.6	35.8	42.6	40.67	3.47		0.133614477
apoptotic	PI-/AnexV+					22.4	24.9	20.2	22.50	1.92		0.077160838
viable	PI-/AnexV-					31.1	35.3	32.2	32.87	1.78		0.007867697
		0	0	0	0	100.02	100	99.96				
hsp10											T.test compared to control	T.testKHS101 condition compared to relative untreated
		1	2	3	4	5	6	7	average	STD		
PI+/AnexV-		1.74	1.19	0.95	1.96	3.53	2.83	2.13	2.05	0.83	neg	0.01663853
PI+/AnexV+		48.2	47.7	48	45.4	44.4	42.9	46.5	46.16	1.86	necrotic	0.209895585
PI-/AnexV+		34.5	36	37.5	34.4	37.3	38.3	37.4	36.49	1.43	apoptotic	4.12397E-06
PI-/AnexV-		15.5	15.2	13.6	18.2	14.7	16	13.9	15.30	1.42	viable	1.42329E-06
		99.94	100.09	100.05	99.96							
hsp10 KHS101											T.test compared to control	T.testKHS101 condition compared to relative untreated
		1	2	3	4	5	6	7	average	STD		
neg	PI+/AnexV-					4.07	4.77	2.66	3.83	0.88		0.257606331
necrotic	PI+/AnexV+					46.9	46.2	47.8	46.97	0.65		0.137927579
apoptotic	PI-/AnexV+					34.8	36.1	36.4	35.77	0.69		0.039323017
viable	PI-/AnexV-					14.2	12.9	13.2	13.43	0.56		0.132210771
		0	0	0	0	99.97	99.97	100.06				
hsp60											T.test compared to control	T.testKHS101 condition compared to relative untreated
		1	2	3	4	5	6	7	average	STD		
PI+/AnexV-		0.93	1.39	1.46	4.45	3.25	9.1	5.15	3.68	2.67	neg	0.917998113
PI+/AnexV+		42.3	33.6	43.4	42.5	30.3	33.4	31	36.64	5.40	necrotic	0.159555998
PI-/AnexV+		22.5	25.9	21.8	14.1	21.1	18.2	20.3	20.56	3.41	apoptotic	0.011770561
PI-/AnexV-		34.2	39.2	33.4	39	45.4	39.3	43.6	39.16	4.08	viable	0.568271999
		99.93	100.09	100.06	100.05	100.05	100	100.05				
hsp60 KHS101											T.test compared to control	T.testKHS101 condition compared to relative untreated
		1	2	3	4	5	6	7	average	STD		
PI+/AnexV-						3.57	5.29	5.08	4.65	0.77	neg	0.003269868
PI+/AnexV+						58.4	49.2	54.7	54.10	3.78	necrotic	0.001912178
PI-/AnexV+						19.4	23.5	20.3	21.07	1.76	apoptotic	0.00262522
PI-/AnexV-						18.7	22	19.9	20.20	1.36	viable	0.305297873
		0	0	0	0	100.07	99.99	99.98				0.568789099
												0.007907093
												0.477672143
												0.001487159
scr sg1											T.test compared to control	T.testKHS101 condition compared to relative untreated
		1	2						average	STD		
neg	PI+/AnexV-	1.48	1.75					1.62	0.14	neg		
necrotic	PI+/AnexV+	36.1	32.9					34.50	1.60	necrotic		
apoptotic	PI-/AnexV+	17.6	15.4					16.50	1.10	apoptotic		
viable	PI-/AnexV-	44.8	50					47.40	2.60	viable		
		99.98	100.05	0	0	0						
scr sg2											T.test compared to control	T.testKHS101 condition compared to relative untreated
		1	2	3	4	5	average	STD				
neg	PI+/AnexV-	2.51	1.58	3.08	6.08	4.01	3.45	1.53			0.17906	
necrotic	PI+/AnexV+	33.8	36.3	29.3	31.3	24.8	31.10	3.93			0.471776	
apoptotic	PI-/AnexV+	11.4	14.5	10.4	9.91	12.4	11.72	1.63			0.051038	
viable	PI-/AnexV-	52.3	47.7	57.2	52.7	58.7	53.72	3.90			0.247199	
		100.01	100.08	99.98	99.99	99.91						
HSPE1sg4											T.test compared to control	T.testKHS101 condition compared to relative untreated
		1	2	3	4	5	average	STD				
neg	PI+/AnexV-	1.92	1.89	6.05	9.46	8.25	5.51	3.14			0.284365	
necrotic	PI+/AnexV+	33.9	33	37.4	33.9	31.9	34.02	1.84			0.229911	
apoptotic	PI-/AnexV+	30.1	29.2	20.2	20	21.6	24.22	4.48			0.003252	
viable	PI-/AnexV-	34.1	35.9	36.4	36.7	38.2	36.26	1.32			0.000412	
		100.02	99.99	100.05	90.6	99.95						
HSPD1sg1											T.test compared to control	T.testKHS101 condition compared to relative untreated
		1	2	3	4	5	average	STD				
neg	PI+/AnexV-	3.72	2.81	7.56	2.8	4.75	4.33	1.77			0.475901	
necrotic	PI+/AnexV+	41.8	30.2	29.3	27.7	28.7	31.54	5.19			0.896123	
apoptotic	PI-/AnexV+	14.4	18.1	24.3	29.9	27.1	22.76	5.72			0.015823	
viable	PI-/AnexV-	40	48.9	38.9	39.6	39.5	41.38	3.78			0.001895	
		99.92	100.01	100.06	100	100.05						
HSPD1sg3											T.test compared to control	T.testKHS101 condition compared to relative untreated
		1	2	3	4	5	average	STD				
neg	PI+/AnexV-	1.28	1.96	3.69	3.28	3.82	2.8	1.01			0.504278	
necrotic	PI+/AnexV+	31	35.4	30.9	24.5	30.9	30.5	3.48			0.836515	
apoptotic	PI-/AnexV+	16.4	14.4	16.7	20.7	16.4	16.9	2.06			0.004657	
viable	PI-/AnexV-	51.3	48.2	48.7	51.5	48.9	49.7	1.39			0.111461	
		99.98	99.96	99.99	99.98	100.02						

Date (2024)	Aug.06 s.c.	Sept.03	HPAFII CRISPRko					
Ex vivo	SCRsg2		Ex vivo	OMAsg3		Ex vivo	OPAsg3	
mouse	weight (mg)		mouse	weight (mg)		mouse	weight (mg)	
#1	142.4		#11	261		#11	128	
#2	330.6		#12	291.8		#12	226.6	
#3	303.3		#13	290.1		#13	163	
#4	347		#14	186		#14	316.4	
#5	270.5		#15	217.4		#15	185.6	
#6	441.6		#16	282.2		#16	178.7	
#7	335.1		#17	123.8		#17	204.2	
#8	641		#18	222.8		#18	461.6	
#9	284.9		#19	260.4		#19	335.2	
#10	229.2		Average	237.28		Average	244.37	
Average	332.56		P-value	0.031		P-value	0.064	

Figure 6e

Cage(600)	DOB	amount	7 weeks	User
XXIII	Jun.10	5	Jul.29	Julien
XXIV	Jun.10	5	Jul.29	Julien
XXV	Jun.10	5	Jul.29	Julien
XXVI	Jun.10	5	Jul.29	Julien
XXVII	Jun.12	5	Jul.31	Julien
XXVIII	Jun.12-24	3	0731-0812	Julien

	XXIII	XXIV	XXV	XXVI	XXVII	XXVIII	Total
SCR sg2	5				2	3	10
OMA-1sg3		5		1	3		9
OPA-1sg3			5	4			9
ear marker	#1-5	#11-15	#24-28	#19&20-23	#9-10&16-18	#6-8	28

42.15232 23.19136 28.89118
53.70354 36.42203 39.84285
75.83497 41.34242 50.41472
96.40079 60.83166 68.8168
126.892 76.03789 83.56477
200.7291 122.6091 120.4115
349.0013 215.2745 212.3723

13.07073 10.74275 3.02963
17.4796 6.560793 7.973865
13.0128 9.927437 11.33636
22.89419 19.31916 13.60977
36.80065 17.40422 23.61133
50.84948 27.31497 34.34696
95.55294 48.98991 46.11478

mm ³ =(4/3)*π*n*(Length/2)*(width/2) ²				
Date (2024)	Aug.14 (day 8)			
Aug.06 s.c.	HPAFII CRISPrko SCRs2			
mouse	length	width	volume (mm) ³	
#1	4.05	3.38	24.23	
#2	4.72	3.84	36.44	
#3	4.18	3.49	26.66	
#4	6.27	3.29	35.54	
#5	5.34	3.97	44.07	
#6	4.53	3.78	33.89	
#7	5.1	4.8	61.52	
#8	4.96	4.96	63.89	
#9	4.43	4.2	40.92	
#10	6.49	4	54.37	
Average			42.15	
STDev			13.07072747	
Date (2024)	Aug.16			
Aug.06 s.c.	HPAFII CRISPrko SCRs2			
mouse	length	width	volume (mm) ³	
#1	5.81	3.29	32.93	
#2	5.84	4.09	51.15	
#3	6	3.36	35.47	
#4	6.33	4.18	57.91	
#5	4.83	3.51	31.16	
#6	6.01	4.28	57.64	
#7	5.91	5.26	85.62	
#8	5.58	5.25	80.53	
#9	4.67	4.66	53.10	
#10	6.78	3.81	51.53	
Average			53.70	
			17.4796006	

Date (2024)	Aug.19			
Aug.06 s.c.	HPAFII CRISPRko SCRs2			
mouse	length	width	volume (mm) ³	
#1	6.25	4.56	68.05	
#2	6.01	5.22	85.75	
#3	6.04	5.19	85.19	
#4	6.72	4.93	85.52	
#5	6.09	4.62	68.06	
#6	5.61	5.07	75.51	
#7	6.22	5.52	99.24	
#8	6.07	4.95	77.87	
#9	5.33	4.5	56.51	
#10	5.88	4.29	56.66	
Average			75.83	
			13.0127994	

Date (2024)	Aug.22			
Aug.06 s.c.	HPAFII CRISPRko SCRs2			
mouse	length	width	volume (mm) ³	
#1	6.53	4.01	54.98	
#2	6.19	5.41	94.86	
#3	7.02	4.85	86.46	
#4	6.74	5.36	101.39	
#5	6.31	5.8	111.14	
#6	6.73	5.15	93.46	
#7	6.4	6.08	123.88	
#8	6.57	6.36	139.15	
#9	5.8	5.04	77.14	
#10	6.23	5	81.55	
Average			96.40	
			22.89418898	

Date (2024)	Aug.26			
Aug.06 s.c.	HPAFII CRISPRko SCRs2			
mouse	length	width	volume (mm) ³	
#1	7.3	4.4	74.00	
#2	6.56	5.04	87.25	
#3	6.51	4.87	80.84	
#4	6.72	6.33	140.99	
#5	6.44	5.86	115.79	
#6	7.2	6.25	147.26	
#7	7.67	6.98	195.66	
#8	6.79	6.45	147.91	
#9	7.01	6.6	159.88	
#10	7.32	5.58	119.34	
Average			126.89	
			36.80064635	

Date (2024)	Aug.30			
Aug.06 s.c.	HPAFII CRISPRko SCRs2			
mouse	length	width	volume (mm) ³	
#1	9.02	5.56	146.00	
#2	8.32	7.31	232.79	
#3	8.87	6.15	175.66	
#4	8.03	6.35	169.54	
#5	7.5	6.31	156.36	
#6	9.32	6.41	200.51	
#7	8.94	8.46	335.02	
#8	7.4	7.22	201.98	
#9	8.03	6.65	185.93	
#10	7.82	7.05	203.51	
Average			200.73	
			50.84947837	

Date (2024)	Sept.03			
Aug.06 s.c.	HPAFII CRISPRko SCRs2			
mouse	length	width	volume (mm) ³	
#1	11.17	6.24	227.73	
#2	11.66	8.77	469.57	
#3	11.68	7.39	333.99	
#4	10.26	7.24	281.59	

mm ³ =(4/3)*π*(Length/2)*(width/2) ²				
Date (2024)	Aug.14 (day 8)			
Aug.06 s.c.	HPAFII CRISPRko OMAs3			
mouse	length	width	volume (mm) ³	
#11	5.1	3.49	32.53	
#12	4.19	2.58	14.60	
#13	3.98	3.98	33.01	
#14	3.57	2.98	16.60	
#15	3.65	2.56	12.52	
#16	3.26	2.44	10.16	
#17	4.22	3.09	21.10	
#18	3.69	3.51	23.80	
#19	4.44	4.37	44.40	
Average			23.19	
P-value	0.004		10.74275048	

Date (2024)	Aug.16			
Aug.06 s.c.	HPAFII CRISPRko OMAs3			
mouse	length	width	volume (mm) ³	
#11	5.5	3.74	40.28	
#12	7.04	2.82	29.31	
#13	5.48	3.63	37.81	
#14	4.53	4.03	38.52	
#15	6.85	3.63	47.26	
#16	4.95	2.96	22.71	
#17	5.3	3.77	39.44	
#18	5.53	3.57	36.90	
#19	4.12	4.06	35.56	
Average			36.42	
P-value	0.018		6.560792852	

Date (2024)	Aug.19			
Aug.06 s.c.	HPAFII CRISPRko OMAs3			
mouse	length	width	volume (mm) ³	
#11	5.72	4.08	49.86	
#12	6.17	4.2	56.99	
#13	5.7	4.24	53.65	
#14	5.05	4.09	44.23	
#15	4.92	3.52	31.92	
#16	5.41	3.34	31.60	
#17	4.53	3.94	36.82	
#18	5.38	3.1	27.07	
#19	4.84	3.97	39.94	
Average			41.34	
P-value	0.0000111		9.927437218	

Date (2024)	Aug.22			
Aug.06 s.c.	HPAFII CRISPRko OMAs3			
mouse	length	width	volume (mm) ³	
#11	6.89	5.33	102.49	
#12	5.42	4.51	57.72	
#13	6.05	4.94	77.30	
#14	5.3	4.92	67.17	
#15	6.11	3.93	49.41	
#16	5.24	4.16	47.48	
#17	6.19	3.12	31.55	
#18	5.71	4.08	49.77	
#19	5.49	4.74	64.58	
Average			60.83	
P-value	0.0029191		19.31916043	

Date (2024)	Aug.26			
Aug.06 s.c.	HPAFII CRISPRko OMAs3			
mouse	length	width	volume (mm) ³	
#11	6.21	4.86	76.80	
#12	4.34	4.17	39.51	
#13	6.64	4.51	70.72	
#14	5.78	5.14	79.96	
#15	6.16	4.31	59.91	
#16	5.76	5.34	86.00	
#17	8.39	4.21	77.86	
#18	6.78	5.43	104.67	
#19	5.78	5.42	88.90	
Average			76.04	
P-value	0.0025906		17.40421601	

Date (2024)	Aug.30			
Aug.06 s.c.	HPAFII CRISPRko OMAs3			
mouse	length	width	volume (mm) ³	
#11	7.98	6.33	167.42	
#12	7.46	5.1	101.60	
#13	7.86	5.74	135.60	
#14	7.2	5.01	94.63	
#15	7.13	5.3	104.87	
#16	5.95	5.36	89.50	
#17	8.38	5.88	151.70	
#18	8.67	5.77	151.14	
#19	6.14	5.77	107.03	
Average			122.61	
P-value	0.0012843		27.31496736	

Date (2024)	Sept.03			
Aug.06 s.c.	HPAFII CRISPRko OMAs3			
mouse	length	width	volume (mm) ³	
#11	10.43	6.64	240.78	
#12	8.88	6.55	199.48	
#13	10.45	7.05	271.95	
#14	9.45	5.27	137.42	

mm ³ =(4/3)*π*(Length/2)*(width/2) ²			
--	--	--	--

#5	7.81	7.31	218.52
#6	12	8	402.12
#7	11.23	9.23	500.94
#8	11.03	8.75	442.17
#9	10.17	7.98	339.10
#10	10.6	7.03	274.29
Average			349.00
			95.55294133

#15	10.94	5.94	202.11
#16	6.81	6.37	144.69
#17	10.96	6.37	232.86
#18	11.4	7	292.48
#19	9.15	6.71	215.71
Average			215.27
	P-value	0.0024991	48.98991382

#24	8.47	6.27	174.35
#25	9.78	5.64	162.89
#26	9.48	6.73	224.82
#27	10.45	7.02	269.64
#28	8.99	5.9	163.86
Average			212.37
	P-value	0.002049	46.11478274

Figure 6f

Cage-500	DOB	amount	7 weeks	User	Sum	Cage ID	30	6
LXV	May.09	5	Jun.27	Julien		#052930		1
LXV	May.09	5	Jun.27	Julien		#052929		1
LIV	May.08-15	5	Jun.27-Jul.03	Julien		#050617		1
LV	May.15	5	Jul.03	Julien		#051001		1
LVI	May.15-18	5	Jul.03-06	Julien		#051002		1
LVII	May.16-18	5	Jul.06	Julien		#051390		1

HPAF II(Parental)	LXV	LXVI	LIV	LV	LVI	LVII	
ear marker	#1-5	#6-10	#11-15	#16-20	#21-25	#26-30	
Drug	MYLS22						

mm ³ =(4/3)*π*(Length/2)*(width/2) ²				
Date (2023)	Aug.11			
Jul.21 s.c.	HPAF II parental			
mouse	length	width	volume (mm) ³	
#1	5.14	4.99	67.01	
#2	5.55	5.52	88.55	
#3	6.03	3.92	48.52	
#4	5.54	4.48	58.22	
#5	5.45	5.13	75.10	
#6	6.02	5.92	110.47	
#7	6.64	5.34	99.14	
#8	6.33	5.82	112.27	
#9	6.71	5.9	122.30	
#10	5.81	4.96	74.84	
#11	5.56	4.59	61.33	
#12	5.81	5.39	88.38	
#13	5.63	4.7	65.12	
#14	6.16	4.39	62.16	
#15	5.29	4.77	63.02	
#16	6.09	4.14	54.65	
#17	5.72	4.45	59.31	
#18	6.1	3.84	47.10	
#19	5.49	5.1	74.77	
#20	5.53	4.01	46.56	
#21	5.64	4.47	59.01	
#22	5.42	4.75	64.03	
#23	5.67	4.81	68.69	
#24	5.25	5.07	70.66	
#25	5.65	4.41	57.53	
#26	6.61	4.44	68.23	
#27	6.39	4.9	80.33	
#28	6.26	5.29	91.72	
#29	5.42	4.84	66.48	
#30	7.17	5.2	101.51	
Average	73.57			

mm ³ =(4/3)*π*(Length/2)*(width/2) ²				
Date (2023)	Aug.14			
Jul.21 s.c.	HPAF II parental			
mouse	length	width	volume (mm) ³	
#1	7.75	6.03	147.55	
#2	7.13	5.96	132.61	
#3	7.58	5.96	140.98	
#4	7.09	5.35	106.26	
#5	6.67	5.94	123.22	
#6	8.44	6.76	201.95	
#7	7.8	6.21	157.50	
#8	8.78	6	165.50	
#9	7.01	6.71	165.26	
#10	8.52	6.37	181.02	
#11	6.91	5.16	96.33	
#12	7.62	6.33	159.87	
#13	7.46	6.04	142.50	
#14	7.83	5.82	138.87	
#15	6.51	6.14	128.50	
#16	7.21	6	135.91	
#17	7.5	6.15	148.53	
#18	8.16	6.05	156.39	
#19	7.14	6.59	162.36	
#20	7.26	5.96	135.03	
#21	6.62	5.23	94.81	
#22	7.41	5.66	124.29	
#23	7.23	6.08	139.94	
#24	7.54	6.36	159.69	
#25	7.36	6.21	148.61	
#26	8.14	5.62	134.62	
#27	8.2	5.62	135.61	
#28	7.93	6	149.48	
#29	8.15	5.92	149.55	
#30	8.73	5.9	159.12	
Average	144.06			

Removed mice			
#6	201.95	#4	106.26
#10	181.02	#11	96.33
#8	165.50	#21	94.81

#9	165.26
#19	162.36
#12	159.87
#24	159.69
#30	159.12
#7	157.50
#18	156.39
#29	149.55
#28	149.48
#25	148.61
#17	148.53
#1	147.55
#13	142.50
#3	140.98
#23	139.94
#14	138.87
#16	135.91
#27	135.61
#20	135.03
#26	134.62
#2	132.61
#15	128.50
#22	124.29
#5	123.22

Distribution								
Vehicle			Low dose			High dose		
Mouse	volume	weight	Mouse	volume	weight	Mouse	volume	weight
#9	165.26	34.24	#19	162.36	33.51	#12	159.87	37.34
#7	157.50	31.25	#24	159.69	33.42	#30	159.12	31.85
#18	156.39	31.15	#29	149.55	34.26	#28	149.48	31.48
#1	147.55	32.43	#25	148.61	33.39	#17	148.53	30.12
#23	139.94	36.63	#3	140.98	29.14	#13	142.50	34.05
#14	138.87	37.59	#22	124.29	34.25	#27	135.61	28.14
#20	135.03	34.2	#2	132.61	29.48	#5	123.22	30.4
#16	135.91	30.6						
#26	134.62	30.23						
#15	128.50	35.32						
Average	143.96	33.36		145.44	32.49		145.47	31.91

cage-1	cage-2
#1	#16
#7	#18
#9	#20
#14	#23
#15	#26

cage-3
#19
#22
#24
#25
#29

cage-5	cage-4
#2	#12
#3	#13
#5	#27
#17	#28
	#30

Date (2023)	Aug.14			
Jul.21 s.c.	HPAF II parental-vehicle			
mouse	length	width	volume (mm) ³	
#1	7.75	6.03	147.55	
#7	7.8	6.21	157.50	
#9	7.01	6.71	165.26	
#14	7.83	5.82	138.87	
#15	6.51	6.14	128.50	
#16	7.21	6	135.91	
#18	8.16	6.05	156.39	
#20	7.26	5.96	135.03	
#23	7.23	6.08	139.94	
#26	8.14	5.62	134.62	
Average	143.96			

Date (2023)	Aug.14			
Jul.21 s.c.	HPAF II parental-10mg/kg			
mouse	length	width	volume (mm) ³	
#2	7.13	5.96	132.61	
#3	7.58	5.96	140.98	
#19	7.14	6.59	162.36	
#22	7.41	5.66	124.29	
#24	7.54	6.36	159.69	
#25	7.36	6.21	148.61	
#29	8.15	5.92	149.55	
Average	145.44			

Date (2023)	Aug.14			
Jul.21 s.c.	HPAF II parental-20mg/kg			
mouse	length	width	volume (mm) ³	
#5	6.67	5.94	123.22	
#12	7.62	6.33	159.87	
#13	7.46	6.04	142.50	
#17	7.5	6.15	148.53	
#27	8.2	5.62	135.61	
#28	7.93	6	149.48	
#30	8.73	5.9	159.12	
Average	145.47			

Date (2023)	Aug.16			
Jul.21 s.c.	HPAF II parental-vehicle			
mouse	length	width	volume (mm) ³	
#1	8.81	6.72	208.31	
#7	9.2	7.73	287.84	
#9	8.31	7.5	244.75	
#14	8.97	6.86	221.02	
#15	7.06	5.51	112.23	
#16	9.35	6.23	190.01	
#18	9.86	6.88	244.37	
#20	8.06	7.19	218.17	
#23	7.6	7.3	212.06	
#26	10.61	6.65	245.67	
Average	218.44			

Date (2023)	Aug.16			
Jul.21 s.c.	HPAF II parental-10mg/kg			
mouse	length	width	volume (mm) ³	
#2	8.21	4.55	88.99	
#3	8.74	5.67	147.12	
#19	8.68	6.91	217.01	
#22	9.11	6.22	184.54	
#24	9.08	6.97	230.97	
#25	8	6.93	201.17	
#29	10.07	7.54	299.76	
Average	171.25		0.45	

Date (2023)	Aug.16			
Jul.21 s.c.	HPAF II parental-20mg/kg			
mouse	length	width	volume (mm) ³	
#5	8.25	6.23	167.66	
#12	9.41	7.46	274.20	
#13	7.41	5.89	134.60	
#17	8.2	6.35	173.12	
#27	9.45	5.92	173.41	
#28	10.15	6.54	227.31	
#30	10.7	7.04	264.69	
Average	176.94		0.53	

Date (2023)	Aug.18			
Jul.21 s.c.	HPAF II parental-vehicle			
mouse	length	width	volume (mm) ³	
#1	10.59	6.9	263.99	
#7	11.12	8.81	451.91	
#9	9.44	7.87	306.14	
#14	11.33	6.57	256.07	
#15	8	6.69	187.47	
#16	10.73	6.39	229.40	
#18	11.35	6.56	255.74	
#20	9.21	7.21	250.69	
#23	9.79	7.62	297.64	
#26	12.55	7.74	393.66	
Average	289.27			

Date (2023)	Aug.18			
Jul.21 s.c.	HPAF II parental-10mg/kg			
mouse	length	width	volume (mm) ³	
#2	9.25	6.1	180.22	
#3	9.21	5.39	140.10	
#19	8.12	6.91	203.01	
#22	10.41	5.66	174.62	
#24	9.51	7.83	305.28	
#25	9.17	6.89	227.93	
#29	10.84	7.55	323.54	
Average	194.35		0.083	

#1	13.12	9.31	595.43
#7	13.67	11.06	875.54
#9	11.55	10.39	652.85
#14	14.02	8.61	544.19
#15	11.42	9.69	561.45
#16	14.21	8.41	526.24
#18	12.49	9.39	576.62
#20	12.45	9.9	638.91
#23	11.37	11.12	736.15
#26	15.44	9.68	757.52
Average	646.49		

Date (2023)	Aug.25		
Jul.21 s.c.	HPAF II parental-vehicle		
mouse	length	width	volume (mm) ³
#1	14.66	10.42	833.43
#7	13.97	10.66	831.21
#9	12.73	11.57	892.26
#14	14.91	8.67	586.83
#15	11.95	9.95	619.46
#16	15.38	9.86	782.90
#18	14.36	10.36	807.00
#20	14.33	10.05	757.84
#23	12.43	11.27	826.64
#26	16.93	10.48	973.59
Average	791.12		

#2	12.29	7.32	344.80
#3	13.14	7	337.12
#19	10.06	9.28	453.62
#22	11.64	7.6	352.03
#24	13.95	10	730.42
#25	13.75	9.41	637.50
#29	15.2	9.83	769.04
Average	453.08		0.143

Date (2023)	Aug.25		
Jul.21 s.c.	HPAF II parental-10mg/kg		
mouse	length	width	volume (mm) ³
#2	13.14	8.05	445.85
#3	13.79	7.79	438.16
#19	12.4	10.67	739.18
#22	12.37	8.91	514.19
#24	13.31	11.17	869.53
#25	11.73	9.91	603.18
#29	15.8	11.16	1030.35
Average	580.08		0.204

#5	11.16	7.31	312.25
#12	14.06	8.96	591.02
#13	10.98	7.49	322.53
#17	12.24	8.08	418.41
#27	13.69	7.78	433.87
#28	15.8	8.92	658.24
#30	15.3	9.18	675.11
Average	426.43		0.040

Date (2023)	Aug.25		
Jul.21 s.c.	HPAF II parental-20mg/kg		
mouse	length	width	volume (mm) ³
#5	11.34	7.71	352.96
#12	15.28	9.45	714.47
#13	11.41	7.65	349.63
#17	12.12	8.07	413.28
#27	14.99	8.7	578.22
#28	17.34	9.69	852.50
#30	16.74	9.57	802.74
Average	507.98		0.043

Figure 8 A (Right panel)

Vehicle		KHS101		MYLS22	
1	0.071	7	0.06	2	0.054
3	0.054	13	0.019	20	0.031
4	0.05	15	0.085	21	0.05
5	0.055	16	0.066	29	0.035
6	0.069	18	0.025	33	0.025
10	0.044	25	0.027	34	0.029
19	0.055	36	0.0195	35	0.074
23	0.049	39	0.037	37	0.043
28	0.042	Average	0.042313	Average	0.042625
32	0.072	T.Test	0.133284	T.Test	0.052328
Average	0.0561				

Combo		Vehicle	KHS101	MYLS22	Combo
	8		71	60	54
	11		54	19	31
	12		50	85	50
	24		55	66	35
	26		69	25	25
	31		44	27	29
	38		55	19.5	74
	40		49	37	43
Average	0.03975		42		
	0.002968		72		
	0.785861				
	0.662579				

Figure 8b

mm ³ =(4/3)*π*(Length/2)*(width/2) ²			
Date (2025)	Feb.11		
Jan.30 engraved	TM00312-Vehicle		
mouse	length	width	volume (mm) ³
#2	6.29	4.17	57.27
#15	6.05	4.44	62.45
#18			76.29
#24			61.14
#25	5.48	4.89	68.61
#28	8.38	3.4	50.72
#30	5.83	4.32	56.97
#31	6.07	4.09	53.17
#35	5.72	4.82	69.58
Average			61.80

Date (2025)	Feb.12		
Jan.30 engrafted	TM00312-Vehicle		
mouse	length	width	volume (mm ³)
#2	7.07	6.03	134.60
#15	7.27	5.27	105.72
#24			137.28
#28	7.44	4.56	81.00
#25	5.32	4.83	64.98
#28	9.37	6.02	177.80
#30	8.54	5.47	133.79
#31	6.98	4.51	74.34
#35	6.27	5.46	97.87
Average			111.93
	STD		34.61
#18	6.93	4.82	84.30
	6.42	3.97	52.98

Date (2025)	Feb.14		
Jan.30 engraved	TM00312-Vehicle		
mouse	length	width	volume (mm ³)
#2			167.34
#15	8.8	5.4	134.36
#18	10.13	5.63	168.12
#24	7.27	5.16	101.35
#25	5.89	5.54	94.65
#28	10.94	6.53	244.25
#30	9.5	6.36	201.20
#31	8.3	5.23	104.98
#35	7.83	5.69	135.62
Average			150.21
			47.19
#2	6.18	5.47	96.82
	6.97	2.79	70.52

Date (2025)	Feb.17		
Jan.30 engrafted	TM00312-Vehicle		
mouse	length	width	volume (mm ³)
#2	8.42	7.68	290.92
#15	11.01	6.61	251.88
#18	12.43	6.14	245.36
#24			175.17
#25	6.45	5.85	115.58
#28	11.73	6.64	270.56
#30	10.21	6.51	226.56
#31	8.34	6.32	174.42
#25	11.71	7.18	316.09
Average			229.61
			60.26
	7.19	5.27	104.56
#24	5.46	4.97	70.62

Date (2025)	Feb.19		
Jan.30 engraved	TM00312-Vehicle		
mouse	length	width	volume (mm) ³
#2			197.35
#15	12.42	7.44	359.97
#18	11.99	6.75	286.04
#24	12.73	6.44	276.44
#25	7.48	6.19	150.07
#28	11.15	6.28	230.25
#30	10.19	7.11	260.92
#31	8.58	7.8	273.32
#35	9.66	7.14	257.85
Average			255.67
			55.72
#2	7.16	5.75	123.95
	6.11	2.79	23.40

Date (2025)	Feb.20		
Jan.30 engraved	TM00312-Vehicle		
mouse	length	width	volume (mm) ³
#2			306.67
#15	12.9	7.52	381.97
#18	12.63	6.9	314.85
#24	11.56	6.2	232.67
#25	8.02	6.06	154.21
#28	12.7	7.34	358.26
#30	10.79	7.52	315.49
#31	10.21	7.68	315.32
#35	10.95	7.5	322.50
Average			300.66

		64.36
#2	8.29	6.68
	6.99	5.56
		113.98

TM00312-Vehicle		
#15	381.97	
#28	358.26	
#35	322.50	
#30	319.49	
#31	315.32	
#18	314.85	
#2	306.67	
#24	232.67	
#25	154.71	

TM00312-Vehicle	
#2	0.3001
#15	0.2065
#18	0.2744
#24	0.1555
#25	0.0667
#28	0.2931
#30	0.2021
#31	0.2072
#35	0.1841
Average	0.2100

mm ³ =(4/3)*π*(Length/2)*(width/2) ²			
Date (2025)	Feb.11		
Jan.30 engrafted	TM00312-KH5101(1mg/kg)		
mouse	length	width	volume (mm ³)
#6	5.52	4.93	70.37
#7	7.83	3.3	44.65
#8	5.12	4.97	66.22
#13	5.69	4.36	56.63
#22	6.74	4.23	63.14
#26	6.39	4.15	57.62
#27	6.17	5.08	83.37
#29	7.01	3.84	54.12
#36	6.19	4.25	58.54
Average			61.63

Date (2025)	Feb.12			
Jan.30 engrafted	TM00312-KHS101(1mg/kg)			
mouse	length	width	volume (mm ³)	
#6	5.19	3.4	31.41	
#7	7.97	2.52	24.51	
#8			114.88	
#13	6.17	3.45	38.45	
#22	6.56	4.97	84.94	
#26	6.14	4.53	65.97	
#27	3.78	4.63	64.88	
#29	6.6	5.11	90.24	
#36	6.14	4.56	66.85	
Average	p-value	0.00757	64.34	
		STD	27.29	
#8	6.27	5.4	95.73	
	3.85	2.83	16.14	

Date (2025)	Feb.14			
Jan.30 engrafted	TM00312-KHS101(1mg/kg)			
mouse	length	width	volume (mm ³)	
#6	5.99	5.25	86.45	
#7	8.51	4.03	72.37	
#8			131.19	
#13	7.02	5.1	95.60	
#22	6.83	5.18	92.56	
#26	7.01	5.02	95.90	
#28	6.41	5.4	97.87	
#30	7.27	4.45	76.93	
#36	7.44	5.35	111.50	
Average	p-value	0.00708		95.60
		STD	16.69	
#8	6.66	4.98	86.48	
	4.82	4.39	44.70	

Date (2025)	Feb.17		
Jan.30 engrafted	TM00312-KHS101(1mg/kg)		
mouse	length	width	volume (mm ³)
#6	6.88	6.84	168.54
#7	12.58	4.48	132.20
#8	7.27	4.99	94.78
#13	7.05	5.21	99.91
#26	7.99	5.54	128.55
#27	8.23	5.39	121.97
#29	8.63	6.43	186.82
#36	8.51	5.96	158.28
Average	p-value	0.00114	136.25
		STD	28.82
#22	8.18	4.95	104.95
	4.98	3.59	33.61

Date (2025)	Feb.19			
Jan.30 engrafted	TM00312-KHS101(1mg/kg)			
mouse	length	width	volume (mm ³)	
#6	6.72	6.72	158.89	
#7	15.27	5.4	233.14	
#8	9.85	5.29	144.33	
#13	7.81	4.46	81.34	
#22			164.84	
#27	9.40	5.41	145.43	
#28	8.61	6.48	189.30	
#29	8.72	6.52	200.09	
#36	8.70	5.9	154.83	
Average	p-value	0.00158	163.58	
		STD	40.00	
	7.57	5.54	121.65	
#22	2.95	4.07	43.19	

Date (2025)	Feb.20			
Jan.30 engrafted	TM00312-KHS101(1mg/kg)			
mouse	length	width	volume (mm ³)	
#6	8.67	4.56	96.39	
#7	15.4	5.86	274.89	
#8			166.71	
#13	7.91	5.49	124.83	
#22			202.12	
#26	9.74	6.58	220.81	
#27	8.4	6.48	184.68	
#29	8.09	6.56	204.82	
#36	10.17	6.78	244.78	
Average	p-value	0.00194	191.12	
		STD	53.56	
#22	7.76	6.13	152.68	
	7.96	6.23	169.44	

TM00312-KHS101		Bled mice
#7	276.89	
#36	244.78	
#26	220.81	
#29	204.82	
#22	202.12	
#27	184.68	
#8	166.71	
#13	124.83	
#6	94.39	

mm ³ =(4/3)*π*(Length/2)*(width/2) ²			
Date (2025)	Feb.11		
Jan.30 engrafted	TM00312-MYLS22(mg/kg)		
mouse	length	width	volume (mm) ³
#4	6.01	3.76	44.49
#9	6.19	4.7	71.60
#10	8.35	3.81	63.47
#12	6.8	4.36	67.68
#14	7.72	4.36	76.84
#19	5.32	4.55	57.67
#23	6.95	3.9	55.35
#33	6.95	3.86	54.22
#40	5.85	4.42	60.93
Average			61.36

Date (2025)	Feb.12			
Jan.30 engrafted	TM00312-MYL522(mg/kg)			
mouse	length	width	volume (mm ³)	
#4	6.66	4.05	57.20	
#9			74.24	
#10	9.7	3.55	64.01	
#12	7.58	4.26	72.03	
#14	8.88	3.54	58.00	
#19	5.53	4.72	64.51	
#23	8.71	4.1	76.66	
#33	6.55	3.95	53.51	
#40	7.74	4.09	67.79	
Average	p-value	0.00186		65.33
		STD	7.61	
#9	5.37	2.93	24.14	
	5.45	4.19	50.10	

Date (2025)	Feb.14			
Jan.30 engrafted	TM00312-MYLS22(mg/kg)			
mouse	length	width	volume (mm) ³	
#4	7.43	5.95	137.73	
#9	7.24	4.91	91.39	
#10	8.85	4.46	92.17	
#12	8.7	4.95	111.62	
#14	7.42	4.73	86.92	
#19			90.78	
#23	8.74	5.72	149.73	
#33			85.56	
#40	5.66	4.68	76.38	
Average	p-value	0.02129	102.48	
		STD	23.88	
#19	5.69	5.09	72.19	
	1.35	3.29	12.60	

Date (2025)	Feb.17			
Jan.30 engrafted	TM00312-MYLS22(mg/kg)			
mouse	length	width	volume (mm ³)	
#4	7.19	4.37	71.89	
#9			163.60	
#10	8.51	4.99	123.99	
#12	8.7	5.84	173.22	
#14	10.31	5.68	174.16	
#19			105.94	
#23	12.14	6.9	302.63	
#33	9.53	6.01	180.24	
#40	8.35	6.23	169.69	
Average	p-value	0.04209	162.82	
		STD	60.69	
	5.87	5.51	93.31	
#19	7.99	2.84	12.63	

Date (2025)	Feb.19		
Jan.30 engrafted	TM00312-MYLS22(mg/kg)		
mouse	length	width	volume (mm) ³
#4			192.29
#9			191.71
#10	10.62	4.89	132.97
#12	9.31	6.39	199.04
#14	11.93	6	224.88
#19			161.55
#21	12.62	6.63	290.46
#33	10.37	8.7	243.74
#40	10.44	6.88	258.75
Average	p-value	0.09747	210.60
		STD	46.26
#19	8.46	5.55	136.44
	1.96	3.48	25.11

Date (2025)	Feb.20			
Jan.30 engrafted	TM00312-MYLS22(mg/kg)			
mouse	length	width	volume (mm) ³	
#4			199.23	
#9			288.27	
#10	10.76	5.53	172.29	
#12	11.9	6.54	266.50	
#14	11.45	5.3	168.41	
#15			152.42	
#23	12.18	6.09	236.53	
#25	11.43	5.8	206.53	
#40	11.75	7.05	292.77	
Average	p-value	0.01280	219.83	
		STD	50.17	
#19	7.25	9.9	132.14	
	7.43	3.27	20.78	

	5.72	5.52	91.26
TM00312-MYLS22			
#40	292.77		
#9	288.27		
#12	266.50		
#23	236.53		
#33	202.03		
#4	199.23		
#10	172.29		
#14	168.41		
#19	152.42		

mm ³ =(4/3)*π*(Length/2)*(width/2) ²			
Date (2025)	Feb.11		
Jan.30 engraved	TM00312-KSH101+MYLS22		
	length	width	volume (mm) ³
#3	6.56	4.71	76.20
#11	5.56	3.79	41.82
#16	6.81	3.91	54.51
#17	7.67	3.8	57.99
#20	6.35	4.74	74.70
#34	5.32	4.96	68.53
#37			65.11
#38	5.8	4.37	57.99
#39	6.07	4.14	54.47
Average			61.26

Date (2025)	Feb.12			
Jan.30 engrafted	TM00312-KSH101+MYLS22			
mouse	length	width	volume (mm ³)	
#3	6.05	5.73	104.01	
#11			49.91	
#16	7.19	4.21	66.39	
#17			95.14	
#20			90.24	
#34	5.85	3.81	42.94	
#37			88.94	
#38	4.65	4.55	50.41	
#39	7.22	4.48	75.87	
Average	p-value	0.01705	73.80	
		STD	21.06	
#11	4.58	3.63	31.60	
	6.64	3.1	18.32	

Date (2025)	5.28	5.36	19.39
Jan 30 engrafted	Feb.14		
	TM00312-KSH101+MYL52		
mouse	length	width	volume (mm ³)
#3	7.45	4.1	65.57
#11			98.81
#16	7.88	4.94	100.69
#17			102.76
#20			89.91
#34	6.04	5.25	87.17
#37			90.17
#38	5.61	5.29	82.20
#39	7.09	4.66	80.62
Average	p-value	0.00244	88.65
		STD	11.01
#11	5.42	4.38	54.44
	5.14	4.06	54.26

Date (2025)		STD		21.98
Jan 30 engraved		Feb.17		
TM00312-KSH101+ MYLS2				
mouse	length	width	volume (mm) ³	
#3	7.89	5.71	134.69	
#11			130.07	
#16			146.32	
#17	11.46	4.97	148.22	
#20			119.77	
#24	6.64	5.31	98.03	
#37			132.72	
#38	6.11	4.42	62.50	
#39	8.77	6.18	175.38	
Average	p-value	0.00058	127.52	
		STD		30.39
#11	6.53	4.69	75.21	
	4.93	4.61	54.86	

Date (2025)	Feb.19			
Jan.30 engrafted	TM00312-KSH101+MYLS22			
mouse	length	width	volume (mm ³)	
#3	8.27	5.78	144.66	
#11			96.85	
#16			151.99	
#17	10.44	5.51	165.96	
#20			81.75	
#34	7.42	5.17	103.84	
#37	7.73	4.62	86.9	
#38	6.04	4.92	76.81	
#39	9.91	7.06	258.63	
Average	p-value	0.00033		129.65
MYLS22	0.005815	STD		55.16
#11	7.04	3.94	57.22	
	4.95	3.91	39.67	

Date (2025)	Feb.20		
Jan.30 engrafted	TM00312-KSH101+ MYL522		
mouse	length	width	volume (mm) ³
#3	8.51	6.45	185.81
#11			141.07
#16			195.09
#17	9.41	6.5	208.17
#20	8.32	5.18	116.89
#24	7.2	5.41	110.34
#37	9.58	5.77	167.00
#38	6.48	4.97	83.7
#39	9.57	6.63	227.86
Average	p-value	0.00012	159.52
	MYL522	0.03911	46.45
	6.45	5.05	96.13
#11	6.47	3.29	54.95

TM003112-KSH101+ MYLS22	
#39	227.86
#17	208.17
#16	195.09
#3	185.81
#37	167.00
#11	141.07
#20	116.89
#34	110.34
#38	83.42

Vehicle	(g)	KHS101	(g)		
#18	76.29	30.2	#27	83.37	29.95
#35	69.58	27.85	#6	70.37	31.7
#25	68.61	29.97	#8	66.22	30
#15	62.45	31.21	#22	63.14	29.95
#24	61.14	29.52	#36	58.54	26.0
#2	57.27	33.44	#26	57.62	29.2
#30	56.97	28.65	#13	56.63	31.1
#31	53.17	29.56	#29	54.12	26.2
#28	50.72	28.52	#7	44.65	30
Average	61.80	29.88		61.63	29.94

Vehicle		KHS101	
#35	#24	#6	#26
#1	#25	#7	#27
#5	#28	#8	#29
#21	#30	#13	#36
#32	#31	#22	#2

Unqualified tumor			
#1	0	0	0.00
#5			103.78
#21	0	0	0.00
#32	4.07	2.91	18.05

61.79963	61.63084	61.35978	61.25827
111.9319	64.3362	65.32711	73.79867
150.2088	95.59552	102.4752	88.65447
229.6147	136.2504	162.8183	127.5215
255.6672	163.5779	210.5984	129.6534
300.6587	191.1157	219.8265	159.5164

7.880843	10.36985	9.275934	10.34091
34.61424	27.28653	7.605536	21.05972
47.19061	16.68687	23.8839	11.01475
60.25843	28.81547	60.68706	30.39494
55.72283	39.99598	46.25503	55.15617
68.26130	32.55601	50.1679	46.64772

	101	Combo		101
	76.84	33.67	#3	76.20
	71.60	29.33	#20	74.70
	67.68	28.87	#24	68.33
	63.47	30.58	#37	65.11
	60.93	26.25	#38	57.99
	57.67	27.55	#17	57.99
	55.35	30.54	#39	54.51
	54.22	31.27	#39	54.47
	44.49	30.54	#11	41.82
	61.35	29.04		61.35

MFL522		Combo	
#4	#19	#2	#20
#9	#23	#21	#24
#10	#33	#56	#37
#12	#40	#17	#38
#14	#15	#18	#39

4.25	3.04	34.87
------	------	-------