

No	Age	Gender	Groups	GI1	GI 2	GI3	PI1	PI post brush ing	PI2	PI3	DMFT score	How often do you brush your teeth?	Do you use dental floss?	Do you use mouthwash /oral spray?	Do your gums bleed?
1	22.6	Female	Group 1	0.97	0.15	0.70	0.46	0.09	1.04	0.66	6	Twice a day or more	Irregularly	No	No
2	23.3	Female	Group 1	0.73	0.27	0.70	1.17	0.13	0.88	1.07	0	Twice a day or more	I don't use it	No	Yes
3	22.5	Female	Group 1	1.31	0.54	1.14	0.79	0.62	1.01	0.79	4	Twice a day or more	Twice a day or more	Yes	No
4	22.6	Female	Group 1	0.32	0.23	0.05	0.33	0.09	0.56	0.38	2	Once a day	Irregularly	Yes	No
5	22.8	Female	Group 1	0.81	0.21	0.12	0.45	0.04	0.12	0.27	0	Twice a day or more	Irregularly	Yes	No
6	22.6	Male	Group 1	1.61	0.59	0.71	0.49	0.10	0.30	0.31	5	Twice a day or more	Once a day	Yes	No
7	25.9	Male	Group 1	1.52	0.13	0.71	0.86	0.00	0.98	0.26	5	Irregularly	I don't use it	No	No
8	23.2	Female	Group 1	1.68	0.66	0.29	0.44	0.50	0.46	0.18	4	Twice a day or more	I don't use it	No	Yes
9	24.3	Male	Group 1	1.13	0.14	0.00	0.63	0.00	0.14	0.32	4	Twice a day or more	Once a day	No	No
10	23.0	Female	Group 1	1.05	0.21	0.45	0.43	0.08	0.79	0.52	10	Twice a day or more	I don't use it	No	No
11	23.3	Female	Group 1	0.10	0.01	0.18	0.58	1.20	1.13	0.54	12	Twice a day or more	I don't use it	No	No
12	22.3	Female	Group 1	0.59	0.53	0.29	0.73	0.05	0.82	0.41	3	Twice a day or more	I don't use it	No	No
13	22.4	Female	Group 1	1.58	0.53	1.25	0.84	0.17	0.62	0.56	7	Twice a day or more	Irregularly	No	Yes
14	22.6	Female	Group 1	0.74	1.03	0.93	0.84	0.07	0.81	0.03	3	Twice a day or more	Once a day	Yes	No
15	22.7	Male	Group 1	1.64	0.39	1.01	0.58	0.24	0.73	0.50	5	Once a day	Irregularly	No	No
16	23.5	Male	Group 1	1.12	1.38	0.84	0.46	0.05	0.60	0.43	10	Once a day	Once a day	Yes	No
17	23.9	Male	Group 1	1.65	1.90	1.04	0.48	0.04	0.61	0.75	7	Once a day	I don't use it	No	Yes
18	23.1	Female	Group 1	1.74	1.60	1.35	1.26	0.39	1.46	1.26	7	Twice a day or more	I don't use it	Yes	Yes
19	23.8	Female	Group 1	1.39	0.74	1.13	0.74	0.22	1.19	0.91	0	Twice a day or more	I don't use it	Yes	No
20	23.6	Male	Group 1	1.67	0.86	0.66	0.64	0.30	1.19	0.76	2	Once a day	Once a day	No	No
21	23.3	Male	Group 1	1.24	1.07	0.70	0.67	0.33	0.89	0.55	2	Once a day	Irregularly	No	No
22	22.9	Male	Group 1	1.15	1.22	0.75	1.28	0.29	0.71	0.76	5	Twice a day or more	Irregularly	No	No
23	23.7	Male	Group 2	0.50	0.18	0.63	0.54	0.10	0.44	0.82	2	Twice a day or more	I don't use it	Yes	No
24	22.3	Female	Group 2	1.53	0.00	1.09	0.66	1.48	1.53	1.05	4	Twice a day or more	I don't use it	No	No
25	23.2	Female	Group 2	0.07	0.21	0.06	0.21	0.12	0.33	0.07	6	Twice a day or more	Once a day	Yes	No
26	23.7	Female	Group 2	0.55	0.10	0.00	0.42	0.05	0.17	0.32	11	Twice a day or more	Once a day	Yes	Yes
27	22.9	Male	Group 2	1.32	0.84	1.11	1.42	0.60	0.71	1.55	4	Once a day	I don't use it	Yes	Yes
28	23.9	Male	Group 2	1.27	0.04	0.43	1.00	0.00	0.05	0.65	2	Twice a day or more	Irregularly	No	No
29	24.0	Female	Group 2	1.27	0.51	1.03	1.00	0.20	0.39	0.95	4	Twice a day or more	Twice a day or more	Yes	No

30	24.1	Female	Group 2	1.41	0.88	0.88	0.55	0.04	1.33	1.15	3	Twice a day or more	Irregularly	No	Yes
31	23.3	Male	Group 2	0.19	0.06	0.09	0.23	0.02	0.21	0.76	3	Twice a day or more	Irregularly	Yes	Yes
32	24.1	Female	Group 2	1.20	0.05	0.08	0.46	0.02	0.95	0.24	0	Twice a day or more	Irregularly	Yes	Yes
33	21.3	Male	Group 2	1.24	0.94	0.75	0.75	0.54	0.56	0.78	3	Once a day	I don't use it	No	Yes
34	22.9	Male	Group 2	0.17	0.08	0.21	0.19	0.20	0.43	0.45	6	Twice a day or more	Irregularly	Yes	No
35	21.9	Male	Group 2	0.88	0.20	0.62	0.73	0.32	0.42	0.70	5	Twice a day or more	Irregularly	No	No
36	23.5	Female	Group 2	1.00	0.99	1.04	0.44	0.04	0.72	0.43	0	Twice a day or more	Once a day	No	Yes
37	22.0	Female	Group 2	1.51	0.25	0.88	1.33	0.28	0.54	0.97	9	Twice a day or more	Irregularly	No	No
38	21.3	Female	Group 2	0.96	0.17	0.42	0.37	0.13	0.33	0.53	16	Twice a day or more	Irregularly	No	No
39	23.9	Female	Group 2	0.96	0.05	0.59	1.11	0.96	1.13	1.09	14	Twice a day or more	Once a day	No	No
40	23.9	Female	Group 2	1.71	0.19	0.40	0.96	0.32	0.99	0.20	6	Twice a day or more	I don't use it	Yes	No
41	22.6	Female	Group 2	0.21	0.00	0.06	0.04	0.01	0.12	0.19	3	Twice a day or more	Once a day	Yes	No
42	21.7	Male	Group 2	0.24	0.53	0.07	0.35	0.23	1.13	0.27	18	Once a day	Irregularly	No	Yes
43	23.8	Female	Group 2	0.97	0.30	0.33	0.18	0.11	0.21	0.13	6	Twice a day or more	Once a day	Yes	No
44	22.8	Male	Group 2	0.63	0.27	1.42	0.89	0.23	0.52	1.29	2	Twice a day or more	Irregularly	Yes	No
45	23.2	Female	Group 2	1.04	0.00	0.55	0.20	0.04	0.38	0.13	2	Once a day	Once a day	Yes	Yes
46	23.4	Male	Group 2	0.32	0.39	0.80	0.87	0.07	0.83	0.64	5	Twice a day or more	I don't use it	No	Yes
47	21.7	Male	Group 2	0.36	0.50	0.14	0.30	0.00	0.53	0.36	6	Twice a day or more	Irregularly	No	Yes
48	22.5	Female	Group 2	0.39	0.13	0.03	0.16	0.33	0.55	0.44	18	Twice a day or more	Once a day	No	Yes
49	24.6	Female	Group 2	0.50	0.07	0.07	0.46	0.08	1.27	0.35	9	Twice a day or more	I don't use it	No	No
50	22.6	Female	Group 2	1.26	0.27	0.21	0.82	0.42	0.91	0.65	3	Once a day	I don't use it	No	No
51	22.2	Male	Group 2	0.75	0.46	0.44	0.40	0.11	0.26	0.37	8	Twice a day or more	Irregularly	Yes	Yes
52	22.8	Male	Group 2	0.72	0.55	0.21	0.20	0.29	0.47	0.35	3	Twice a day or more	Irregularly	Yes	Yes
53	22.0	Male	Group 2	1.04	1.00	1.04	0.63	0.04	1.33	1.75	2	Twice a day or more	I don't use it	Yes	No
54	23.2	Female	Group 2	0.24	0.01	0.17	0.29	0.01	0.09	0.20	10	Once a day	Once a day	Yes	No
55	21.8	Male	Group 2	0.42	0.11	0.32	0.60	0.28	0.63	0.39	4	Twice a day or more	I don't use it	No	No
56	23.1	Female	Group 2	1.52	0.09	0.80	1.42	0.29	0.54	1.23	5	Twice a day or more	Irregularly	No	No
57	21.3	Male	Group 2	1.05	0.32	0.43	1.76	0.13	0.32	0.40	15	Twice a day or more	Irregularly	Yes	Yes
58	22.6	Female	Group 2	0.09	0.00	0.01	0.06	0.05	0.19	0.00	9	Twice a day or more	Irregularly	No	No
59	22.9	Male	Group 2	0.66	0.02	0.96	0.50	0.03	0.56	1.01	0	Twice a day or more	Irregularly	Yes	No
60	23.9	Male	Group 2	0.16	0.01	0.03	0.13	0.04	0.13	0.02	2	Twice a day or more	I don't use it	No	No
61	24.7	Male	Group 2	1.35	1.00	1.00	1.02	0.97	0.97	0.97	0	Twice a day or more	Twice a day or more	No	No
62	22.7	Male	Group 2	0.46	0.99	0.17	0.99	0.29	0.79	0.33	10	Twice a day or more	Once a day	Yes	No

63	23.9	Male	Group 2	0.64	0.64	0.53	0.23	0.02	0.21	0.30	9	Twice a day or more	I don't use it	Yes	No
64	24.8	Female	Group 2	1.66	0.88	1.62	0.82	1.21	1.50	0.54	16	Twice a day or more	I don't use it	Yes	Yes
65	25.0	Male	Group 2	0.33	0.44	0.48	0.44	0.05	0.76	0.51	9	Twice a day or more	Irregularly	No	No
66	23.2	Male	Group 2	0.90	0.10	0.13	0.33	0.11	0.48	0.17	7	Twice a day or more	Irregularly	No	Yes
67	24.2	Female	Group 2	0.29	0.23	0.11	0.32	0.07	0.29	0.21	6	Once a day	Irregularly	Yes	Yes
68	23.9	Male	Group 2	0.89	0.35	0.57	0.93	0.36	0.40	0.76	3	Twice a day or more	Irregularly	No	Yes
69	24.9	Female	Group 2	0.79	0.73	0.16	0.28	0.07	0.41	0.11	9	Twice a day or more	Irregularly	Yes	Yes
70	25.7	Male	Group 2	1.45	0.60	0.26	0.70	0.04	0.53	0.49	17	Once a day	Once a day	Yes	No
71	23.2	Female	Group 1	1.56	1.15	1.02	0.62	0.04	0.33	0.52	9	Twice a day or more	Irregularly	Yes	No
72	23.2	Male	Group 1	0.06	0.00	0.07	0.12	0.01	0.13	0.49	5	Twice a day or more	Irregularly	Yes	No
73	22.6	Female	Group 1	1.04	1.02	0.52	0.65	0.14	0.31	0.31	7	Twice a day or more	Once a day	Yes	No
74	23.8	Female	Group 1	0.98	0.03	0.28	0.10	0.05	0.13	0.13	8	Twice a day or more	Once a day	No	No
75	24.2	Female	Group 1	0.47	0.00	0.13	0.09	0.00	0.00	0.13	9	Twice a day or more	Irregularly	No	No
76	23.7	Female	Group 1	0.71	0.00	0.25	0.30	0.00	0.00	0.10	8	Twice a day or more	Irregularly	Yes	No
77	22.5	Female	Group 1	1.20	0.16	0.07	0.36	0.07	0.54	0.40	0	Twice a day or more	I don't use it	Yes	No
78	23.5	Female	Group 1	0.76	0.14	0.10	0.16	0.03	0.22	0.79	4	Twice a day or more	Irregularly	Yes	No
79	22.8	Male	Group 1	1.33	0.17	1.01	0.24	0.00	0.48	0.41	8	Twice a day or more	Irregularly	Yes	No
80	22.9	Female	Group 1	0.90	0.88	0.46	0.55	0.04	0.31	0.13	10	Twice a day or more	Twice a day or more	Yes	No
81	23.2	Female	Group 1	0.88	0.32	0.32	0.58	0.39	0.39	0.74	3	Twice a day or more	Irregularly	No	No
82	29.7	Female	Group 1	1.32	0.48	0.60	0.49	0.44	0.69	0.47	10	Twice a day or more	Once a day	No	Yes
83	24.8	Female	Group 1	1.51	1.25	1.25	0.89	0.19	0.52	0.52	5	Twice a day or more	I don't use it	Yes	Yes
84	23.6	Male	Group 1	1.04	0.10	1.29	0.53	0.00	0.05	1.06	5	Twice a day or more	I don't use it	Yes	No
85	24.7	Male	Group 1	1.04	0.28	0.81	0.46	0.02	0.48	0.81	8	Twice a day or more	I don't use it	No	No
86	23.9	Male	Group 1	0.37	1.04	0.83	0.46	1.19	1.46	0.43	11	Twice a day or more	Once a day	Yes	No
87	24.1	Female	Group 1	0.59	0.58	0.80	0.54	0.31	1.13	0.88	11	Twice a day or more	Irregularly	No	No
88	23.2	Male	Group 1	0.48	0.35	0.45	1.21	0.10	0.11	0.87	2	Twice a day or more	Irregularly	Yes	No
89	22.4	Male	Group 1	0.35	0.34	0.21	0.49	0.50	0.68	0.41	5	Twice a day or more	Irregularly	Yes	No
90	23.9	Female	Group 1	1.35	0.98	0.72	0.34	0.05	0.48	0.13	11	Twice a day or more	Irregularly	No	No
91	23.1	Male	Group 1	1.29	1.19	1.01	1.07	0.94	1.06	0.64	16	Twice a day or more	Irregularly	Yes	No
92	24.9	Male	Group 1	1.20	1.54	0.78	0.78	1.08	1.57	0.72	10	Once a day	Once a day	Yes	No
93	22.6	Female	Group 2	0.83	0.80	0.80	0.78	0.27	0.67	0.67	0	Twice a day or more	Irregularly	Yes	No
94	24.2	Female	Group 1	0.28	0.09	0.04	0.04	0.02	0.20	0.10	12	Twice a day or more	Irregularly	No	No
95	21.4	Female	Group 2	0.11	0.34	0.63	0.13	0.13	0.52	0.48	7	Twice a day or more	Once a day	Yes	No

[illegible]

