

Additional file 3: Uncropped immunblot scans

Related to publication:

Diurnal control of iron responsive element containing mRNAs through iron regulatory proteins IRP1 and IRP2 is mediated by feeding rhythms

Hima Priyanka Nadimpalli^{1,#}, Georgia Katsioudi^{1,#}, Enes Salih Arpa^{1,#}, Lies Chikhaoui¹, Alaaddin Bulak Arpat¹, Angelica Liechti¹, Gaël Palais², Claudia Tessmer³, Ilse Hofmann³, Bruno Galy², David Gatfield^{1*}

Affiliations:

¹ Center for Integrative Genomics, University of Lausanne, 1015 Lausanne, Switzerland.

² German Cancer Research Center (DKFZ), Division of Virus-associated Carcinogenesis, Im Neuenheimer Feld 280, 69120, Heidelberg, Germany.

³ German Cancer Research Center (DKFZ), Core Facility Antibodies, Im Neuenheimer Feld 280, 69120, Heidelberg, Germany.

email addresses: himapriyanka.nadimpalli@unil.ch, georgia.katsioudi@unige.ch, enessalih.arpa@unil.ch, lies.chikhaoui@outlook.fr, bulak.arpat@gmail.com, angeliechti@hotmail.com, g.palais@dkfz-heidelberg.de, c.tessmer@dkfz-heidelberg.de, i.hofmann@dkfz.de, b.galy@dkfz-heidelberg.de, david.gatfield@unil.ch

Figure 2E




Figure 2G





Figure 2K



Figure 2I

VINCULIN



IREB2




Figure 4G






Figure 4G

IREB2/IRP2



140 kDa
115 kDa



VINCULIN

Figure 4J







Figure 4J

IREB2/IRP2



140 kDa
115 kDa



VINCULIN