

Table S5. Antibody panel used with the COMET system.

Marker	Product code	Clone	Isotype	Host species	Recommended working conc.		
					in µg/ml	stock	Dilution
αSMA	MR10100	1A4	IgG/k	Mouse	0.05	6.3	118
CD3	MR10010	LUN3	IgG1	Rabbit	0.14	241	1673
CD4	MR10020	BL-155-1C11	IgG	Rabbit	10.00	1000	100
CD8	MR10030	C8/144B	IgG1	Mouse	1.25	250	200
CD11c	MR10070	BLR138H	IgG	Rabbit	0.67	100	150
CD20	MR10050	L26	IgG2a/k	Mouse	0.11	35	312.5
CD45	MR10090	PD7/26 + 2B11	IgG1/k	Mouse	7.71	993	128
CD56	MR10060	LUN56	IgG1	Rabbit	0.13	33	250
CD68	MR10080	KP1	IgG1	Mouse	0.20	50	250
FOXP3	MR10040	236A/E7	IgG1	Mouse	19.10	955	50
Ki-67	MR10110	BLR021E	IgG	Rabbit	0.07	50	700
PD-1	MR10120	EPR4877(2)	IgG	Rabbit	2.50	2002	800
PD-L1	MR10130	73-10	IgG	Rabbit	0.14	115	800