

Table S1. Sequences of the oligonucleotide used in this study.

Primer used for sequencing for DMD gene sequencing and ssODN production			
TARGET	PRIMER NAME	SEQUENCE	PRODUCT LENGHT
<i>DMD GENE</i>	DMD_ex48AF	TGTGTAAGGTGTGTGTTTGA	396
	DMD_ex48AR	AGGAGATAACCACAGCAGCA	
	DMD_ex48BF	AAGCTCAAATAAAAAGACCTTGGG	555
	DMD_ex48BR	CACCCTCAGTATTCTCCACCA	
	DMD_ex48CF	AACATCAGGGGTAAGTGGGA	394
	DMD_ex48CR	CAGTAACAAATATGATGCAGGCA	
	DMD1fosfo_48BR	5 ' PHOSPHO-CACCCTCAGTATTCTCCACCA	
<i>DMD EXON 47-53 ON cDNA</i>	DMD1_47F	TCTCCAGTGGATAAAGGTTTCC	806 wt
	DMD1_53R	GGTGTCTTGTACCTCATCCCA	595 DMD1
Primer used for sequencing off target regions			
TARGET	PRIMER NAME	SEQUENCE	PRODUCT LENGHT
<i>ADAMTS20</i>	ADAMTS20_F	CTGCTATGCCTTCAACCAACA	172
	ADAMTS20_R	GTGTGCGTGATTGGTCTTGT	
<i>FTO</i>	FTO_F	TGTACAACAAGCATCTGAGATTG	210
	FTO_R	CCCCATTCTCCCTGTAGACA	
<i>L3MBTL3</i>	L3MBTL3_F	GGAAACTTCACCAATGCCTAGT	216
	L3MBTL3_R	CCGAAAGACATTATGACCCAGAG	
<i>LIMCH1</i>	LIMCH1_F	TGGCACCAAAATGACCCCTTT	210
	LIMCH1_R	ACCTGTGGTCTCTGAGTCAC	
<i>MMP15</i>	MMP15_F	GGTACGAGTGAAAGCCAACC	156
	MMP15_R	CTGGGAAAGGAGGTCTGAGG	
<i>PRRT3</i>	PRRT3_F	AGCTCCTCTCACCCGCTG	163
	PRRT3_R	TCTCATTTTCTCTTTGTGGCA	
RP1-65P5.1	RP1-65P5.1_F	AGCACAACAAATGACCAGCA	164
	RP1-65P5.1_R	AGGTAAGGATGCTATGGGGC	
<i>SCARB1</i>	SCARB1_F	CACTCTCAGACACCACCTCC	151
	SCARB1_R	CACACAGCCACATGAGGAAT	
<i>CANCA1B</i>	CACNA1B_F	GACCTTTTCAGCATCCATAGAGA	336
	CACNA1B_R	GGAGTGGAATGAGACCCTCT	
<i>CLEC16A</i>	CLEC16A_F	TCAAGAAAGGTGAGGTCAGGG	150
	CLEC16A_R	CAGCCTTCCCCTCCTCAAG	
<i>IL1RAP</i>	IL1RAP_F	GTGATATGTCTGTTTTGGGCCCT	157
	IL1RAP_R	GCATTTCAAAGCACCTGAGAG	
RP11-522M21.3	RP11-522M21.3_F	TCTAACTCAGTCTCCAGGTGG	160
	RP11-522M21.3_R	TTGTTATGGTGAGGGTTGGC	
<i>SCP2</i>	SCP2_F	GCCAAAAGAAACAGCCAAACC	181
	SCP2_R	ACTGAGCACTTACTACACTAGGT	
<i>STK3</i>	STK3_F	TGAAAACCAACCTGAAGATTCCA	166
	STK3_R	CCTGGCCGATTACCTTACTTTC	
TAF1B	TAF1B_F	TGGACCCATCAAAATTATTGGCT	168
	TAF1B_R	GAGGTGTGTTACTGACTTCAAGA	
AC009234.1-NRXN1	AC009234.1_F	TGTCAAAACAGTGTTGCCTTT	425
	AC009234.1_R	TGCTTGACGTAGAACAACCT	
AC079163.1-AC079248.1	AC079163.1_F	ATCGTCCACAGTCCACAGAG	367
	AC079163.1_R	CGGGAAGTTGAAGCAGGAGA	
ADH5P2-RP11-339A11.1	339A11.1_F	GCTCTTGATTTTGCCTGGTCT	483
	339A11.1_R	AGGTCACAAGTGTCTCCTGA	
BAI3-AL358133.1	BAI3_F	ACTACGCTCAAGTAAATCAAAGC	593
	BAI3_R	CATCTCTCCCTTATGTGCAATGT	
CSRP2BP-PET117/CSRP2BP	CSRP2BP_F	TCCTGGGAAAACCTTGAGATGGA	223
	CSRP2BP_R	TTGTTGAACCAGGTCCCAT	
FECHP1-KRT8P18	KRT8P18_F	TGTGCTCTGCTTGCTAAACA	400
	KRT8P18_R	CCCAGCACTGACTCTCCTAT	
IQCJ-SCHIP1-IQCJ-SCHIP1/IQCJ	SCHIP1_IQCJ_F	ATGGAGGGAAGTCTTCAGCC	395
	SCHIP1_IQCJ_R	CCAATGAGACTAGCCCCCTCC	
LINC00460-RPL35P9	RPL35P9_F	GGGGCTTCTTGAAAATCTTCTCT	264
	RPL35P9_R	CATGCCTTTTCTACTTTCACCA	

Primer used for sequencing off target regions (continues)			
TARGET	PRIMER NAME	SEQUENCE	PRODUCT LENGHT
MXRA5P1-RPS24P1	RPS24P1_F	TCTGCTTTCTCTTCTGTTGATGA	299
	RPS24P1_R	GCATCCTTATTTATGAGACCCCT	
RNA5SP336-NELL1	NELL1_F	TGATGGGTTTGTGTAGGAGGG	298
	NELL1_R	TCAGGTTGAGGCATTAAC TTCA	
RP11-183E24.2-CTD-2544M6.1	CTD-2544M6.1_F	CATCAGCAGCCTACCCCTG	296
	CTD-2544M6.1_R	TCAGCGACAAAATAGGGAAGC	
RP11-197P3.1-C9orf40	C9orf40_F	ACATTGTGCCTCTCCCTGTC	229
	C9orf40_R	ATGCTTCCTGTATACCCTGTG	
RP11-354I10.1-OFCC1	OFCC1_F	GGTGGTATGTGACTTTTGGGG	284
	OFCC1_R	ACCATCCTCCCATCTCAGAC	
RP11-371F15.3-RP11-577B7.1	RP11-577B7.1_F	AAGGCACCCACCACTTTG	208
	RP11-577B7.1_R	TCAAATTCTGCTGAGTCACGG	
RP11-481N16.1-RP11-47P18.1	RP11-47P18.1_F	AGCCCAGAAGATTTTCATTGCC	458
	RP11-47P18.1_R	ACTGACAGACACCTCACTCA	
RP11-545H22.1-AC006552.1	AC006552.1_F	GGTTCCAAGGATTTCTGGAGC	234
	AC006552.1_R	CTTCCCCCTCCCTGAGATGC	
RP11-756H20.1-CTC-394G3.1	CTC-394G3.1_F	GTCTGTAGTCTCTGCATCCCA	299
	CTC-394G3.1_R	CTTCCCCAGTTTCATTCAGCA	
snoU13-RP5-1168A5.1	RP5-1168A5.1_F	ACTGGCTGTGTCTTACTCAAA	374
	RP5-1168A5.1_R	GTAAGCAGCAACAACCTTGATACA	
TBC1D5-AC090960.1	AC090960.1_F	GTTGTTGGACACGTTGGGAA	209
	AC090960.1_R	TCAGATTACGGAGGATAGGAGT	
TECTA-RP11-775A1.2	RP11-775A1.2 F	AGTCACTTAACATGGAGCCCT	509
	RP11-775A1.2 R	TGGCATTCAGAAACATCAGCA	
TMEM200A-Y_RNA	Y_RNA_F	GGTGCTGCCTTTACTTGACT	196
	Y_RNA_R	GGTCAGAGGGTCAGAAGTCA	
Primer used for qRT-PCR			
TARGET	PRIMER NAME	SEQUENCE	PRODUCT LENGHT
COL1A1	COL1A1_F	CCCCTGGAAAGAATGGGAGATG	148
	COL1A1_R	TCCAAACCACTGAAACCTCTG	
ACTA2	ACTA2_F	TACTGCTGAGCGTGAGATTG	108
	ACTA2_R	TTCTCAAGGGAGGATGAGGA	
TGFB1	TGFβ1_F	AAGTGGACATCAACGGGTTC	218
	TGFβ1_R	GTCCCTGCGGAAGTCAATGT	
DMD EXON 13-17 ON cDNA	DMD_13F	ACTGCTGCTTTGGAAGAACA	499
	DMD_17R	CCCTTGTTGGTCACCGTAGTT	
GAPDH	GAPDH_F	ATGTTTCGTCATGGGTGTGAA	173
	GAPDH_R	GTCTTCTGGGTGGCAGTGAT	

Table S2. Sequence of the DMD insert of the pUCIDT-AMP

INSERT SEQUENCE OF THE pUCIDT-AMP
TGTGTAAGGTGTGTGTTTTGAAATTCCAAAAAGGTATTAGTTTCTTTAAAGCAAAGAATTTTGTAGCAGGTTAATGAATAATTTT GAATACATTGGTTAAATCCCAACATGTAATATATGTAAATAATCAATATTATGCTGCTAAAATAACACAATTCAGTAAGATTCTGT AATATTTTCATGATAAATAACTTTTGAAAAATATATTTTTTAAACATTTTGGCTTATGCCTTGAGAATTATTTACCTTTTAAATGTA TTTTCCTTTCAGGTTTCCAGAGCTTTACCTGAGAAACAAGGAGAAATTGAAGCTCAAATAAAAGACCTTGGGCAGCTTGAAAAAA GCTTGAAGACCTTGAAGAGCAGTTAAATCATCTGCTGCTGTGGTTATCTCCTATTAGGAATCAGTTGGAAATTTATAACCAACCAA ACCAAGAAGGACCATTTGACGTTAAGGAACTGAAATAGCAGTTCAAGCTAAACAACCGGATGTGGAAGAGATTTTGTCTAAAGGG CAGCATTTGTACAAGGAAAAACCAGCCACTCAGCCAGTGAAGAGGAAGTTAGAAGATCTGAGCTCTGAGTGGAAGGCGGTAAACCG TTTACTTCAAGAGCTGAGGGCAAAGCAGCCTGACCTAGCTCCTGGACTGACCACTATTGGAGCCTGTAGGGAACTTTTTGCTTTAA ATATTTTTGTCTTTTTTAAAGAAAAATGGCAATATCACTGAATTTTCTCATTTGGTATCATTATTAAAGACAAAATATTACTTGTTA AAGTGTGGTAAGGAAGACTTTATTCAGGATAACCACAATAGGCACAGGGACCACTGCAATGGAGTATTACAGGAGGTTGGATAGAG AGAGATTGGGCTCAACTCTAAATACAGCACAGTGGAAGTAGGAATTTATAGCCAAGGAGCAGTGTAGGAGTCAGTAGATGGAAAAT TATTAAGAGGAAACATCAGGGGTAAGTGGGATTCTGGCTAAACCAACCTCACAGGATTCTTGCTGAAGATAGGCCAGGGTTATCTT ATCAGACAACCTTGGGGAATGGTGGAGAATACTGAGGGTGATCAGGTACCAAGGATAAAGG

Table S3. Composition of LI-BPEL medium.


Component	Volume for 500 mL
Iscove's Modified Dulbecco's Medium (IMDM) (Thermo Fisher Scientific, cat# 21056-023)	215 mL
Ham's F-12 Nutrient Mix (Thermo Fisher Scientific, cat# 31765-027)	215 mL
Protein-free Hybridoma Medium-II (PFHMI) (Thermo Fisher Scientific, cat# 12040-077)	25 mL
Poly(Vinyl Alcohol) (PVA) 5% wt/vol in distilled water (Sigma-Aldrich cat# P8136)	12.5 mL
Bovine Serum Albumin (BSA) 10% wt/vol in IMDM (Sigma-Aldrich, cat# A3311)	12.5 mL
Chemically defined lipid concentrate (CDLC) 100× (Thermo Fisher Scientific, cat# 11905-031)	5 mL
Insulin-transferrin-selenium-ethanolamine (ITS-X) (Thermo Fisher Scientific, cat# 51599-056)	0.5 mL
α-Monothioglycerol 1.3% in IMDM (Sigma-Aldrich, cat# M6145)	1.5 mL
L-ascorbic acid 2-phosphate 5 mg/mL in distilled water (Sigma-Aldrich, cat# A8960)	5 mL
Glutamax (Thermo Fisher Scientific, cat# 35050-038)	5 mL
Penicillin–streptomycin (Euroclone, Cat# ECB3001D)	2.5 mL
Phenol red (Sigma-Aldrich, cat# P0290)	1 mL

Table S4. Antibodies used for immunofluorescence experiments.

Antibodies	Dilution	Source	Identifier
Rabbit anti-OCT4	1:250	Abcam	Cat# ab19857 RRID: AB_445175
Rabbit anti-SOX17	1:300	Cell Signaling Inc.	Cat# 81778; RRID: AB_2650582
Mouse anti-FOXA2	1:200	Abcam	Cat# ab60721; RRID: AB_941632
Mouse anti-cardiac troponin T (cTnT)	1:200	Thermo Fisher Scientific	Cat# MA- 512960; RRID: AB_11000742
Mouse anti-NESTIN	1:150	Abcam	Cat# ab22035; RRID: AB_446723
Rabbit anti-PAX6	1:300	BioLegend	Cat# PRB-278P; RRID: AB_291612
Rabbit anti-Dystrophin	1:150	Abcam	Cat# ab15277; RRID: AB_301813;
Rabbit anti-COL1A1 (E8F4L) XP	1:200	Cell Signaling Inc.	Cat# 72026; RRID:AB_2904565
Mouse anti- α -Actinin (Sarcomeric)	1:200	Sigma-Aldrich	Cat# A7811 RRID: AB_476766

Table S5. Characteristics of the gRNA selected for CRISPR experiments.

Guide Sequence + PAM	MIT Specificity Score	CFD Spec. score	Predicted Efficiency		Off-targets for 0-1-2-3-4 mismatches	Off target positions
			Doench '16	Mor.- Mateos		
GACCATTTGACGTTTCAGGTA GGG	74	95	47	44	0 - 0 - 0 - 5 - 31	3:intergenic:RP11-756H20.1-CTC-394G3.1; 3:intron:RP11-522M21.3; 3:intergenic:CSRP2BP-PET117/CSRP2BP; 3:intron:LIMCH1; 3:intergenic:TECTA-RP11-775A1.2; 4:intron:ADAMTS20; 4:intergenic:AC079163.1-AC079248.1; 4:intron:IL1RAP; 4:intron:L3MBTL3; 4:intergenic:AC009234.1-NRXN1; 4:intron:FTO; 4:intergenic:RP11-197P3.1-C9orf40; 4:intergenic:RP11-354I10.1-OFCC1; 4:intergenic:LINC00460-RPL35P9; 4:intron:TAF1B; 4:intergenic:FECHP1-KRT8P18; 4:exon:SCARB1; 4:intergenic:RP11-371F15.3-RP11-577B7.1; 4:intron:STK3; 4:intergenic:TMEM200A-Y_RNA; 4:intron:CLEC16A; 4:intergenic:snoU13-RP5-1168A5.1; 4:intergenic:TBC1D5-AC090960.1; 4:intron:RP1-65P5.1; 4:intron:SCP2; 4:intergenic:RNA5SP336-NELL1; 4:intergenic:IQCJ-SCHIP1-IQCJ-SCHIP1/IQCJ; 4:intron:PRRT3; 4:intergenic:RP11-183E24.2-CTD-2544M6.1; 4:intron:CACNA1B; 4:intergenic:ADH5P2-RP11-339A11.1; 4:intergenic:RP11-481N16.1-RP11-47P18.1; 4:exon:MMP15; 4:intergenic:BAI3-AL358133.1; 4:intergenic:RP11-545H22.1-AC006552.1; 4:intergenic:MXRASP1-RPS24P1.






Figure S2. FACS analyses of iPSC-CMs using anti-cTnT antibody. Gating strategy and representative FACS analysis histogram showing that a similar percentages of (A-C) control (CON3; light blue), (D-F) DMD1 (red, middle) and (G-I) ISO-50 (blue, down) are positive for the cardiomyocyte marker troponin T. (A,B,D,E,G,H) Gating strategy used




Figure S3. Pluripotency characterization of ISO-50 edited iPSCs. (A) Transmitted light images showing the pluripotent cell morphology. (B) Immunofluorescence image showing in green the expression of OCT4. (C-D) Gating strategy and representative FACS analysis histogram showing that large percentages of ISO-50 cells expressed the pluripotency marker SSEA4 at similarly to original DMD1 cells, as indicated by (E) the summary data graph (values are expressed as mean $\pm$ SEM, Student's t test, $n = 3$). (F) *In vitro* trilineage differentiation assay highlighted that ISO-50 was capable of differentiation into all three germ layers.

ADAMTS20				
DMD1	1	AGGTTCTGGCCATACCTGAATGTTAAATGGCACCTGCTACAATGCTAAAA	50	
ISO-50	1	AGGTTCTGGCCATACCTGAATGTTAAATGGCACCTGCTACAATGCTAAAA	50	
DMD1	51	ATAAATGTATAAATATGATAGATGGACTCATTGTAYACCATGTCTACTACA	100	
ISO-50	51	ATAAATGTATAAATATGATAGATGGACTCATTGTAYACCATGTCTACTACA	100	
DMD1	101	AGACCAATCAGC	112	
ISO-50	101	AGACCAATCAGC	112	

L3MBTL3				
DMD1	1	GTCTCAGCGCCAGCTGTAAGAACAGGGAGGTGACTAAGTGGCAGTGCAGA	50	
ISO-50	1	GTCTCAGCGCCAGCTGTAAGAACAGGGAGGTGACTAAGTGGCAGTGCAGA	50	
DMD1	51	GGGACATGGTAGGGCTTCCCATAACTGAGCAGTTTCCTTACCTGAAC TTC	100	
ISO-50	51	GGGACATGGTAGGGCTTCCCATAACTGAGCAGTTTCCTTACCTGAAC TTC	100	
DMD1	101	TAATGATGTCTGAAATTTACAGAGAATTATTCCTCTGGGTCAA	143	
ISO-50	101	TAATGATGTCTGAAATTTACAGAGAATTATTCCTCTGGGTCAA	143	

CACNA1B				
DMD1	1	ATGGGGATTTTATAGTAATGAATTTTTTGATATGAAATATCTTTGCAATCT	50	
ISO-50	1	ATGGGGATTTTATAGTAATGAATTTTTTGATATGAAATATCTTTGCAATCT	50	
DMD1	51	TAGAATAAAATCCAAGTGGTTATTATATTTATTTTGTAATATGCCATTGGA	100	
ISO-50	51	TAGAATAAAATCCAAGTGGTTATTATATTTATTTTGTAATATGCCATTGGA	100	
DMD1	101	TTCTCTTTAACATTTTTTGTAGGATTTTGGATTGATATTTTTAAGCGAG	150	
ISO-50	101	TTCTCTTTAACATTTTTTGTAGGATTTTGGATTGATATTTTTAAGCGAG	150	
DMD1	151	ATGTGTTCTGTAGCTTTCTTTTGTCACATTTGAGGATCATAAGGTTTAAA	200	
ISO-50	151	ATGTGTTCTGTAGCTTTCTTTTGTCACATTTGAGGATCATAAGGTTTAAA	200	
DMD1	201	TATCAATGACATAGAGTTATCTATTGCTTAACTTCACAGCTCCATTCCCTG	250	
ISO-50	201	TATCAATGACATAGAGTTATCTATTGCTTAACTTCACAGCTCCATTCCCTG	250	
DMD1	251	AAAATCAAATGTTCTAAAAGAGGGTCTCT	279	
ISO-50	251	AAAATCAAATGTTCTAAAAGAGGGTCTCT	279	

PRRT3				
DMD1	1	TTGCTGCTCTCTCTGAATGACA AAGCAGTCATCACCTTACCTGACCCCTCC	50	
ISO-50	1	TTGCTGCTCTCTCTGAATGACA AAGCAGTCATCACCTTACCTGACCCCTCC	50	
DMD1	51	TATGGTCCTCCTAATCCCTCAGGATTGAGTCACAATCAACCTCATTTGCC	100	
ISO-50	51	TATGGTCCTCCTAATCCCTCAGGATTGAGTCACAATCAACCTCATTTGCC	100	
DMD1	101	ACAAAGAGGAAAATGAGAAAA	121	
ISO-50	101	ACAAAGAGGAAAATGAGAAAA	121	

SCARB1				
DMD1	1	GCCACCTTGGCCCTACCTGACCGTCCAATGTGCCTTGCCTGTCCCTGCCA	50	
ISO-50	1	GCCACCTTGGCCCTACCTGACCGTCCAATGTGCCTTGCCTGTCCCTGCCA	50	
DMD1	51	CAGGGCCTTTGCAGTGGCCGCTCCAGGCAGCATTCCTCATGTGGCTGTGT	100	
ISO-50	51	CAGGGCCTTTGCAGTGGCCGCTCCAGGCAGCATTCCTCATGTGGCTGTGT	100	
DMD1	101	GAAT	104	
ISO-50	101	GAAT	104	

CLEC16A				
DMD1	1	GAGAGCTGGACCGTGTGAAGTTCAGGCAGGGCAGGTGGCATGAATGGGGT	50	
ISO-50	1	GAGAGCTGGACCGTGTGAAGTTCAGGCAGGGCAGGTGGCATGAATGGGGT	50	
DMD1	51	CCAGGGCTGGCTGTGGTGAATGCATTGCGCTTGAGGAGTGGGAAGGCTGAA	100	
ISO-50	51	CCAGGGCTGGCTGTGGTGAATGCATTGCGCTTGAGGAGTGGGAAGGCTGAA	100	
DMD1	101	T	101	
ISO-50	101	T	101	

LIMCH1				
DMD1	1	GCCACCTTGGCCCTACCTGACCGTCCAATGTGCCTTGCCTGTCCCTGCCA	50	
ISO-50	1	GCCACCTTGGCCCTACCTGACCGTCCAATGTGCCTTGCCTGTCCCTGCCA	50	
DMD1	51	CAGGGCCTTTGCAGTGGCCGCTCCAGGCAGCATTTCCTCATGTGGCTGTGT	100	
ISO-50	51	CAGGGCCTTTGCAGTGGCCGCTCCAGGCAGCATTTCCTCATGTGGCTGTGT	100	
DMD1	101	GAAT	104	
ISO-50	101	GAAT	104	

MMP15				
DMD1	1	ATGGGGATTTTATAGTAATGAATTTTTTGATATGAAATATCTTTGCAATCT	50	
ISO-50	1	ATGGGGATTTTATAGTAATGAATTTTTTGATATGAAATATCTTTGCAATCT	50	
DMD1	51	TAGAATAAAATCCAAGTGGTTATTATATTTATTTTGTAATATGCCATTGGA	100	
ISO-50	51	TAGAATAAAATCCAAGTGGTTATTATATTTATTTTGTAATATGCCATTGGA	100	
DMD1	101	TTCTCTTTAACATTTTTTGTAGGATTTTGGATTGATATTTTTAAGCGAG	150	
ISO-50	101	TTCTCTTTAACATTTTTTGTAGGATTTTGGATTGATATTTTTAAGCGAG	150	
DMD1	151	ATGTGTTCTGTAGCTTTCTTTTGTCACATTTGAGGATCATAAGGTTTAAA	200	
ISO-50	151	ATGTGTTCTGTAGCTTTCTTTTGTCACATTTGAGGATCATAAGGTTTAAA	200	
DMD1	201	TATCAATGACATAGAGTTATCTATTGCTTAACTTCACAGCTCCATTCCCTG	250	
ISO-50	201	TATCAATGACATAGAGTTATCTATTGCTTAACTTCACAGCTCCATTCCCTG	250	
DMD1	251	AAAATCAAATGTTCTAAAAGAGGGTCTCT	279	
ISO-50	251	AAAATCAAATGTTCTAAAAGAGGGTCTCT	279	

RP1-65P5				
DMD1	1	CAAAACAGACGGTGGCAATAAGACACCAAACATAAACAAGACCTGAGGC	50	
ISO-50	1	CAAAACAGACGGTGGCAATAAGACACCAAACATAAACAAGACCTGAGGC	50	
DMD1	51	CATACAAGGCAAGGGTTAACTCAGCCTGCGGGCCATCAGTTTGCCCCA	100	
ISO-50	51	CATACAAGGCAAGGGTTAACTCAGCCTGCGGGCCATCAGTTTGCCCCA	100	
DMD1	101	TAGC	104	
ISO-50	101	TAGC	104	

RP11-522M21.3				
DMD1	1	TCACATGGTTGATCCTTCTCTTGCAACAGCTTGGACCATATGACTATCA	50	
ISO-50	1	TCACATGGTTGATCCTTCTCTTGCAACAGCTTGGACCATATGACTATCA	50	
DMD1	51	GGTATGGCCCATCCTACCTAAGATCTTATGTGGCCAACCCCTCACCATAA	100	
ISO-50	51	GGTATGGCCCATCCTACCTAAGATCTTATGTGGCCAACCCCTCACCATAA	100	
DMD1	101	CAAAAT	106	
ISO-50	101	CAAAAT	106	

SCP2

DMD1	1	GAGGGTATATACCTTCCCTGAGAGTCCAATGGTCTTATCTAAATATGATG	50
ISO-50	1	GAGGGTATATACCTTCCCTGAGAGTCCAATGGTCTTATCTAAATATGATG	50
DMD1	51	AGAATAATTTCTATCCATAGAACTGTTGTGGGGATTAAATGAGATAAGGA	100
ISO-50	51	AGAATAATTTCTATCCATAGAACTGTTGTGGGGATTAAATGAGATAAGGA	100
DMD1	101	AGATAGAGCACCTAGTGTAGTAAGTGCTCAGTT	133
ISO-50	101	AGATAGAGCACCTAGTGTAGTAAGTGCTCAGTT	133

TAF1B

DMD1	1	ATCAAAATTATTGGCTTTTGAGACAATTCGAGACCCTTCTGGGAAGGAA	50
ISO-50	1	ATCAAAATTATTGGCTTTTGAGACAATTCGAGACCCTTCTGGGAAGGAA	50
DMD1	51	TTGGGTAGTTAGCAGAGGTGGGGAGACTTTGTGACATTCAGGTAAGGGA	100
ISO-50	51	TTGGGTAGTTAGCAGAGGTGGGGAGACTTTGTGACATTCAGGTAAGGGA	100
DMD1	101	GAAG	104
ISO-50	101	GAAG	104

STK3

DMD1	1	TGCAAATAAGAGGCAGCAGCATTCATGAACAAAGGAAAGCTGCAGGAACA	50
ISO-50	1	TGCAAATAAGAGGCAGCAGCATTCATGAACAAAGGAAAGCTGCAGGAACA	50
DMD1	51	TTTGAGATACAGGTAAGGGTCACCCAGCTTCACCTAACTGTGAAAGTAAG	100
ISO-50	51	TTTGAGATACAGGTAAGGGTCACCCAGCTTCACCTAACTGTGAAAGTAAG	100
DMD1	101	GTAATCGGCCAGGAA	115
ISO-50	101	GTAATCGGCCAGGAA	115

FTO

DMD1	1	AGCAGTAATTCTTGTATTATTTGTCAAGAACCTTCCACTGAGCACAAAGC	50
ISO-50	1	AGCAGTAATTCTTGTATTATTTGTCAAGAACCTTCCACTGAGCACAAAGC	50
DMD1	51	GCACCATACTTGAAGGTCAAATGCTTAACCCCTTCTGCATGGTTACAATGA	100
ISO-50	51	GCACCATACTTGAAGGTCAAATGCTTAACCCCTTCTGCATGGTTACAATGA	100
DMD1	101	AAATGGACCCCTTTGTTTTTCATTAATGTATACCCAGCCATGTCTACAGG	150
ISO-50	101	AAATGGACCCCTTTGTTTTTCATTAATGTATACCCAGCCATGTCTACAGG	150
DMD1	151	GAGAATGGGGA	161
ISO-50	151	GAGAATGGGGA	161

IL1RAP

DMD1	1	CAATGGCGTCACATTGCCCAAGTGATGTGCTCCTTCCTCCCTCCTCTCTA	50
ISO-50	1	CAATGGCGTCACATTGCCCAAGTGATGTGCTCCTTCCTCCCTCCTCTCTA	50
DMD1	51	CTCCGCTTCCTTCTCTACTCCCTACTCTCAGGTGCTTTGAAATGC	95
ISO-50	51	CTCCGCTTCCTTCTCTACTCCCTACTCTCAGGTGCTTTGAAATGC	95

Figure S4. Sequencing results of predicted off-target regions in ISO-50. Alignment of original DMD1 and edited ISO-50 sequence obtained from Sanger sequencing results of 15 predicted off-target sites.




Figure S5. Analysis of cell morphology. (A) Representative ISO-38 and ISO-34 iPSC-CMs stained for α -actinin (red) and nuclei (blue) from which (B) cell size, (C) sarcomere length, and (D) myofibril alignment measurements were measured, the latter assessed by FFT-based analysis of Z-band organization and angular distribution. For comparison, data from the cell lines shown in the main figures are also included, demonstrating a consistent trend across the three isogenic lines. Magnification is 63X and the scale bar indicates 20 μm . ($n = 3$ biological replicates; One-way ANOVA and Tukey's post-test).




Figure S6. Expression of *DMD* exons in primary and iPSC-derived human cardiac fibroblasts. RNA-seq analysis showed detectable expression of all *DMD* exons in primary human cardiac fibroblasts isolated from 14 different subjects and iPSC-derived cardiac fibroblasts generated from 5 iPSCs. Exons 1–29, which are unique to the full-length Dp427 transcript, were detected in both primary and iPSC-derived cardiac fibroblasts. Values represent log-transformed mean raw counts.




Figure S7. Analysis of full-length dystrophin expression in cardiac fibroblasts. Selected images of WB analysis of proteins extracted from primary cardiac fibroblasts (Pr-CF; isolated from two different subjects) and iPSC-CF (protein obtained from two independent CF differentiation process: CF1 and CF2), hybridized with specific antibody for dystrophin. Proteins extracted from iPSC-CM were used as positive control for dystrophin expression. Immunostaining of the housekeeping Tubulin is shown for normalization.




Figure S8. Expression of cardiomyocyte-associated genes in primary and iPSC-derived human cardiac fibroblasts. RNA-seq analysis showed comparable expression of selected cardiomyocyte-associated genes in primary human cardiac fibroblasts isolated from 14 different subjects and iPSC-derived cardiac fibroblasts generated from 5 independent iPSC lines. Cardiomyocyte-specific structural and functional genes, including *MYH6*, *MYH7*, *MYL7*, *SCN5A*, *TNNI3*, and *TNNT2*, showed low expression in both groups, supporting the absence of significant myogenic characteristics in iPSC-derived cardiac fibroblasts. Values represent log-transformed mean raw counts.




Figure S9. Pathway enrichment landscape in DMD1 CMs. Tornado plot displaying normalized enrichment scores (NES) of significantly enriched pathways in cardiomyocytes from DMD1 vs. ISO-50 and DMD1 vs. CON comparisons for cardiomyocytes. Positive NES values indicate pathways enriched in DMD1, whereas negative NES values indicate pathways enriched in the corresponding control conditions. Color encodes NES direction and magnitude, and shading reflects enrichment significance as $-\log_{10}$ adjusted p-value.




Figure S10. Pathway enrichment landscape in DMD1 CFs. Tornado plot displaying normalized enrichment scores (NES) of significantly enriched pathways in fibroblasts from DMD1 vs. ISO-50 and DMD1 vs. CON comparisons for cardiomyocytes. Positive NES values indicate pathways enriched in DMD1, whereas negative NES values indicate pathways enriched in the corresponding control conditions. Color encodes NES direction and magnitude, and shading reflects enrichment significance as $-\log_{10}$ adjusted p-value.