

Supaglutide alleviates hepatic steatosis in monkeys with spontaneous MASH

Qinghua Wang^{1,2*}, Yue Zhou², Yunzhi Ni², Zhihong Wang², Yan-Ru Lou¹, Zunyuan Yang³, Li Gong³,
Yinan Liang³, Wen Zeng^{3*}, Gerald J. Prud'homme^{1,4}

¹Shanghai Innogen Pharmaceutical Co., Ltd., Shanghai, China

²Department of Endocrinology and Metabolism, Huashan Hospital, Shanghai Medical School,
Fudan University, Shanghai, China

³PriMed Non-human Primate Research Center of Sichuan PriMed Shines Bio-tech Co., Ltd.,
Ya'an, Sichuan Province, China

⁴Department of Laboratory Medicine and Pathobiology, University of Toronto, Canada

*Correspondence: Qinghua Wang, dr.qwang@innogenpharm.com; Wen Zeng,
zengwen@scprimed.com

Figure S1. Treatment with supaglutide showed a lowering tendency of fibrosis area fraction as assessed by Masson staining in liver biopsies.




Table S1. Fibrosis quantification.

Vehicle group		Fibrosis area (μm^2)	Section area (μm^2)	Fibrosis area fraction (%)
1493	Pre	41549.6397	4282060.8470	0.97
	Post	53019.2631	4173712.2941	1.27
1477-1	Pre	24640.1888	2545244.4933	0.97
	Post	25795.2835	3378866.4790	0.76
2043-1	Pre	34719.9498	6869430.6736	0.51
	Post	62761.1477	8527604.8082	0.74
3581-1	Pre	91696.0929	8128158.5484	1.13
	Post	94118.8990	6042885.8110	1.56
4779-1	Pre	68133.1952	6315299.3372	1.08
	Post	94652.3015	9151096.6298	1.03
Low-dose supaglutide group		Fibrosis area (μm^2)	Section area (μm^2)	Fibrosis area fraction (%)
1545	Pre	91744.6041	9261051.8601	0.99
	Post	98622.7904	12060041.2451	0.82
157	Pre	29470.4386	5706501.0000	0.52
	Post	14890.0696	3562096.2555	0.42
1919	Pre	70376.9291	6239250.5174	1.13
	Post	69250.5174	6718922.7658	1.03
4821	Pre	35242.9860	5141541.4390	0.69
	Post	80865.8617	9075123.3465	0.89
5091	Pre	104819.5199	9721833.4009	1.08
	Post	54414.7898	5083870.3308	1.07
High-dose supaglutide group		Fibrosis area (μm^2)	Section area (μm^2)	Fibrosis area fraction (%)
1261	Pre	81712.2410	6342469.6011	1.29
	Post	101519.5271	8233836.3340	1.23
2065	Pre	87226.5570	8494804.8799	1.03
	Post	97897.1600	16728641.2139	0.59
4985	Pre	105813.5120	9175029.7801	1.15
	Post	90544.5325	10723681.9709	0.84
		Mean fibrosis area fraction (%)	SD	
Vehicle group	Pre	0.93	0.22	
	Post	1.07	0.31	
Low-dose supaglutide group	Pre	0.88	0.24	
	Post	0.85	0.23	
High-dose supaglutide group	Pre	1.16	0.11	
	Post	0.89	0.27	