


Anton Swart Biokinetic Rehabilitation Practice

Name: 008 008 008
Number: 008
Gender: Male
Birthdate: 13/12/1957 60 years

P / PQ: 105 ms / 160 ms
QRS: 87 ms
QT / QTc / QTd: 453 ms / 458 ms / -
P/QRS/T axis: 70° / 71° / 73°
Heartrate: 63 bpm

Recorded: 06/05/2018 08:24:47
Recorded by: Mr. Anton Swart
Referring physician:
Ordering physician:
Attending physician:
Location: Anton Swart Biokinetic Rehabilitation Practi
Comment:

UNCONFIRMED INTERPRETATION - MD SHOULD REVIEW



Anton Swart Biokinetic Rehabilitation Practice

Name:

008 008 008

Number:

008

Gender:

Male

Birthdate:

13/12/1957 60 years

P / PQ:

105 ms / 160 ms

QRS:

87 ms

QT / QTc / QTd:

453 ms / 458 ms / -

P/QRS/T axis:

70° / 71° / 73°

Heartrate:

63 bpm

Recorded:

06/05/2018 08:24:47

Recorded by:

Mr. Anton Swart

Referring physician:

Location:

Anton Swart Biokinetic Rehabilitation Practice



Ordering physician:

Attending physician:

Comment:

UNCONFIRMED INTERPRETATION - MD SHOULD REVIEW



Beats		RR	
Total:	312	Minimum	470 ms
Normal:	312	Maximum	1200 ms
Other:	0	Mean:	957 ms
		SD:	73 ms



Heart Rate Variability: Time Domain Analysis

Name: 008, 008 008
 Number: 008
 Gender: Male


Birthdate: 13/12/1957
 Recorded: 06/05/2018 08:24:47



Binsize (ms) = 8

HRV parameters	NN	RR
SDNN (ms)	73	73
Triangular Interpolation (ms)	104	104
Triangular Index	7.43	7.43

Interval statistics	NN	RR
Number	312	312
Minimum (ms)	470	470
Maximum (ms)	1200	1200
Range (ms)	730	730
Avg (ms)	957	957
SD (ms)	73	73
AvgDev (ms)	38	38
p5 (ms)	871	871
p50 (ms)	965	965
p95 (ms)	1026	1026
Skewness	-2.90	-2.90
Kurtosis	19.67	19.67





HRV parameters	NN	RR
SDSD (ms)	88	88
RMSSD (ms)	88	88
NN50	26	26
NN50(1)	18	18
NN50(2)	8	8
pNN50	0.08	0.08
pNN50(1)	0.06	0.06
pNN50(2)	0.03	0.03
Logarithmic Index	0.13	0.13
SD(Logarithmic Index)	0.02	0.02

Interval statistics	NN	RR
Number	311	311
Minimum (ms)	-369	-369
Maximum (ms)	610	610
Range (ms)	979	979
Avg (ms)	0	0
SD (ms)	88	88
AvgDev (ms)	33	33
p5 (ms)	-100	-100
p50 (ms)	-2	-2
p95 (ms)	33	33
Skewness	3.20	3.20
Kurtosis	27.02	27.02

Heart Rate Variability: Frequency Domain Analysis

Name: 008, 008 008
 Number: 008
 Gender: Male

Birthdate: 13/12/1957
 Recorded: 06/05/2018 08:24:47



HRV parameters

	NN	RR
TP (ms2)	2031	2031
VLF (ms2)	386	386
LF (ms2)	336	336
HF (ms2)	1309	1309
LF/HF	0.26	0.26
LF normalized	20.44	20.44
HF normalized	79.56	79.56
VLF peak (mHz)	13	13
LF peak (mHz)	93	93
HF peak (mHz)	319	319

HRV spectral settings

Spectrum of Intervals (SOI)	
Frequency resolution (mHz)	3
VLF lower boundary (mHz)	3
VLF upper boundary (mHz)	40
LF upper boundary (mHz)	150
HF upper boundary (mHz)	400
Smoothing factor	1
Tapering	Hann
Fourier transform	DFT
Sample frequency (Hz)	1.04
Interval correction	Annotation
Interval threshold (%)	10