


Anton Swart Biokinetic Rehabilitation Practice

Name: 009 009 009
Number: 009
Gender: Female
Birthdate: 21/01/1958 60 years

P / PQ: 113 ms / 147 ms
QRS: 81 ms
QT / QTc / QTd: 393 ms / 428 ms / -
P/QRS/T axis: 78° / 83° / 71°
Heartrate: 80 bpm

Recorded: 05/05/2018 14:24:24
Recorded by: Mr. Anton Swart
Referring physician:
Ordering physician:
Attending physician:
Location: Anton Swart Biokinetic Rehabilitation Practi
Comment:

UNCONFIRMED INTERPRETATION - MD SHOULD REVIEW



Anton Swart Biokinetic Rehabilitation Practice

Name:

009 009 009

Number:

009

Gender:

Female

Birthdate:

21/01/1958 60 years

P / PQ:

113 ms / 147 ms

QRS:

81 ms

QT / QTc / QTd:

393 ms / 428 ms / -

P/QRS/T axis:

78° / 83° / 71°

Heartrate:

80 bpm

Recorded:

05/05/2018 14:24:24

Recorded by:

Mr. Anton Swart

Referring physician:

Location:

Anton Swart Biokinetic Rehabilitation Practice



Ordering physician:

Attending physician:

Comment:

UNCONFIRMED INTERPRETATION - MD SHOULD REVIEW




Beats		RR	
Total:	400	Minimum	697 ms
Normal:	400	Maximum	792 ms
Other:	0	Mean:	749 ms
		SD:	15 ms



Heart Rate Variability: Time Domain Analysis

Name: 009, 009 009
 Number: 009
 Gender: Female

Birthdate: 21/01/1958
 Recorded: 05/05/2018 14:24:24



Binsize (ms) = 8

HRV parameters	NN	RR
SDNN (ms)	15	15
Triangular Interpolation (ms)	72	72
Triangular Index	4.60	4.60



HRV parameters	NN	RR
SDSD (ms)	11	11
RMSSD (ms)	11	11
NN50	0	0
NN50(1)	0	0
NN50(2)	0	0
pNN50	0.00	0.00
pNN50(1)	0.00	0.00
pNN50(2)	0.00	0.00
Logarithmic Index	1.25	1.37
SD(Logarithmic Index)	0.17	0.22

Interval statistics	NN	RR
Number	400	400
Minimum (ms)	697	697
Maximum (ms)	792	792
Range (ms)	95	95
Avg (ms)	749	749
SD (ms)	15	15
AvgDev (ms)	12	12
p5 (ms)	727	727
p50 (ms)	750	750
p95 (ms)	773	772
Skewness	-0.00	0.00
Kurtosis	3.24	3.26

Interval statistics	NN	RR
Number	399	399
Minimum (ms)	-28	-28
Maximum (ms)	49	33
Range (ms)	77	61
Avg (ms)	0	0
SD (ms)	11	11
AvgDev (ms)	9	9
p5 (ms)	-18	-18
p50 (ms)	0	0
p95 (ms)	17	17
Skewness	0.27	0.11
Kurtosis	3.43	2.70

Heart Rate Variability: Frequency Domain Analysis

Name: 009, 009 009 Birthdate: 21/01/1958
 Number: 009 Recorded: 05/05/2018 14:24:24
 Gender: Female



HRV parameters	NN	RR	HRV spectral settings	
TP (ms2)	190	190	Spectrum of Intervals (SOI)	
VLF (ms2)	52	52	Frequency resolution (mHz)	3
LF (ms2)	48	48	VLF lower boundary (mHz)	3
HF (ms2)	90	90	VLF upper boundary (mHz)	40
LF/HF	0.53	0.53	LF upper boundary (mHz)	150
LF normalized	34.72	34.72	HF upper boundary (mHz)	400
HF normalized	65.28	65.28	Smoothing factor	1
VLF peak (mHz)	7	7	Tapering	Hann
LF peak (mHz)	103	103	Fourier transform	DFT
HF peak (mHz)	179	179	Sample frequency (Hz)	1.33
			Interval correction	Annotation
			Interval threshold (%)	10