


Anton Swart Biokinetic Rehabilitation Practice

Name: 009 009 009
Number: 009
Gender: Female
Birthdate: 21/01/1958 60 years

Recorded: 06/05/2018 08:37:55
Recorded by: Mr. Anton Swart
Referring physician:
Ordering physician:
Attending physician:
Location: Anton Swart Biokinetic Rehabilitation Practi
Comment:

UNCONFIRMED INTERPRETATION - MD SHOULD REVIEW

P / PQ: 112 ms / 150 ms
QRS: 83 ms
QT / QTc / QTd: 475 ms / 466 ms / -
P/QRS/T axis: 78° / 83° / 72°
Heartrate: 55 bpm



Anton Swart Biokinetic Rehabilitation Practice

Name:

009 009 009

Number:

009

Gender:

Female

Birthdate:

21/01/1958 60 years

P / PQ:

112 ms / 150 ms

QRS:

83 ms

QT / QTc / QTd:

475 ms / 466 ms / -

P/QRS/T axis:

78° / 83° / 72°

Heartrate:

55 bpm

Recorded:

06/05/2018 08:37:55

Recorded by:

Mr. Anton Swart

Referring physician:

Location:

Anton Swart Biokinetic Rehabilitation Practice



Ordering physician:

Attending physician:

Comment:

UNCONFIRMED INTERPRETATION - MD SHOULD REVIEW




Beats		RR	
Total:	275	Minimum	897 ms
Normal:	275	Maximum	1288 ms
Other:	0	Mean:	1088 ms
		SD:	90 ms



Heart Rate Variability: Time Domain Analysis

Name: 009, 009 009
 Number: 009
 Gender: Female

Birthdate: 21/01/1958
 Recorded: 06/05/2018 08:37:55



Binsize (ms) = 8

HRV parameters	NN	RR
SDNN (ms)	90	90
Triangular Interpolation (ms)	384	384
Triangular Index	21.15	21.15

HRV parameters	NN	RR
SDSD (ms)	80	80
RMSSD (ms)	80	80
NN50	157	157
NN50(1)	86	86
NN50(2)	71	71
pNN50	0.57	0.57
pNN50(1)	0.31	0.31
pNN50(2)	0.26	0.26
Logarithmic Index	0.12	0.12
SD(Logarithmic Index)	0.01	0.01



Interval statistics	NN	RR
Number	275	275
Minimum (ms)	897	897
Maximum (ms)	1288	1288
Range (ms)	391	391
Avg (ms)	1088	1088
SD (ms)	90	90
AvgDev (ms)	76	76
p5 (ms)	928	928
p50 (ms)	1090	1090
p95 (ms)	1225	1225
Skewness	-0.18	-0.18
Kurtosis	2.06	2.06

Interval statistics	NN	RR
Number	274	274
Minimum (ms)	-144	-144
Maximum (ms)	309	309
Range (ms)	453	453
Avg (ms)	1	1
SD (ms)	80	80
AvgDev (ms)	65	65
p5 (ms)	-109	-109
p50 (ms)	-11	-11
p95 (ms)	143	143
Skewness	0.68	0.68
Kurtosis	3.46	3.46

Heart Rate Variability: Frequency Domain Analysis

Name: 009, 009 009
Number: 009
Gender: Female

Birthdate: 21/01/1958
Recorded: 06/05/2018 08:37:55



HRV parameters	NN	RR	HRV spectral settings	
TP (ms2)	7117	7117	Spectrum of Intervals (SOI)	
VLF (ms2)	685	685	Frequency resolution (mHz)	3
LF (ms2)	4877	4877	VLF lower boundary (mHz)	3
HF (ms2)	1554	1554	VLF upper boundary (mHz)	40
LF/HF	3.14	3.14	LF upper boundary (mHz)	150
LF normalized	75.83	75.83	HF upper boundary (mHz)	400
HF normalized	24.17	24.17	Smoothing factor	1
VLF peak (mHz)	17	17	Tapering	Hann
LF peak (mHz)	140	140	Fourier transform	DFT
HF peak (mHz)	153	153	Sample frequency (Hz)	0.92
			Interval correction	Annotation
			Interval threshold (%)	10