


Anton Swart Biokinetic Rehabilitation Practice

Name: 016 016
Number: 016
Gender: Female
Birthdate: 26/11/1970 47 years

P / PQ: 103 ms / 145 ms
QRS: 77 ms
QT / QTc / QTd: 432 ms / 428 ms / -
P/QRS/T axis: 55° / 90° / 73°
Heartrate: 58 bpm

Recorded: 01/05/2018 07:38:45
Recorded by: Mr. Anton Swart
Referring physician:
Ordering physician:
Attending physician:
Location: Anton Swart Biokinetic Rehabilitation Practi
Comment:

UNCONFIRMED INTERPRETATION - MD SHOULD REVIEW



Anton Swart Biokinetic Rehabilitation Practice

Name:

016 016

Number:

016

Gender:

Female

Birthdate:

26/11/1970 47 years

P / PQ:

103 ms / 145 ms

QRS:

77 ms

QT / QTc / QTd:

432 ms / 428 ms / -

P/QRS/T axis:

55° / 90° / 73°

Heartrate:

58 bpm

Recorded:

01/05/2018 07:38:45

Recorded by:

Mr. Anton Swart

Referring physician:

Location:

Anton Swart Biokinetic Rehabilitation Practice



Ordering physician:

Attending physician:

Comment:

UNCONFIRMED INTERPRETATION - MD SHOULD REVIEW




Beats		RR	
Total:	285	Minimum	890 ms
Normal:	285	Maximum	1253 ms
Other:	0	Mean:	1046 ms
		SD:	53 ms



Heart Rate Variability: Time Domain Analysis

Name: 016, 016
Number: 016
Gender: Female

Birthdate: 26/11/1970
Recorded: 01/05/2018 07:38:45



Binsize (ms) = 8

HRV parameters	NN	RR
SDNN (ms)	53	53
Triangular Interpolation (ms)	112	112
Triangular Index	7.31	7.31

HRV parameters	NN	RR
SDSD (ms)	65	65
RMSSD (ms)	65	65
NN50	75	75
NN50(1)	43	43
NN50(2)	32	32
pNN50	0.26	0.26
pNN50(1)	0.15	0.15
pNN50(2)	0.11	0.11
Logarithmic Index	0.14	0.14
SD(Logarithmic Index)	0.02	0.02



Interval statistics	NN	RR
Number	285	285
Minimum (ms)	890	890
Maximum (ms)	1253	1253
Range (ms)	363	363
Avg (ms)	1046	1046
SD (ms)	53	53
AvgDev (ms)	36	36
p5 (ms)	988	988
p50 (ms)	1040	1040
p95 (ms)	1170	1170
Skewness	1.54	1.54
Kurtosis	6.69	6.69

Interval statistics	NN	RR
Number	284	284
Minimum (ms)	-160	-160
Maximum (ms)	230	230
Range (ms)	390	390
Avg (ms)	-0	-0
SD (ms)	65	65
AvgDev (ms)	44	44
p5 (ms)	-90	-90
p50 (ms)	-5	-5
p95 (ms)	141	141
Skewness	1.05	1.05
Kurtosis	5.56	5.56

Heart Rate Variability: Frequency Domain Analysis

Name: 016, 016
Number: 016
Gender: Female

Birthdate: 26/11/1970
Recorded: 01/05/2018 07:38:45



HRV parameters	NN	RR	HRV spectral settings	
TP (ms2)	2760	2760	Spectrum of Intervals (SOI)	
VLF (ms2)	323	323	Frequency resolution (mHz)	3
LF (ms2)	1097	1097	VLF lower boundary (mHz)	3
HF (ms2)	1340	1340	VLF upper boundary (mHz)	40
LF/HF	0.82	0.82	LF upper boundary (mHz)	150
LF normalized	45.01	45.01	HF upper boundary (mHz)	400
HF normalized	54.99	54.99	Smoothing factor	1
VLF peak (mHz)	13	13	Tapering	Hann
LF peak (mHz)	144	144	Fourier transform	DFT
HF peak (mHz)	157	157	Sample frequency (Hz)	0.96
			Interval correction	Annotation
			Interval threshold (%)	10