
INTRO

Thank you for your interest in the SAM-KAP research study. The following survey will take about 30 minutes to complete. After completion of this survey, you will receive a \$35 Tango gift card. In this survey, you will be asked questions about knowledge, opinions, and your health. This survey includes questions about HIV, sexual behaviors, and other topics that some may consider sensitive.

Your participation is voluntary. All information shared is completely confidential, and your answers are private. The information you provide will be kept secure. We take your privacy very seriously. Any identifying information is used to make sure you get your gift card and verify your eligibility for the study.

DEMOGRAPHICS

Please enter your **first and last name initials**. Please make sure they match the name you listed on the assent form.

What is your **date of birth** (MM/DD/YYYY)?

What was your sex assigned at birth?

- ☐ Male
- ☐ Female
- ☐ Prefer Not to Answer

What term best describes your current gender identity? Please check all that apply.

- ☐ Man (Cisgender)
- ☐ Woman (Cisgender)
- ☐ Transgender Man
- ☐ Transgender Woman
- ☐ Gender Non-Binary/Genderqueer/Gender Nonconforming
- ☐ Agender
- ☐ Bigender
- ☐ Other (please specify)
- ☐ Prefer Not to Answer

What is your race? Please check all that apply.

- ☐ Black or African American
- ☐ White
- ☐ American Indian or Alaskan Native
- ☐ Asian
- ☐ Native Hawaiian or Other Pacific Islander
- ☐ Prefer Not to Answer

Are you of Hispanic, Latino, or Spanish origin?

- ☐ No, not of Hispanic, Latino, or Spanish origin
- ☐ Yes, of Hispanic, Latino, or Spanish origin
- ☐ Prefer Not to Answer

Which of the following best represents your sexual orientation? Please check all that apply.

- ☐ Gay
- ☐ Lesbian
- ☐ Straight
- ☐ Bisexual

☐ Queer

☐ Other (please specify)

☐ Prefer Not to Answer

Do you live in Alabama?

☐ Yes

☐ No

☐ Prefer Not to Answer

What is your zip code?

What is the highest level of education that either of your parents/guardians has achieved?
Grades are roughly equivalent to years of school.

☐ Have never gone to school

☐ 5th grade or less

☐ 6th to 8th grade

☐ 9th to 12th grade, no diploma

☐ High School Graduate or GED completed

☐ Some college level training or Technical/Vocational Degree

☐ Bachelor's Degree

☐ Other advanced degree (Master's or Doctoral Degree)

☐ I Don't Know

☐ Prefer Not to Answer

In the last year, what was roughly your family's total household income from all sources,
before taxes?

☐ Less than \$15,000

☐ \$15,000 - \$19,999

☐ \$20,000 - \$24,999

- ☐ \$25,000 - \$34,999
- ☐ \$35,000 - \$49,999
- ☐ \$50,000 - \$74,999
- ☐ \$75,000 - \$99,999
- ☐ \$100,000 and above
- ☐ I Don't Know
- ☐ Prefer Not to Answer

Have you ever been tested for HIV?

- ☐ Yes
- ☐ No
- ☐ Prefer Not to Answer

Was the HIV test taken in the past 6 months?

- ☐ Yes
- ☐ No
- ☐ I Don't Know
- ☐ Prefer Not to Answer

STIS & HIV

The next section will include questions about your knowledge and behaviors surrounding HIV and other sexually transmitted infections (STIs). HIV stands for Human Immunodeficiency Virus, a virus that attacks the immune system.

Please answer the following questions to the best of your ability. All answers are anonymous.

In the last 6 months, have you had any form of sex (including vaginal, anal, and oral sex)?

- ☐ Yes
- ☐ No

☐ Prefer Not to Answer

In the last 6 months, did one or more of your sexual partners have an unknown HIV status?

☐ Yes

☐ No

☐ Prefer Not to Answer

In the last 6 months, did you use condoms inconsistently during sex?

☐ Yes

☐ No

☐ Prefer Not to Answer

In the last 6 months, have you had a sex partner who...

Please check all that apply.

☐ Is living with HIV

☐ Injects drugs

☐ Has sex with men

☐ Is a transgender person

☐ Is a sex worker

☐ Has sex with multiple partners without condoms

☐ None of the Above

☐ Prefer Not to Answer

In the last 6 months, have you had an sexually transmitted infection (STI)?

☐ Yes

☐ No

☐ Prefer Not to Answer

Which STI(s) have you had in the last 6 months? Please check all that apply.

- ☐ Gonorrhea
- ☐ Chlamydia
- ☐ Syphilis
- ☐ Other (please specify)
- ☐ Prefer Not to Answer

In the last 6 months, have you used any injectable substances?

- ☐ Yes
- ☐ No
- ☐ Prefer Not to Answer

In the last 6 months, have you shared injecting materials with other people?

- ☐ Yes
- ☐ No
- ☐ Prefer Not to Answer

In the last 6 months, have you taken post-exposure prophylaxis (PEP) following a potential exposure to HIV?

- ☐ Yes
- ☐ No
- ☐ Prefer Not to Answer

The following statements will ask about your knowledge related to HIV. Please read the following statements carefully and answer them to the best of your ability.

	True	False	I Don't Know	Prefer Not to Answer
Coughing and sneezing does NOT spread HIV.	☐	☐	☐	☐
A person can get HIV by sharing a glass of water with someone who has HIV.	☐	☐	☐	☐

	True	False	I Don't Know	Prefer Not to Answer
Pulling out the penis before climax/cum keeps the other partner from getting HIV during sex.	☐	☐	☐	☐
A woman can get HIV if she has anal sex with a man.	☐	☐	☐	☐
Showering, or washing one's genitals/private parts, after sex keeps a person from getting HIV.	☐	☐	☐	☐
All pregnant people infected with HIV will have babies born with AIDS.	☐	☐	☐	☐
People who have been infected with HIV quickly show serious signs of being infected.	☐	☐	☐	☐
There is a vaccine that can stop adults from getting HIV.	☐	☐	☐	☐
People are likely to get HIV by deep kissing, putting their tongue in their partner's mouth, if their partner has HIV.	☐	☐	☐	☐
If someone is having a period and has sex, they cannot get HIV.	☐	☐	☐	☐
There is a female condom that can help decrease the chances of getting HIV.	☐	☐	☐	☐
A natural skin condom works better against HIV than does a latex condom.	☐	☐	☐	☐
A person will NOT get HIV if she or he is taking antibiotics.	☐	☐	☐	☐
Having sex with more than one partner can increase a person's chance of being infected with HIV.	☐	☐	☐	☐
Taking a test for HIV one week after having sex will tell a person if she or he has HIV.	☐	☐	☐	☐
A person can get HIV by sitting in a hot tub or swimming pool with a person who has HIV.	☐	☐	☐	☐
A person can get HIV from oral sex.	☐	☐	☐	☐
Using Vaseline or baby oil with condoms lowers the chance of getting HIV.	☐	☐	☐	☐

The following statements will ask about your knowledge related to different sexually transmitted infections (STIs). Please read the following statements and answer them to the best of your ability.

	True	False	I Don't Know	Prefer Not to Answer
Genital herpes is caused by the same virus as HIV.	☐	☐	☐	☐
Frequent urinary infections can cause chlamydia.	☐	☐	☐	☐
There is a cure for gonorrhea.	☐	☐	☐	☐
It is easier to get HIV if a person has another sexually transmitted infection.	☐	☐	☐	☐
Human papillomavirus (HPV) is caused by the same virus that causes HIV.	☐	☐	☐	☐
Having anal sex increases a person's risk of getting Hepatitis B.	☐	☐	☐	☐
Soon after infection with HIV, a person develops open sores on his or her genitals (penis or vagina).	☐	☐	☐	☐
There is a cure for chlamydia.	☐	☐	☐	☐
Genital herpes can be passed from the pregnant person to their newborn baby during childbirth.	☐	☐	☐	☐
A person can look at their body and tell if they have gonorrhea.	☐	☐	☐	☐
The same virus that causes all of the sexually transmitted infections.	☐	☐	☐	☐
Human papillomavirus (HPV) causes genital warts.	☐	☐	☐	☐
Using a natural skin (lambskin) condom can protect a person from getting HIV.	☐	☐	☐	☐
Human papillomavirus (HPV) can lead to cancer.	☐	☐	☐	☐
A person must have vaginal sex to get genital warts.	☐	☐	☐	☐
Sexually transmitted infections can lead to health problems that	☐	☐	☐	☐

	True	False	I Don't Know	Prefer Not to Answer
are usually more serious for men than women.	☐	☐	☐	☐
Chlamydia can cause a bad smelling odor from vaginas.	☐	☐	☐	☐
If a person tests positive for HIV, the test can tell how sick the person will become.	☐	☐	☐	☐
There is a vaccine available to prevent a person from getting gonorrhea.	☐	☐	☐	☐
A person can tell by the way their body feels if they has a sexually transmitted infection.	☐	☐	☐	☐
A person who has genital herpes must have open sores to give the infection to his, her, or their sexual partner.	☐	☐	☐	☐
There is a vaccine that prevents a person from getting chlamydia.	☐	☐	☐	☐
A person can tell by the way their body feels if they have hepatitis B.	☐	☐	☐	☐
If a person had gonorrhea in the past, that person is immune (protected) from getting it again.	☐	☐	☐	☐
Human papillomavirus (HPV) can cause HIV.	☐	☐	☐	☐
A person can protect themselves from getting genital warts by washing their genitals after sex.	☐	☐	☐	☐
There is a vaccine that can protect a person from getting hepatitis B.	☐	☐	☐	☐

MEDICATION PREFERENCES

The next section will include questions about your medication preferences, not specific to HIV or STI treatment.

Please answer the following questions to the best of your ability. All answers are anonymous.

What types of medications do you currently take or that you have taken in the past year?
Please check all that apply.

- ☐ Oral Pills
- ☐ Inhaler
- ☐ Nasal Spray
- ☐ Syrup
- ☐ Patch
- ☐ Shots or Injectables
- ☐ Suppositories or Pellets
- ☐ Ear Drops
- ☐ Eye Drops
- ☐ None of the Above
- ☐ Prefer Not to Answer

Now, let's take some time to discuss your preferences about taking medications. Generally speaking, how comfortable would you be taking a medications that is a/an:

	Comfortable	Uncomfortable	Prefer Not to Answer
Oral pill that you have to take every day?	☐	☐	☐
Oral pill that you have to take as needed?	☐	☐	☐
Oral pill you have to take weekly?	☐	☐	☐
Oral pill you have to take monthly?	☐	☐	☐
Patch that would stick to your skin (sticker) that would be changed weekly?	☐	☐	☐
Patch that would stick to your skin (sticker) that would be changed monthly?	☐	☐	☐
Rectal douche that you would give yourself as needed?	☐	☐	☐
Shot/Injection that would be given in a clinic once a month?	☐	☐	☐

	Comfortable	Uncomfortable	Prefer Not to Answer
Shot/Injection that would be given in a clinic once every two months?	☐	☐	☐
Shot/Injection that would be given in a clinic once every six months?	☐	☐	☐
Suppository or pellet that you could insert into your rectum yourself?	☐	☐	☐
Implant that would be inserted under your skin that would need to be changed once a year.	☐	☐	☐

EVERYTHING PREP

The next section will include questions about your knowledge and behaviors surrounding PrEP, pre-exposure prophylaxis, a medication used to prevent HIV transmission.

Please answer the following questions to the best of your ability. All answers are anonymous.

Have you ever heard of PrEP?

- ☐ Yes
- ☐ No
- ☐ Prefer Not to Answer

Have you ever seen a television commercial for PrEP?

- ☐ Yes
- ☐ No
- ☐ Prefer Not to Answer

Have you ever seen a social media advertisement for PrEP?

- ☐ Yes
- ☐ No

☐ Prefer Not to Answer

Which type of PrEP, if any, have you heard of? Please check all that apply.

- ☐ Daily pills
- ☐ Injectable PrEP
- ☐ PrEP 2-1-1
- ☐ None of the Above
- ☐ Prefer Not to Answer

Which of the following brands of PrEP, if any, have you heard of? Please check all that apply.

- ☐ Truvada
- ☐ Descovy
- ☐ Apretude
- ☐ None of the Above
- ☐ Prefer Not to Answer

Please describe anything else you have heard about PrEP (facts, rumors, stories from others, etc.).

The following statements will ask about your knowledge related to PrEP. Please read the following statements and answer to the best of your ability.

	True	False	I Don't Know	Prefer Not to Answer
PrEP is a daily pill you can take to reduce your risk of becoming infected with HIV.	☐	☐	☐	☐
You should not use PrEP if you do not know your HIV status.	☐	☐	☐	☐

	True	False	I Don't Know	Prefer Not to Answer
If you do not take PrEP consistently, there may not be enough medicine in your bloodstream to block the HIV virus.	☐	☐	☐	☐
PrEP can be used to prevent STIs like gonorrhea, chlamydia, syphilis, herpes, and HPV.	☐	☐	☐	☐
If you start taking PrEP, you will have to take it for the rest of your life.	☐	☐	☐	☐
PrEP can be taken by people who already have HIV.	☐	☐	☐	☐
You must take an HIV test every 3 months while taking PrEP.	☐	☐	☐	☐
There are many serious side effects of taking PrEP.	☐	☐	☐	☐
The PrEP pill contains two medicines that are also used to treat HIV.	☐	☐	☐	☐
Daily PrEP use can lower the risk of getting HIV from sex by more than 90%.	☐	☐	☐	☐

How likely are you to take a medication called pre-exposure prophylaxis (PrEP) that prevents you from getting HIV that is a/an?

	Extremely Unlikely	Unlikely	Neutral	Likely	Extremely Likely	Prefer Not to Answer
Oral pill that you have to take every day?	☐	☐	☐	☐	☐	☐
Oral pill that you have to take as needed?	☐	☐	☐	☐	☐	☐
Oral pill you have to take weekly?	☐	☐	☐	☐	☐	☐
Oral pill you have to take monthly?	☐	☐	☐	☐	☐	☐
Patch that would stick to your skin (sticker) that would be changed weekly?	☐	☐	☐	☐	☐	☐
Patch that would stick to your skin (sticker) that would be	☐	☐	☐	☐	☐	☐

	Extremely Unlikely	Unlikely	Neutral	Likely	Extremely Likely	Prefer Not to Answer
changed monthly?						
Rectal douche that you would give yourself as needed?	☐	☐	☐	☐	☐	☐
Shot/Injection that would be given in a clinic once a month?	☐	☐	☐	☐	☐	☐
Shot/Injection that would be given in a clinic once every two months?	☐	☐	☐	☐	☐	☐
Shot/Injection that would be given in a clinic once every six months?	☐	☐	☐	☐	☐	☐
Suppository or pellet that you could insert into your rectum yourself?	☐	☐	☐	☐	☐	☐
Implant that would be inserted under your skin that would need to be changed once a year.	☐	☐	☐	☐	☐	☐

If you were to accept a prescription for PrEP, which is currently available in pills or shots, where would you prefer to receive such medications:

	Pills	Shots	Prefer Not to Answer
Clinic or Doctor's Office	☐	☐	☐
Urgent Care	☐	☐	☐
Special HIV or PrEP Clinic	☐	☐	☐
Pharmacy	☐	☐	☐
School	☐	☐	☐
Youth Center	☐	☐	☐
Church or Religious Center	☐	☐	☐

If you needed to meet with a doctor to get a prescription for PrEP, would you prefer to have an in-person visit at a clinic or a virtual telemedicine visit?

- ☐ Clinic
- ☐ Telemedicine
- ☐ Prefer Not to Answer

If you wanted to learn more about PrEP, please rank how much you would trust information on PrEP from the following people.

	Completely Distrust	Somewhat Distrust	Neither Distrust nor Trust	Somewhat Trust	Completely Trust	Prefer Not to Answer
Pediatrician	☐	☐	☐	☐	☐	☐
HIV Doctor	☐	☐	☐	☐	☐	☐
Nurses	☐	☐	☐	☐	☐	☐
Pharmacists	☐	☐	☐	☐	☐	☐
Teachers	☐	☐	☐	☐	☐	☐
Counselors & Psychologists	☐	☐	☐	☐	☐	☐
Politicians	☐	☐	☐	☐	☐	☐
Parents or Guardians	☐	☐	☐	☐	☐	☐
Siblings	☐	☐	☐	☐	☐	☐
Gay or Bi-friends/peers	☐	☐	☐	☐	☐	☐
Straight friends/peers	☐	☐	☐	☐	☐	☐
Religious Leader, Pastors, and Preachers	☐	☐	☐	☐	☐	☐

If you wanted to learn more about PrEP, please rank how much you would trust these information sources.

	Completely Distrust	Somewhat Distrust	Neither Distrust nor Trust	Somewhat Trust	Completely Trust	Prefer Not to Answer
Web Search/Google	☐	☐	☐	☐	☐	☐
Online New Sources, such as the New York Times, CNN, or Fox News	☐	☐	☐	☐	☐	☐
Tik Tok	☐	☐	☐	☐	☐	☐
Instagram	☐	☐	☐	☐	☐	☐
Reddit	☐	☐	☐	☐	☐	☐
Discord	☐	☐	☐	☐	☐	☐
Pamphlets in a Clinic	☐	☐	☐	☐	☐	☐
Pamphlets in a School	☐	☐	☐	☐	☐	☐

	Completely Distrust	Somewhat Distrust	Neither Distrust nor Trust	Somewhat Trust	Completely Trust	Prefer Not to Answer
Television Commercials	☐	☐	☐	☐	☐	☐
Radio Commercials	☐	☐	☐	☐	☐	☐
Straight friends/peers	☐	☐	☐	☐	☐	☐
Religious Leader, Pastors, and Preachers	☐	☐	☐	☐	☐	☐

Why do you think that more young gay, bisexual, and queer men are not on PrEP?

How can we make PrEP more accessible to young gay, bisexual, and queer guys?

What is the best way to spread information about PrEP?

STIGMA & DISCRIMINATION

In this last block of questions, we will ask about stigma, discrimination, and the support that you have as a bi-, gay, or queer youth in Alabama.

Please answer the following questions to the best of your ability. All answers are anonymous.

Please indicate how much you disagree or agree to the following statements.

	Strongly Disagree	Disagree	Neither agree nor disagree	Agree	Strongly Agree	Prefer Not to Answer
I wish I weren't gay/bisexual.	☐	☐	☐	☐	☐	☐
I have tried to stop being attracted to men in general.	☐	☐	☐	☐	☐	☐
If someone offered me the chance to be completely heterosexual (straight), I would accept the chance.	☐	☐	☐	☐	☐	☐
I feel that being gay/bisexual is a personal shortcoming for me.	☐	☐	☐	☐	☐	☐
I would like to get professional help in order to change my sexual orientation from gay/bisexual to straight.	☐	☐	☐	☐	☐	☐

Over the last 2 weeks, how often have you been bothered by any of the following problems?

	Not at All	Several Days	More than half the days	Nearly Every Day	Prefer Not to Answer
Little interest or pleasure in doing things.	☐	☐	☐	☐	☐
Feeling down, depressed, or hopeless.	☐	☐	☐	☐	☐
Trouble falling or staying asleep, or sleeping too much.	☐	☐	☐	☐	☐
Feeling tired or having little energy.	☐	☐	☐	☐	☐
Poor appetite or overeating.	☐	☐	☐	☐	☐
Feeling bad about yourself - or that you are a failure or have let yourself or your family down.	☐	☐	☐	☐	☐
Trouble concentrating on things, such as reading the newspaper or watching television.	☐	☐	☐	☐	☐

	Not at All	Several Days	More than half the days	Nearly Every Day	Prefer Not to Answer
Moving or speaking so slowly that other people could have noticed? Or the opposite - being so fidgety or restless that you have been moving around a lot more than usual	☐	☐	☐	☐	☐

In your day-to-day life, how often do any of the following things happen to you?

	Never	Less than Once a Year	A Few Times a Year	A Few Times a Month	At least Once a Week	Almost Everyday	Prefer Not to Answer
You are treated with less courtesy than other people are.	☐	☐	☐	☐	☐	☐	☐
You are treated with less respect than other people are.	☐	☐	☐	☐	☐	☐	☐
You receive poorer service than other people at restaurants or stores.	☐	☐	☐	☐	☐	☐	☐
People act as if they think you are not smart.	☐	☐	☐	☐	☐	☐	☐
People act as if they are afraid of you.	☐	☐	☐	☐	☐	☐	☐
People act as if they think you are dishonest.	☐	☐	☐	☐	☐	☐	☐
People act as if they're better than you are.	☐	☐	☐	☐	☐	☐	☐
You are called names or insulted.	☐	☐	☐	☐	☐	☐	☐
You are threatened or harassed.	☐	☐	☐	☐	☐	☐	☐

People sometimes look to others for companionship, assistance, or other types of support. How often has each of the following kinds of support listed been available to you if you needed it?

	None of the Time	A Little of the Time	Some of the Time	Most of the Time	All of the Time	Prefer Not to Answer
Someone to help you if you were confined to bed.	☐	☐	☐	☐	☐	☐
Someone you can count on to listen to you when you need to talk.	☐	☐	☐	☐	☐	☐
Someone to give you good advice about a crisis.	☐	☐	☐	☐	☐	☐
Someone to take you to the doctor if you needed it.	☐	☐	☐	☐	☐	☐
Someone who shows you love and affection	☐	☐	☐	☐	☐	☐
Someone to have a good time with.	☐	☐	☐	☐	☐	☐
Someone to give you information to help you understand a situation.	☐	☐	☐	☐	☐	☐
Someone to confide in or talk to about yourself and your problems.	☐	☐	☐	☐	☐	☐
Someone who hugs you.	☐	☐	☐	☐	☐	☐
Someone to get together with for relaxation.	☐	☐	☐	☐	☐	☐
Someone to prepare your meals if you were unable to do it yourself.	☐	☐	☐	☐	☐	☐
Someone whose advice you really want.	☐	☐	☐	☐	☐	☐
Someone to do things with to help you get your mind off things.	☐	☐	☐	☐	☐	☐
Someone to share your most private worries and fears with.	☐	☐	☐	☐	☐	☐
Someone to turn to for suggestions about how to deal with a personal problem.	☐	☐	☐	☐	☐	☐
Someone to do something enjoyable with.	☐	☐	☐	☐	☐	☐
Someone who understands your problems.	☐	☐	☐	☐	☐	☐


	None of the Time	A Little of the Time	Some of the Time	Most of the Time	All of the Time	Prefer Not to Answer
Someone to love and make you feel wanted.	☐	☐	☐	☐	☐	☐

Please indicate how true the follow statements are for you.

	Not at all True	Hardly True	Moderately True	Exactly True	Prefer Not to Answer
I can always manage to solve difficult problems if I try hard enough.	☐	☐	☐	☐	☐
If someone opposes me, I can find the means and ways to get what I want.	☐	☐	☐	☐	☐
It is easy for me to stick to my aims and accomplish my goals.	☐	☐	☐	☐	☐
I am confident that I could deal efficiently with unexpected events.	☐	☐	☐	☐	☐
Thanks to my resourcefulness, I know how to handle unforeseen situations.	☐	☐	☐	☐	☐
I can solve most problems if I invest the necessary effort.	☐	☐	☐	☐	☐
I can remain calm when facing difficulties because I can rely on my coping abilities.	☐	☐	☐	☐	☐
When I am confronted with a problem, I can usually find several solutions.	☐	☐	☐	☐	☐
If I am in trouble, I can usually think of a solution.	☐	☐	☐	☐	☐
I can usually handle whatever comes my way.	☐	☐	☐	☐	☐

Block 6

Please answer the question below to verify that you are not a bot.



Thank you for your time and completing this survey. Your Tango gift card will be emailed to you within the next 3 business days. Once you get the email, you will be able to pick what kind of gift card you would like to apply your \$35 to (Walmart, Target, Amazon, Visa, etc.). Please make sure to check your inbox, spam, junk, and trash folders for this email. If you have any questions or concerns about this study or need help with your gift card, please email the following:

SAM-KAP Program Coordinator

Andrea Johnson

aj22bd@fsu.edu

IRIS Lab Program Manager

Lily Bond, MPH

clb22m@fsu.edu

SAM-KAP Principal Investigator

Henna Budhwani, PhD, MPH

hbudhwani@fsu.edu

Please save these names and emails before clicking out of the survey, as you may not be able to see them once you submit the survey.

Powered by Qualtrics