

Additional file 1

Dynamics of *Clostridium* genus and hard-cheese spoiling *Clostridium* species in anaerobic digesters treating agricultural biomass

Alessandra Fontana ¹, Mariangela Soldano ², Paolo Bellassi ¹, Claudio Fabbri ², Francesco Gallucci ³, Lorenzo Morelli ^{1,4} and Fabrizio Cappa ^{1,4}

¹ Department for Sustainable Food Process – DiSTAS, Università Cattolica del Sacro Cuore, Via Emilia Parmense, 84, 29122 Piacenza, Italy

² Centro Ricerche Produzioni Animali – C.R.P.A. S.p.A., Viale Timavo, 43/2, 42121 Reggio Emilia, Italy

³ Consiglio per la ricerca in agricoltura e l'analisi dell'economia agraria – CREA, Via della Pascolare, 16, 00015 Monterotondo, Roma, Italy

⁴ Centro Ricerche Biotecnologiche, Università Cattolica del Sacro Cuore, Via Milano, 24, 26100 Cremona, Italy

 Email: alessandra.fontana@unicatt.it

Table S1

Characteristics of the substrates used as feedstock in the anaerobic digestion tests

Substrate	pH	Total solids (TS)	Volatile solids (VS)	
		(g/kg)	(g/kg)	(%TS)
Cattle slurry	7.2 ± 0.3	74.2 ± 7.9	58.2 ± 4.6	78.7 ± 2.8
Maize silage	3.8 ± 0.5	336.7 ± 9.5	323.1 ± 11.0	95.9 ± 0.6
Maize flour	5.4 ± 0.4	935.4 ± 3.1	922.9 ± 4.2	98.7 ± 0.1

Fig. S1

Taxonomic assignments at the genus level. **a** Bar-plot of the OTU relative abundances in the inoculum and reactor digestate at the start-up and steady state conditions. **b** Widening of the minor genera

