

Supplementary table 1. Phenotype of immune cell subsets

LN cell subset	Phenotype
DC subsets	
migratory cDC	
dDC	CD1a ⁺ CD11c ^{hi} CD1a ^{int}
LC	CD1a ⁺ CD11c ^{int} CD1a ^{hi}
lymph node resident cDC	
LNRcDC	CD1a ⁻ CD11c ⁺ CD14 ⁻
CD14 ⁺	CD1a ⁻ CD11c ⁺ CD14 ⁺
	<i>Activation markers:</i> <i>CD40, CD83, CD86</i>
plasmacytoid DC (pDC)	CD123 ⁺ BDCA-2 ⁺
	<i>Activation markers:</i> <i>CD40, CD83</i>
MDSC	Lin ⁻ HLA-DR ⁻ CD33 ⁺ CD11b ⁺
T cells	
CD4 ⁺ T cells	CD3 ⁺ CD4 ⁺ CD8 ⁻
CD8 ⁺ T cells	CD3 ⁺ CD4 ⁻ CD8 ⁺
	<i>Activation markers:</i> <i>HLA-DR, ICOS</i> <i>Check-point molecules:</i> <i>CTLA-4, PD-1</i>
Double positive T cells	CD3 ⁺ CD4 ⁺ CD8 ⁺
Double negative T cells	CD3 ⁺ CD4 ⁻ CD8 ⁻
Regulatory T cells (Treg)	CD3 ⁺ CD4 ⁺ CD25 ^{hi} Foxp3 ⁺