

Table of Contents

Figure 1.1.1.1	Empirical Cumulative Distribution Function of Change from Baseline to Cycle 5 in NFBSI-16 Total score by EQ-5D-5L VAS: with merged minimal and moderate categories	1
Figure 1.1.2.1	Empirical Cumulative Distribution Function of Change from Baseline to Cycle 7 in NFBSI-16 Total score by EQ-5D-5L VAS: with merged minimal and moderate categories	2
Figure 1.1.3.1	Empirical Cumulative Distribution Function of Change from Baseline to Cycle 9 in NFBSI-16 Total score by EQ-5D-5L VAS: with merged minimal and moderate categories	3
Figure 1.2.1.1	Empirical Cumulative Distribution Function of Change from Baseline to Cycle 5 in NFBSI-16 DRS-P by EQ-5D-5L Pain: with merged minimal and moderate categories	4
Figure 1.2.1.2	Empirical Cumulative Distribution Function of Change from Baseline to Cycle 5 in NFBSI-16 DRS-P by EQ-5D-5L Usual Activities merged minimal and moderate categories	5
Figure 1.2.2.1	Empirical Cumulative Distribution Function of Change from Baseline to Cycle 7 in NFBSI-16 DRS-P by EQ-5D-5L Pain: with merged minimal and moderate categories	6
Figure 1.2.2.2	Empirical Cumulative Distribution Function of Change from Baseline to Cycle 7 in NFBSI-16 DRS-P by EQ-5D-5L Usual Activities	7
Figure 1.2.3.1	Empirical Cumulative Distribution Function of Change from Baseline to Cycle 9 in NFBSI-16 DRS-P by EQ-5D-5L Pain: with merged minimal and moderate categories	8
Figure 1.2.3.2	Empirical Cumulative Distribution Function of Change from Baseline to Cycle 9 in NFBSI-16 DRS-P by EQ-5D-5L Usual Activities with merged minimal and moderate categories	9
Figure 1.3.1.2	Empirical Cumulative Distribution Function of Change from Baseline to Cycle 5 in NFBSI-16 DRS-E by EQ-5D-5L VAS: with merged minimal and moderate categories	10
Figure 1.3.2.2	Empirical Cumulative Distribution Function of Change from Baseline to Cycle 7 in NFBSI-16 DRS-E by EQ-5D-5L VAS: with merged minimal and moderate categories	11
Figure 1.3.3.2	Empirical Cumulative Distribution Function of Change from Baseline to Cycle 9 in NFBSI-16 DRS-E by EQ-5D-5L VAS: with merged minimal and moderate categories	12
Figure 2.1.1.1	ROC curve for NFBSI-16 Total score, Improved versus Stable, according to EQ-5D-5L VAS from Baseline to Cycle 5	13
Figure 2.1.2.1	ROC curve for NFBSI-16 Total score, Improved versus Stable, according to EQ-5D-5L VAS from Baseline to Cycle 7	14
Figure 2.1.3.1	ROC curve for NFBSI-16 Total score, Improved versus Stable, according to EQ-5D-5L VAS from Baseline to Cycle 9	15
Figure 2.2.1.1	ROC curve for NFBSI-16 DRS-P, Improved versus Stable, according to EQ-5D-5L Pain from Baseline to Cycle 5	16
Figure 2.2.1.2	ROC curve for NFBSI-16 DRS-P, Improved versus Stable, according to EQ-5D-5L Usual Activities from Baseline to Cycle 5	17
Figure 2.2.2.1	ROC curve for NFBSI-16 DRS-P, Improved versus Stable, according to EQ-5D-5L Pain from Baseline to Cycle 7	18
Figure 2.2.2.2	ROC curve for NFBSI-16 DRS-P, Improved versus Stable, according to EQ-5D-5L Usual Activities from Baseline to Cycle 7	19
Figure 2.2.3.1	ROC curve for NFBSI-16 DRS-P, Improved versus Stable, according to EQ-5D-5L Pain from Baseline to Cycle 9	20
Figure 2.2.3.2	ROC curve for NFBSI-16 DRS-P, Improved versus Stable, according to EQ-5D-5L Usual Activities from Baseline to Cycle 9	21
Figure 2.3.1.2	ROC curve for NFBSI-16 DRS-E, Improved versus Stable, according to EQ-5D-5L VAS from Baseline to Cycle 5	22
Figure 2.3.2.2	ROC curve for NFBSI-16 DRS-E, Improved versus Stable, according to EQ-5D-5L VAS from Baseline to Cycle 7	23
Figure 2.3.3.2	ROC curve for NFBSI-16 DRS-E, Improved versus Stable, according to EQ-5D-5L VAS from Baseline to Cycle 9	24
Figure 3.1.1.1	ROC curve for NFBSI-16 Total score, Worsened versus Stable, according to EQ-5D-5L VAS from Baseline to Cycle 5	25
Figure 3.1.2.1	ROC curve for NFBSI-16 Total score, Worsened versus Stable, according to EQ-5D-5L VAS from Baseline to Cycle 7	26
Figure 3.1.3.1	ROC curve for NFBSI-16 Total score, Worsened versus Stable, according to EQ-5D-5L VAS from Baseline to Cycle 9	27
Figure 3.2.1.1	ROC curve for NFBSI-16 DRS-P, Worsened versus Stable, according to EQ-5D-5L Pain from Baseline to Cycle 5	28
Figure 3.2.1.2	ROC curve for NFBSI-16 DRS-P, Worsened versus Stable, according to EQ-5D-5L Usual Activities from Baseline to Cycle 5	29
Figure 3.2.2.1	ROC curve for NFBSI-16 DRS-P, Worsened versus Stable, according to EQ-5D-5L Pain from Baseline to Cycle 7	30
Figure 3.2.2.2	ROC curve for NFBSI-16 DRS-P, Worsened versus Stable, according to EQ-5D-5L Usual Activities from Baseline to Cycle 7	31
Figure 3.2.3.1	ROC curve for NFBSI-16 DRS-P, Worsened versus Stable, according to EQ-5D-5L Pain from Baseline to Cycle 9	32
Figure 3.2.3.2	ROC curve for NFBSI-16 DRS-P, Worsened versus Stable, according to EQ-5D-5L Usual Activities from Baseline to Cycle 9	33
Figure 3.3.1.2	ROC curve for NFBSI-16 DRS-E, Worsened versus Stable, according to EQ-5D-5L VAS from Baseline to Cycle 5	34
Figure 3.3.2.2	ROC curve for NFBSI-16 DRS-E, Worsened versus Stable, according to EQ-5D-5L VAS from Baseline to Cycle 7	35
Figure 3.3.3.2	ROC curve for NFBSI-16 DRS-E, Worsened versus Stable, according to EQ-5D-5L VAS from Baseline to Cycle 9	36

Figure 1.1.1.1: Empirical Cumulative Distribution Function of Change from Baseline to Cycle 5 in NFBSI-16 Total score by EQ-5D-5L VAS with merged minimal and moderate categories




Figure 1.1.2.1: Empirical Cumulative Distribution Function of Change from Baseline to Cycle 7 in NFBSI-16 Total score by EQ-5D-5L VAS with merged minimal and moderate categories




Figure 1.1.3.1: Empirical Cumulative Distribution Function of Change from Baseline to Cycle 9 in NFBSI-16 Total score by EQ-5D-5L VAS with merged minimal and moderate categories




Figure 1.2.1.1: Empirical Cumulative Distribution Function of Change from Baseline to Cycle 5 in NFBSI-16 DRS-P by EQ-5D-5L Pain with merged minimal and moderate categories




Figure 1.2.1.2: Empirical Cumulative Distribution Function of Change from Baseline to Cycle 5 in NFBSI-16 DRS-P by EQ-5D-5L Usual Activities with merged minimal and moderate categories




Figure 1.2.2.1: Empirical Cumulative Distribution Function of Change from Baseline to Cycle 7 in NFBSI-16 DRS-P by EQ-5D-5L Pain with merged minimal and moderate categories




Figure 1.2.2.2: Empirical Cumulative Distribution Function of Change from Baseline to Cycle 7 in NFBSI-16 DRS-P by EQ-5D-5L Usual Activities with merged minimal and moderate categories




Figure 1.2.3.1: Empirical Cumulative Distribution Function of Change from Baseline to Cycle 9 in NFBSI-16 DRS-P by EQ-5D-5L Pain with merged minimal and moderate categories




Figure 1.2.3.2: Empirical Cumulative Distribution Function of Change from Baseline to Cycle 9 in NFBSI-16 DRS-P by EQ-5D-5L Usual Activities with merged minimal and moderate categories




Figure 1.3.1.2: Empirical Cumulative Distribution Function of Change from Baseline to Cycle 5 in NFBSI-16 DRS-E by EQ-5D-5L VAS with merged minimal and moderate categories




Figure 1.3.2.2: Empirical Cumulative Distribution Function of Change from Baseline to Cycle 7 in NFBSI-16 DRS-E by EQ-5D-5L VAS with merged minimal and moderate categories




Figure 1.3.3.2: Empirical Cumulative Distribution Function of Change from Baseline to Cycle 9 in NFBSI-16 DRS-E by EQ-5D-5L VAS with merged minimal and moderate categories




Figure 2.1.1.1: ROC curve for NFBSI-16 Total score, Improved versus Stable, according to EQ-5D-5L VAS from Baseline to Cycle 5




Figure 2.1.2.1: ROC curve for NFBSI-16 Total score, Improved versus Stable, according to EQ-5D-5L VAS from Baseline to Cycle 7




Figure 2.1.3.1: ROC curve for NFBSI-16 Total score, Improved versus Stable, according to EQ-5D-5L VAS from Baseline to Cycle 9






Figure 2.2.1.1: ROC curve for NFBSI-16 DRS-P, Improved versus Stable, according to EQ-5D-5L Pain from Baseline to Cycle 5




NFBSI: National Comprehensive Cancer Network Functional Assessment Of Cancer Therapy-Breast Cancer Symptom Index; DRSP: Disease-Related Symptoms Physical; IMPSTAB: 'Minimal/Moderate/Major Improvement' versus 'Stable' ; EQ-5D-5L Pain Anchor

Figure 2.2.1.2: ROC curve for NFBSI-16 DRS-P, Improved versus Stable, according to EQ-5D-5L Usual Activities from Baseline to Cycle 5




NFBSI: National Comprehensive Cancer Network Functional Assessment Of Cancer Therapy-Breast Cancer Symptom Index; DRSP: Disease-Related Symptoms Physical; IMPSTAB: 'Minimal/Moderate/Major Improvement' versus 'Stable' ; EQ-5D-5L Usual Activities Anchor

Figure 2.2.2.1: ROC curve for NFBSI-16 DRS-P, Improved versus Stable, according to EQ-5D-5L Pain from Baseline to Cycle 7




NFBSI: National Comprehensive Cancer Network Functional Assessment Of Cancer Therapy-Breast Cancer Symptom Index; DRSP: Disease-Related Symptoms Physical; IMPSTAB: 'Minimal/Moderate/Major Improvement' versus 'Stable' ; EQ-5D-5L Pain Anchor

Figure 2.2.2.2: ROC curve for NFBSI-16 DRS-P, Improved versus Stable, according to EQ-5D-5L Usual Activities from Baseline to Cycle 7




NFBSI: National Comprehensive Cancer Network Functional Assessment Of Cancer Therapy-Breast Cancer Symptom Index; DRSP: Disease-Related Symptoms Physical; IMPSTAB: 'Minimal/Moderate/Major Improvement' versus 'Stable' ; EQ-5D-5L Usual Activities Anchor

Figure 2.2.3.1: ROC curve for NFBSI-16 DRS-P, Improved versus Stable, according to EQ-5D-5L Pain from Baseline to Cycle 9




NFBSI: National Comprehensive Cancer Network Functional Assessment Of Cancer Therapy-Breast Cancer Symptom Index; DRSP: Disease-Related Symptoms Physical; IMPSTAB: 'Minimal/Moderate/Major Improvement' versus 'Stable' ; EQ-5D-5L Pain Anchor

Figure 2.2.3.2: ROC curve for NFBSI-16 DRS-P, Improved versus Stable, according to EQ-5D-5L Usual Activities from Baseline to Cycle 9




NFBSI: National Comprehensive Cancer Network Functional Assessment Of Cancer Therapy-Breast Cancer Symptom Index; DRSP: Disease-Related Symptoms Physical; IMPSTAB: 'Minimal/Moderate/Major Improvement' versus 'Stable' ; EQ-5D-5L Usual Activities Anchor

Figure 2.3.1.2: ROC curve for NFBSI-16 DRS-E, Improved versus Stable, according to EQ-5D-5L VAS from Baseline to Cycle 5




NFBSI: National Comprehensive Cancer Network Functional Assessment Of Cancer Therapy-Breast Cancer Symptom Index; DRSE: Disease-Related Symptoms Emotional; IMPSTAB: 'Minimal/Moderate/Major Improvement' versus 'Stable' ; EQ-5D-5L VAS Anchor

Figure 2.3.2.2: ROC curve for NFBSI-16 DRS-E, Improved versus Stable, according to EQ-5D-5L VAS from Baseline to Cycle 7



NFBSI: National Comprehensive Cancer Network Functional Assessment Of Cancer Therapy-Breast Cancer Symptom Index; DRSE: Disease-Related Symptoms Emotional; IMPSTAB: 'Minimal/Moderate/Major Improvement' versus 'Stable' ; EQ-5D-5L VAS Anchor

Figure 2.3.3.2: ROC curve for NFBSI-16 DRS-E, Improved versus Stable, according to EQ-5D-5L VAS from Baseline to Cycle 9



NFBSI: National Comprehensive Cancer Network Functional Assessment Of Cancer Therapy-Breast Cancer Symptom Index; DRSE: Disease-Related Symptoms Emotional; IMPSTAB: 'Minimal/Moderate/Major Improvement' versus 'Stable' ; EQ-5D-5L VAS Anchor

Figure 3.1.1.1: ROC curve for NFBSI-16 Total score, Worsened versus Stable, according to EQ-5D-5L VAS from Baseline to Cycle 5




Figure 3.1.2.1: ROC curve for NFBSI-16 Total score, Worsened versus Stable, according to EQ-5D-5L VAS from Baseline to Cycle 7




Figure 3.1.3.1: ROC curve for NFBSI-16 Total score, Worsened versus Stable, according to EQ-5D-5L VAS from Baseline to Cycle 9






Figure 3.2.1.1: ROC curve for NFBSI-16 DRS-P, Worsened versus Stable, according to EQ-5D-5L Pain from Baseline to Cycle 5




NFBSI: National Comprehensive Cancer Network Functional Assessment Of Cancer Therapy-Breast Cancer Symptom Index; DRSP: Disease-Related Symptoms Physical; WORSTAB: 'Minimal/Moderate/Major Worsening' versus 'Stable'; EQ-5D-5L Pain Anchor

Figure 3.2.1.2: ROC curve for NFBSI-16 DRS-P, Worsened versus Stable, according to EQ-5D-5L Usual Activities from Baseline to Cycle 5




NFBSI: National Comprehensive Cancer Network Functional Assessment Of Cancer Therapy-Breast Cancer Symptom Index; DRSP: Disease-Related Symptoms Physical; WORSTAB: 'Minimal/Moderate/Major Worsening' versus 'Stable'; EQ-5D-5L Usual Activities Anchor

Figure 3.2.2.1: ROC curve for NFBSI-16 DRS-P, Worsened versus Stable, according to EQ-5D-5L Pain from Baseline to Cycle 7




NFBSI: National Comprehensive Cancer Network Functional Assessment Of Cancer Therapy-Breast Cancer Symptom Index; DRSP: Disease-Related Symptoms Physical; WORSTAB: 'Minimal/Moderate/Major Worsening' versus 'Stable'; EQ-5D-5L Pain Anchor

Figure 3.2.2.2: ROC curve for NFBSI-16 DRS-P, Worsened versus Stable, according to EQ-5D-5L Usual Activities from Baseline to Cycle 7




NFBSI: National Comprehensive Cancer Network Functional Assessment Of Cancer Therapy-Breast Cancer Symptom Index; DRSP: Disease-Related Symptoms Physical; WORSTAB: 'Minimal/Moderate/Major Worsening' versus 'Stable'; EQ-5D-5L Usual Activities Anchor

Figure 3.2.3.1: ROC curve for NFBSI-16 DRS-P, Woresened versus Stable, according to EQ-5D-5L Pain from Baseline to Cycle 9




NFBSI: National Comprehensive Cancer Network Functional Assessment Of Cancer Therapy-Breast Cancer Symptom Index; DRSP: Disease-Related Symptoms Physical; WORSTAB: 'Minimal/Moderate/Major Worsening' versus 'Stable'; EQ-5D-5L Pain Anchor

Figure 3.2.3.2: ROC curve for NFBSI-16 DRS-P, Worsened versus Stable, according to EQ-5D-5L Usual Activities from Baseline to Cycle 9




NFBSI: National Comprehensive Cancer Network Functional Assessment Of Cancer Therapy-Breast Cancer Symptom Index; DRSP: Disease-Related Symptoms Physical; WORSTAB: 'Minimal/Moderate/Major Worsening' versus 'Stable'; EQ-5D-5L Usual Activities Anchor

Figure 3.3.1.2: ROC curve for NFBSI-16 DRS-E, Worsened versus Stable, according to EQ-5D-5L VAS from Baseline to Cycle 5




NFBSI: National Comprehensive Cancer Network Functional Assessment Of Cancer Therapy-Breast Cancer Symptom Index; DRSE: Disease-Related Symptoms Emotional; WORSTAB: 'Minimal/Moderate/Major Worsening' versus 'Stable'; EQ-5D-5L VAS Anchor

Figure 3.3.2.2: ROC curve for NFBSI-16 DRS-E, Worsened versus Stable, according to EQ-5D-5L VAS from Baseline to Cycle 7



NFBSI: National Comprehensive Cancer Network Functional Assessment Of Cancer Therapy-Breast Cancer Symptom Index; DRSE: Disease-Related Symptoms Emotional; WORSTAB: 'Minimal/Moderate/Major Worsening' versus 'Stable'; EQ-5D-5L VAS Anchor

Figure 3.3.3.2: ROC curve for NFBSI-16 DRS-E, Worsened versus Stable, according to EQ-5D-5L VAS from Baseline to Cycle 9



NFBSI: National Comprehensive Cancer Network Functional Assessment Of Cancer Therapy-Breast Cancer Symptom Index; DRSE: Disease-Related Symptoms Emotional; WORSTAB: 'Minimal/Moderate/Major Worsening' versus 'Stable'; EQ-5D-5L VAS Anchor