

1 **Table S1. Sequences of primers for RNA quantification by RT-qPCR.**

Gene	Forward (Sequence 5'–3')	Reverse (Sequence 5'–3')	GenBank Accession	Final concentration (mM)	Aliening temperature (°C)
Bglap2	CTGACCTCACAGATGCCAAGC	TGGTCTGATAGCTCGTCACAAG	NM_001032298.3	0.5	54
CD36	ATGGGCTGTGATCGGAACTG	GTCTTCCCAATAAGCATGTCTCC	NM_001159556	0.4	60
Ereg	CTGCCTCTTGGGTCTTGACG	GCGGTACAGTTATCCTCGGATTC	NM_007950	1	50
Il1r2	GTTTCTGCTTTCACCACTCCA	GAGTCCAATTTACTCCAGGTCAG	NM_010555	0.4	53
Il33	TCCAACCTCCAAGATTTCCTCCG	CATGCAGTAGACATGGCAGAA	NM_001164724.2	0.4	58
Rpl13a	AGCCTACCAGAAAGTTTGCTTAC	GCTTCTTCTCCGATAGTGCATC	NM_009438.5	0.4	60

- 2 Bglap2: Bone gamma-carboxyglutamate protein 2; CD36: cluster of differentiation 36; Ereg:
- 3 Epieregulin; Il1r2: Interleukin 1 receptor 2; Il33: Interleukin 33; Rpl13a: Ribosomal protein L 13a.