

Table EV3. Gene-specific primers used for RT-qPCR and ChIP

Usage	Name	Forward primer (5'→3')	Reverse primer (5'→3')
RT-qPCR	ESX	GTGATGCTGAGCTTGGGATG	TTAGGTTAGAAGCGCCCACA
	VEGFA	ATCAAACCTCACCAAGGCCA	CGGGATTTCCTTGCGCTTTCG
	ANG-1	CTTCAAGGCTTGGTTACTCGTC	CTCTTCCTCTCTTTTTCCTCCC
	IGF1	TCGCATCTCTTCTATCTGGCCCTGT	GCAGTACATCTCCAGCCTCCTCAGA
	MMP2	ATGACAGCTGCACCACTGAG	ATTTGTTGCCCAGGAAAGTG
	MMP9	TTGACAGCGACAAGAAGTGG	GCCATTACGTCGTCCTTAT
	IGF1-exon1	TCTAAATCCCTCTTCTGTTTGCT	CAGAGAGATGGGAGATGTTGAGAG
	IGF1-exon2	TCGCATCTCTTCTATCTGGCCCTGT	GCAGTACATCTCCAGCCTCCTCAGA
ChIP	ELF3_HRE	CCTGATTTCCTCAGCACTGCCT	CCCTGCAGTAACCTGAGCTG
	IGF1_EBS_#1	AATTGGGTTGGAAGACTGCTGAT	AGGCAAATGTTCCCCCAGC
	IGF1_EBS_#2	GCAAATGCATCCATCTCCCC	ATCAGCAGTCTTCCAACCCA
	IGF1_EBS_#3	CAGTTCTAGGCAGAAGCAAACA	GCTAAGGTCCCGGAAGTCTG
	IGF1_EBS_#4	TAAGTGCAGAGTTCCGGGAC	GACTTCTCGTTTCCGATTGC
	IGF1_EBS_#5	AAACGAGAAGTCGGTGCACT	TGTGGAGCGTTATCTCTGCA
	IGF1_EBS_#6	AACAGCAGAATCAGGTGCCT	TCTGGGCTGCTACAATAGGC